# STANDARD COMPLIANCE REQUIREMENTS Maintenance and Repair of Municipal Drains Constructed under the Drainage Act

# F. Bank Repair or Stabilization and Pipe Outlet Repair

## **Description of Typical Works**

Includes restoration of bank slopes to the original design in the Engineer's Report and localized activities to prevent bank failure, such as the placement of rip rap, seeding the bank, and the use of geotextile materials.

### **Activity-Specific Mitigation Requirements**

- Control the placement of stabilization works to minimize erosion and sediment travel impacts downstream.
- Minimize disruption to the channel.
- Perform work in no/low flow conditions to minimize sediment movement and erosion.

## **General Mitigation Requirements**

General mitigation requirements are standards that must be maintained on all drain *maintenance* and *repair* projects.

- Choose conditions and equipment appropriate to minimize site disturbance by equipment (e.g. frozen or dry soil conditions or the use of load distributing machines or mats).
- Place brush, debris and sediment in such a location as to minimize entry into the channel.
- Perform work in appropriate flow conditions to minimize debris movement and erosion.
- Limit soil movement and erosion; use appropriate control measures before work begins and inspect and maintain those measures regularly until all disturbed areas are stabilized.
- Except on cultivated lands, any areas of disturbed or bare soil around the drain should be seeded with native, non-invasive herbaceous material while the ground is moist and conditions are appropriate for germination.

| TheConservation Authority grants permission under Section 28 of the Conservation Authorities Act for work to be conducted in thedrain in accordance with the notification form, provided maintenance and repair activities comply with all standards set out above. This permission does not relieve the applicant of the responsibility to obtain any other approvals which may be required from municipal, provincial or federal authorities. |                         |               |  |  |  |
|---|-------------------------|---------------|--|--|--|
| File Number:  | By-Law No.:             |               |  |  |  |
| Period of Validity:   | to                      |               |  |  |  |
| Location:   | ☐ Location map attached |               |  |  |  |
| Geographic Township:  |                         | Municipality: |  |  |  |

| Work Zone* :<br>Impact Zone** :<br>Length of Work Zone:   |      |  | ) Lot<br>) Lot | Conc. |  |
|---|------|--|----------------|-------|--|
| *Work Zone = part of the drain where the work is actually occurring  ** Impact Zone = linear length of watercourse extending 1 km downstream of the bottom end of the Work Zone |      |  |                |       |  |
| Signature of Conservation   |      |  |                |       |  |
| Authority Official:   | Name |  | Signature      |       |  |
| Date:   |      |  |                |       |  |