

The Ontario Gazette La Gazette de l'Ontario

Vol. 138-35 Saturday, 27th August 2005 **Toronto**

ISSN 0030-2937 Le samedi 27 août 2005

Criminal Code Code Criminel

DESIGNATION OF QUALIFIED TECHNICIANS (BREATH SAMPLES)

NOTICE IS HEREBY GIVEN that pursuant to subsection 254(1) of the Criminal Code (Canada), the Honourable Monte Kwinter, Minister of Community Safety and Correctional Services of Ontario, on the 5th day of July 2005, designated the following persons as being qualified to operate the approved instruments known as the Intoxilyzer® 5000C.

L'AVIS PRESENT est donné qu'en vertu du paragraphe 254(1) du Code Criminel du Canada, 1'honourable Monte Kwinter, Ministre de la Sécurité communautaire et des Services correctionnels de l'Ontario, le 5 juillet 2005, désigna les personnes suivantes comme étant qualifiées pour manipuler les alcootest approuvé connu sous de nom de Intoxilyzer® 5000C.

John R. Bernard	Ontario Provincial Police
Dan X. Bissonette	Ontario Provincial Police
David Budzinski	Ontario Provincial Police
Alicia Burtch	Ontario Provincial Police
Matthew Eamer	Ontario Provincial Police
Rick P. Foley	Ontario Provincial Police
John Hatch	Ontario Provincial Police
Kim Heaphy	Ontario Provincial Police
Daril Holmes	Ontario Provincial Police
Terri L. Hubbert	Ontario Provincial Police
J. Brian Jones	Ontario Provincial Police
Ameen Khan	Ontario Provincial Police
Chris Legere	Ontario Provincial Police
Scott D. MacWhirter	Ontario Provincial Police
Marty W. McConnell	Ontario Provincial Police
Daniel Morin	Ontario Provincial Police
Jonathan Pergunas	Ontario Provincial Police
Gary St. Louis	Ontario Provincial Police
Simon Turcotte	Ontario Provincial Police

DESIGNATION OF QUALIFIED TECHNICIANS (BREATH SAMPLES)

NOTICE IS HEREBY GIVEN that pursuant to subsection 254(1) of the Criminal Code (Canada), the Honourable Monte Kwinter, Minister of

Community Safety and Correctional Services of Ontario, on the 5th day of July 2005, designated the following persons as being qualified to operate the approved instruments known as the Breathalyzer® 900 and 900A.

L'AVIS PRESENT est donné qu'en vertu du paragraphe 254(1) du Code Criminel du Canada, 1'honourable Monte Kwinter, Ministre de la Sécurité communautaire et des Services correctionnels de l'Ontario, le 5 juillet 2005, désigna les personnes suivantes comme étant qualifiées pour manipuler les alcootest approuvé connu sous de nom de Breathalyzer® 900 and 900A.

Colleen D. Benner	Ontario Provincial Police
Jody Bond	Ontario Provincial Police
Sean Byrne	Ontario Provincial Police
Mathew A. Caissie	Ontario Provincial Police
Gurpreet Dhillon	Ontario Provincial Police
Jeffrey B.R. Doupe	Ontario Provincial Police
Kevin Dunn	Ontario Provincial Police
Kevin W. Grainger	Ontario Provincial Police
Jason J. Henry	Ontario Provincial Police
W.R. Hutchison	Ontario Provincial Police
J. Brian Jones	Ontario Provincial Police
Jeffery R. Knights	Ontario Provincial Police
Dylan Langille	Ontario Provincial Police
Lori A. Lobinowich	Ontario Provincial Police
Marty W. McConnell	Ontario Provincial Police
Bernard Montpetit	Ontario Provincial Police
D.A. Pittock	Ontario Provincial Police
Marc Ratte	Ontario Provincial Police
Colleen Scrimger	Ontario Provincial Police
David Shaw	Ontario Provincial Police
Dave Snider	Ontario Provincial Police
Leo A. St. Georges	Ontario Provincial Police

(138-G894)

Ontario Highway Transport Board

Periodically, temporary applications are filed with the Board. Details of these applications can be made available at anytime to any interested parties by calling (416) 326-6732.

The following are applications for extra-provincial and public vehicle operating licenses filed under the Motor Vehicle Transport Act, 1987,

Published by Ministry of Government Services Publié par Ministère des Services gouvernementaux

- © Queen's Printer for Ontario, 2005
- © Imprimeur de la Reine pour l'Ontario, 2005







and the Public Vehicles Act. All information pertaining to the applicant i.e. business plan, supporting evidence, etc. is on file at the Board and is available upon request.

Any interested person who has an economic interest in the outcome of these applications may serve and file an objection within 29 days of this publication. The objector shall:

- 1. complete a Notice of Objection Form,
- 2. serve the applicant with the objection,
- 3. file a copy of the objection and provide proof of service of the objection on the applicant with the Board,
- 4. pay the appropriate fee.

Serving and filing an objection may be effected by hand delivery, mail, courier or facsimile. Serving means the date received by a party and filing means the date received by the Board.

LES LIBELLÉS DÉS DEMANDES PUBLIÉES CI-DESSOUS SONT AUSSI DISPONIBLES EN FRANÇAIS SUR DEMANDE.

Pour obtenir de l'information en français, veuillez communiquer avec la Commission des transports routiers au 416-326-6732.

Northstar Passenger Services GP Inc. 93 Bell Farm Road, Suite 111, Barrie, ON L4M 1H1

46108-O

Applies for the approval of transfer of shares as follows:

1 Common Share of the capital stock of the corporation now in the name of Contrans Corp. 1179 Ridgeway Road, Woodstock, ON N4S 8P6 to National Express Canada (Holdings) Ltd.

Walsh Transportation GP Inc. 1179 Ridgeway Road, Woodstock, ON N4S 8P6

46288-C

Applies for the approval of transfer of shares as follows:

1 Common Share of the capital stock of the corporation now in the name of Contrans Corp. 1179 Ridgeway Road, Woodstock, ON N4S 8P6 to National Express Canada (Holdings) Ltd.

FELIX D'MELLO

(138-G903) Board Secretary/Secrétaire de la Commission

Government Notices Respecting Corporations Avis du gouvernement relatifs aux compagnies

Notice of Default in Complying with the Corporations Tax Act Avis d'inobservation de la Loi sur l'imposition des corporations

The Director has been notified by the Minister of Finance that the following corporations are in default in complying with the Corporations Tax Act.

NOTICE IS HEREBY GIVEN under subsection 241 (1) of the Business Corporations Act, that unless the corporations listed hereunder comply with the requirements of the Corporations Tax Act within 90 days of this notice, orders will be made dissolving the defaulting corporations. All enquiries concerning this notice are to be directed to Corporations Tax Branch, Ministry of Finance, 33 King Street West, Oshawa, Ontario L1H 8H6.

Le ministre des Finances a informé le directeur que les sociétés suivantes n'avaient pas respecté la Loi sur l'imposition des corporations.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241 (1) de la Loi sur les sociétés par actions, si les sociétés citées ci-dessous ne se conforment pas aux prescriptions énoncées par la Loi sur l'imposition des corporations dans un délai de 90 jours suivant la réception du présent avis, lesdites sociétés se verront dissoutes par décision. Pour tout renseignement relatif au présent avis, veuillez vous addresser à la Direction de l'imposition des sociétés, ministère des Finances, 33, rue King ouest, Oshawa, Ontario L1H 8H6.

Name of Corporation: Dénomination sociale de la société:	Ontario Corporation Number Numéro de la société en Ontario
2005-08-27	
AC PERSONAL TOUCH AUTO BODY	LTD001071510
ALDABRA CAPITAL INTERNATION	AL INC001168831
ANNE'S HAIR & BODY WORKS LTD	001402017
ARTHURS CREATIVE SERVICES LIN	MITED000831008
AVEBURY RESEARCH & CONSULTI	ING LIMITED000585610
AVENTURA HOLDINGS INC	000634274
BACK COMFORT SHOP (1996) INC	001177244

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la société:	société en Ontario
BLOOR-DALTON INVESTMENTS I	NC000669302
BRUNSWICK DRYWALL (ONTARI	
BUENA VISTA HOMES LIMITED	
BULLS AUTO SALES INC	
C.A.W. CORPORATION	
C.M.T. INTERNATIONAL EXPORTI	NG & IMPORTING
LTD.	
CANADIAN BENCH MEDIA (GUEL	PH) INC001205433
CARDINAL MERCHANDISING SEF	
CITY GRAPHICS DESIGN & PRINT	
CJN TRANSPORTATION SERVICES	
CREDIT CREEK HOMES LTD	001006986
DALAN WELDING & FABRICATIO	
DONALD C. JOHNSTON INSURAN	
ESTATE LIMITED	
DRAGONSOURCE.COM INC	
FIRMBUY INC.	001278302
FOR LAWYERS ONLY INC	001111925
FURNITURE DESIGNS LIMITED	
G.D.S.C. INC.	
GHOULSOFT INC	
H V BRASS LTD.	
HAZELEE FARMS INC	
INDIAN MOTORCYCLE CORPORA	TION001289924
JAJ ENTERTAINMENT INC	
JANE MCGIVERN LTD	
JENNIFER'S WHOLE FOODS LTD.	000493520
JEWELS BY J'ANASTASIA INC	
JORE DECORATING QUINTE LTD.	
LAKEVIEW GLASS & MIRROR INC	
LAKEVILLE GAS MANAGEMENT	LTD 0007/0101
LESCOT GRAPHIC SERVICES INC.	
LIBRA FASHION INTERNATIONAL	
LINDSAY BAKERY LIMITED	
LOPES DRYWALL & ACOUSTICS O	
MAC VILLAGE INC.	
MONTPELLIER GROUP INC	001124863

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
	société en Ontario
MOONLIGHT LIMOUSINE INC	
NORTH FOREST INVESTMENTS INC.	
ONEIDA GENERAL CONTRACTING IN	
PETROPETS INC.	001422365
PROBITY HOME PROTECTION LIMIT	
RESULTS INTERNATIONAL SALES A SYSTEMS INC.	
SAN LUCA BAKERY & RESTAURANT	
SANCTIO ENTERPRISES INCORPORA	TED000827006
SAS OCCUPATIONAL MEDICAL SERV	
SHARWAL MANAGEMENT INC	
SIMPLEX (JVJ) INCORPORATED SKENE LANDSCAPE LTD	
SORTALL METAL FINISHING LTD	
SPRINGFIELD NURSERY & LANDSCA	APING INC000640139
SRI SAKTHY JEWELLERY INC	
SUPERIOR TOWING AND RECOVERY SWAN LAKE (MARKHAM) LIMITED	
T. BRETBY CO. LTD	
TACTICS ADVERTISING INC	001138583
TAURUS STORAGE SYSTEMS LTD	
TECHNICA HOUSE CANADA INC	
TEKSOLVE INCTHE CICADA SOFTWARE GROUP INC	
THE FURNITURE GALLERY LTD	
TOM CURRIE ENTERPRISES LIMITED	000751758
TRIPAGO INVESTMENTS LTD	
TUBCO PRODUCTS INC	
V.S. INC VNTP INTERNATIONAL INC	
WOODSHED MOTION PICTURES INC.	
1026777 ONTARIO INC	
1091148 ONTARIO LTD	
1109586 ONTARIO LIMITED 1138836 ONTARIO INC	
1147025 ONTARIO LTD	
1151091 ONTARIO LIMITED	001151091
1164313 ONTARIO INC	
1166345 ONTARIO LIMITED 1192510 ONTARIO LIMITED	
1217321 ONTARIO LIMITED	
1221840 ONTARIO INC.	
1238592 ONTARIO LIMITED	001238592
1239100 ONTARIO INC.	001239100
1250146 ONTARIO INC 1268194 ONTARIO LIMITED	001250146
1277777 ONTARIO LTD.	
1281990 ONTARIO LIMITED	001281990
1282282 ONTARIO LTD.	
1290860 ONTARIO INC	
1295525 ONTARIO INC 1309956 ONTARIO LTD	
1312904 ONTARIO INC.	
1326739 ONTARIO INC	001326739
1418265 ONTARIO INC	
1425762 ONTARIO INC458363 ONTARIO LIMITED	
503858 ONTARIO LIMITED	
582166 ONTARIO INC	
584894 ONTARIO CORP	000584894
598827 ONTARIO INC	000598827
701661 ONTARIO INC729806 ONTARIO LIMITED	
838558 ONTARIO EIMITED	
847378 ONTARIO LIMITED	000847378
897589 ONTARIO INC	000897589
950202 ONTARIO INC.	
969238 ONTARIO INC 993669 ONTARIO LIMITED	000969238 00003660
775007 OHTAKIO LIMITED	000333003

Name of Corporation: Dénomination sociale de la société:	Ontario Corporation Number Numéro de la société en Ontario
(138-G899)	B. G. HAWTON, Director, Companies and Personal Property Security Branch Directrice, Direction des compagnies et des sûretés mobilières

Cancellation of Certificates of Incorporation (Corporations Tax Act Defaulters) Annulation de certificats de constitution (Non-respect de la Loi sur l'imposition des corporations)

NOTICE IS HEREBY GIVEN that, under subsection 241 (4) of the *Business Corporations Act*, the Certificates of Incorporation of the corporations named hereunder have been cancelled by an Order dated 1 August, 2005 for default in complying with the provisions of the *Corporations Tax Act*, and the said corporations have been dissolved on that date.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241 (4) de la *Loi sur les* sociétés *par actions*, les certificats de constitution dont les 1 août 2005 pour non-respect des dispositions de la *Loi sur l'imposition des corporations* et que la dissolution des sociétés concernées prend effet à la date susmentionnée.

Name of Corporation: Dénomination sociale	Ontario Corporation Number Numéro de la
de la société:	société en Ontario
2005-08-01	
ABERDEEN LEASING INC	000710356
ACADIAN HOUSE LIMITED	
AGHAEI CUSTOM HOMES LTD	
AKHTAR INVESTMENTS INC	001396482
AMCAN GOLD CORPORATION	
ART BUSSE & ASSOCIATES (KENOR	A) LTD 000925037
AUTOVIN AUTO LEASING & SALES	LTD000935458
AYODHIA FASHION LTD	
B.J.W.C. ENTERPRISES LTD	
BRAMPTION AUTOMOTIVE INC	
BXT INVESTMENTS LTD	
C.M.E.L. ENTERPRISES LTD	
CALEC CONSTRUCTION LTD	
CANADIAN ENGINE TREATMENT LT	
CARIBOU CLUB (SCARBOROUGH) IN	NC001466405
CASE METHOD GROUP INC	
CHARLES WATKINSON LIMITED	000221121
CHIPPAWA HARDWARE & BUILDING	
INC	
CHOWS HOLDING CO. LTD	
CLEAN BIRD HOME IMPROVEMENT	
COUNTRY FURNITURE BY DUCO IN	C001461660
DONNA INCOGNITO INC	001044214
ECORP (1996) LTD	
FORGIONE CASKET (CANADA) COM	PANY LTD001422612
HAMILTON AND FERGUSON LIMITE	
HELIX WORKLIFE PLANNING INSTIT	
HL VISION INVESTMENT INC	
I. J. PRENDERGAST ENTERPRISES LT	
INTELOGISTICS SYSTEMS INC	
JIM MCEACHERN LIMITED	
JOYCE SHEAHAN INVESTMENTS LT	
JPT CONSULTING INC	

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la société:	société en Ontario
KEITH'S MILK TRANSPORT CO. LIM	ITED000114635
KENNY'S VEGETARIAN DELI INC	
KEYFLEX SYSTEMS INCKOFFLER PARTNERS LIMITED	
KONKE TRANSPORT INC	
L.G.S. EXCAVATING INC.	000980352
LARITA INCORPORATED	001029516
LES ENTREPRISES MADAWASKA EN INC	
LOVEDAY ENTERPRISES LIMITED	001301709
LUNAFLICKS INC.	001094397
LYNETTE JENNINGS PRODUCTIONS	
MAC PAYPHONES INCMADAWASKA DRY KILNS INC	001323288
MADAWASKA INDUSTRIES INC	
MERCHANTS TRADING CO. LTD	000667261
MICHELLE'S BIRTHING POOLS INC.	
MULTI - MED EVALUATION SERVIC NEATT CORPORATION	
NETWELL HOLDINGS INC	
OXFORD WAREHOUSING & DISTRIE	
LTD	001167423
PEAK PROFESSIONALS REALTY LTI	
PLERJEM SANITATION SERVICES IN POLMARK APPLIANCE CARE INC	
PSOR EX INC	
R. KIM DAGG INSURANCE AGENCIE	
SEALINK CONTAINER LINES INC	
SEATTLE COFFEE COMPANY CORPO SEELEY'S BUS SERVICE GARAGE LI	
SOUTH PARK STUDIO CITY CORPOR	
SUMMIT SPORTSWEAR INC	001064860
THE FLOOR PLAN INC	
THESSALON CO-GENERATION LIMIT TROTTIER & SONS LOGGING LIMITI	
UPPER CANADA ABSTRACTORS LTI	
V.R.D. ENTERTAINMENT LTD	000697485
VOLLAND HOLDINGS INC	
WELLINGTON CLEANING SERVICES WILLIAM OATES HOLDINGS LIMITE	S LTD001444362
1036100 ONTARIO INC	001036100
1036738 ONTARIO LIMITED	001036738
1058322 ONTARIO LTD	
1068614 ONTARIO INC 1089654 ONTARIO INC	001068614
1141668 ONTARIO LIMITED	
1189407 ONTARIO INC	001189407
1198710 ONTARIO INC	
1212521 ONTARIO LTD 1228495 ONTARIO LIMITED	
1238134 ONTARIO LIMITED	
1239384 ONTARIO INC	001239384
1247131 ONTARIO LIMITED	001247131
1255738 ONTARIO LTD 1288015 ONTARIO LIMITED	001255738
1309756 ONTARIO CORP	
1313349 ONTARIO LTD	001313349
1316026 ONTARIO LIMITED	001316026
1401991 ONTARIO INC	
1408428 ONTARIO LIMITED 1434633 ONTARIO LTD	
1435548 ONTARIO LIMITED	
1441230 ONTARIO LTD	001441230
389010 ONTARIO LIMITED	
617850 ONTARIO INC644183 ONTARIO INC	
667980 ONTARIO LIMITED	
788732 ONTARIO LTD	000788732
963445 ONTARIO INC	

Name of Corporation: Dénomination sociale de la société:	Ontario Corporation Number Numéro de la société en Ontario
(138-G900)	B. G. HAWTON, Director, Companies and Personal Property Security Branch Directrice, Direction des compagnies et des sûretés mobilières

Certificates of Dissolution Certificats de dissolution

NOTICE IS HEREBY GIVEN that a certificate of dissolution under the *Business Corporations Act*, has been endorsed. The effective date of dissolution precedes the corporation listings.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément à la *Loi sur les compagnies*, un certificat de dissolution a été inscrit pour les compagnies suivantes : la date d'entrée en vigueur précède la liste des compagnies visées.

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie:	compagnie en Ontario
2005-06-10	
P AND H HOLDINGS KINGSTON LTD	
2005-06-13	
KOLAM PALACE INC.	
2005-06-29	
FWF ENTERPRISES INC.	
GREENLINKS ECO-EFFICIENCY SER	
H. JACKSON REAL ESTATE LTD	000820337
HOME-TECH PLUMBING INC	001319488
JSE ENTERPRISES INC	
KEGEL HOLDINGS INC	
KINSHASA HOLDINGS LIMITED	
MAPLECREST UTILITY CONSULTAN	
PINEVIEW HOMES (NIAGARA) LTD.	001122185
STEVE MACKENZIÈ HOLDINGS LIM	ITED 000986452
1135837 ONTARIO INC	
1171671 ONTARIO LTD	
1298108 ONTARIO INC	
1416840 ONTARIO INC	
413799 ONTARIO LIMITED	
803822 ONTARIO INC	000803822
2005-07-04	
C. A. MCDOWELL REDI-MIX LIMITE	
JEAN RENAUD LUMBER (HAWKESB	URY) LIMITED 000300569
2005-07-06	
BRANTFORD CHIROPRACTIC ASSOC	
CARL FLOOD LIMITED	
FINAL TRIMMING LTD	
FOO HING SUPERMARKET LTD	
FOUR PEG HOLDINGS LIMITED	
G.H.L.S. INVESTMENT GROUP INC	
HALTON GIFTS LTD.	
K. MA & COMPANY INC.	
K.W. HAMILTON PLUMBING LTD	
QUINTECH AUTOMATION LTD	
RIVER ROAD ASSOCIATES, INC	001254662
THE PARENT COMPANY LTD	001247709
WHARFEROY HOLDINGS LTD	
1171669 ONTARIO INC	
666625 ONTARIO LIMITED	
821484 ONTARIO INC	
882330 ONTARIO INC	000882330

	io Corporation Number Numéro de la		rporation Number Numéro de la
Dénomination sociale de la compagnie:	compagnie en Ontario	Dénomination sociale de la compagnie: com	numero de la pagnie en Ontario
	compagnic en Ontario		
2005-07-07	00001000	1270015 ONTARIO INC	
DRMWOOD CORPORATION INC	000318897	1355275 ONTARIO LIMITED	
2005-07-08 AJAR INVESTMENTS LIMITED	000202200	516092 ONTARIO INC	
		576958 ONTARIO INC	
ARBOLUX INTERNATIONAL CORP BELL TREE FARMS LIMITED		629148 ONTARIO LIMITED	
COSTAL CUSTOM FABRICATION & ENGIN		2005-07-14	
LIMITED		ALBION VENTURES INC	00123000
KEN JOHNSON TOOL SALES INC		BILL'S CHUTE SERVICE LTD.	
KOALA JACKS LTD.		C.F.M. HEATING & AIR CONDITIONING LTD	
LEESON D. ENTERPRISES LTD.		DE RANGO GENERAL CONTRACTING INC	
LOMBARD & GERRARD INC		PETERBOROUGH HEATING SERVICES (1988) LT	
NUTECH COMPUTER INC	001265196	SUN-HOPE ENTERPRISE LTD	
P. REDPATH REPAIRS LTD.	001359729	W. W. WEST COMMUNICATIONS LTD	00068192
PLAINFIELD METAL & MACHINERY LTD	000301163	1169442 ONTARIO LTD	00116944
POSITIVE MODE INC		1180337 ONTARIO LIMITED	00118033
ROBERT S. WRIGHT MARKETING COMMU	NICATIONS	1195517 ONTARIO INC	00119551
LIMITED		457544 ONTARIO LTD	
TNV SCREEN SERVICES LTD		699060 ONTARIO INC	000699060
1108524 ONTARIO INC		2005-07-15	
1177393 ONTARIO INC		A.A. ALEXANDER INTERNATIONAL INC	
1233411 ONTARIO LIMITED		ASIAN PACIFIC SUPERMARKET LTD	
1279183 ONTARIO INC		CANHAM ROGERS INC.	
1369633 ONTARIO INC.		COUNTRY BUNKER GOLF LIMITED	
1519818 ONTARIO INC		DEEP RIVER MANAGEMENT SERVICES INC	
1545275 ONTARIO LIMITED		DUFFERIN MINI STORAGE LTD.	
471321 ONTARIO LIMITED663881 ONTARIO INC		DUNDAS WEST REHAB INCFIRST LINE FILMS INC	
931217 ONTARIO LTD.		HONING AVIATION SERVICES INC	
934205 ONTARIO LIMITED		MICHAEL BONNELL HOLDINGS LTD.	
994260 ONTARIO LIVITED		MIMAR EXPERT COATINGS INC	
2005-07-11	000774200	MINCOM PURCHASERS CHOICE REALTY INC	
ADCARDZ INC	001374829	MUSTACHIO INC	
CCFT LIMITED		PEACE ACRES CONSULTANTS LIMITED	
LALANDE ELECTRIQUE INC		SILVERCREEK COMMUNICATIONS LIMITED	
SANDMAN AGGREGATE TRANSPORT INC.		SKNAP HOLDINGS INC.	
STUART E. MOORE ENTERPRISES INC		VIET HOI NOODLES HOUSE LTD.	
THE AMMOPHILA CORPORATION	001200351	WIRE-TECH INC	001095153
TOYO ENTERPRISES LIMITED	000278623	1017062 ONTARIO LIMITED	001017062
1162394 ONTARIO LTD.		1034841 ONTARIO INC	00103484
1286977 ONTARIO INC		1108646 ONTARIO INC	
1558338 ONTARIO INC		1147912 ONTARIO INC	
957128 ONTARIO LTD	000957128	1201412 ONTARIO INC	
2005-07-12		1216166 ONTARIO LIMITED	
A. & T. ENTERPRISES CORP.		1264018 ONTARIO INC	
A.J.K. ENGINEERING LTD		1307240 ONTARIO LIMITED	
ASSOCIATED AUDIO ASSOCIES LIMITED		1320675 ONTARIO LIMITED	
ASTRA-MAR INVESTMENTS INC		1387207 ONTARIO LIMITED	
BRAMWAY PROPERTIES LIMITED		1409081 ONTARIO LIMITED	
CORDAWEN INCFRED-WIN INVESTMENTS LTD		421396 ONTARIO LIMITED 555102 ONTARIO LIMITED	
GOLDEN SPRINGS BEVERAGE COMPANY		749559 ONTARIO LIMITED	
KN-TECH & BUSINESS CORP		2005-07-18	
OEW & TRAFALGAR RD. FLEA MARKET IN		ARCADIAN INVESTMENTS CORP	001/19652
SAMUEL POZNER TEXTILES LIMITED		CYANOGEN PRODUCTIONS INC.	
1082654 ONTARIO LTD.		DIR-EX LIMITED	
1343912 ONTARIO LIMITED		HD TRADING COMPANY LIMITED	
631886 ONTARIO INC		INDUCOM WASTE SYSTEMS LTD	
767271 ONTARIO LTD.		JOHN WANG ENTERPRISES LTD.	
805059 ONTARIO INC.		KARL H. EBERT CONSTRUCTION LTD.	
857090 ONTARIO INC		KEMP SYSTEMS INC	000867609
926334 ONTARIO LTD		KLEINBURG CAFE AND GELATO INC.	
939844 ONTARIO INC		MAINSTREAM INC	
965907 ONTARIO INC		MIKOLNET INC	
2005-07-13		NOVASYSTEM INVESTMENTS INC.	
EASTWOOD FIBRE LTD	001315102	R. C. EVERS & ASSOCIATES LTD.	001045890
HANSEN AND HAAR HOLDINGS LIMITED		WARREN HOFFMAN INTERIOR DESIGN INC	00077917
KLEER CORP	001298858	WORLD TRADE DYNAMICS CENTURY CORP	001582368
P&T SAMPSON LTD		1137117 ONTARIO INC	00113711
PEACE ACRES INVESTMENTS INC		1324368 ONTARIO LTD	
1080643 ONTARIO LIMITED	001000642	1329289 ONTARIO INC	00122020

	Ontario Corporation Number	Name of Corporation:	Ontario Corporation Numbe
Dénomination sociale	Numéro de la	Dénomination sociale	Numéro de l
de la compagnie:	compagnie en Ontario	de la compagnie:	compagnie en Ontario
1340786 ONTARIO LIMITED	001340786	MAYO CARPENTRY LIMITED	
1357136 ONTARIO INC	001357136	MUSE ENTERTAINMENT (ELLIE) INC	
1488464 ONTARIO LTD	001488464	MUSE ENTERTAINMENT (SUBMARI)	
2025224 ONTARIO INC		NORTH-ASIA TRADE INC	
2029681 ONTARIO INC	002029681	R.J. HARDY CONTRACTORS LTD	
2005-07-19		S&J FOREST PRODUCTS LIMITED	
APHELION TECHNOLOGY GROUP INC		SANOK TRANSPORT INC	
BUSINESS CONCEPTS CONSULTING IN		SHELL SERVICES INTERNATIONAL O	
CANAWEST EXPORT INC.		INC./SERVICE INTERNATIONAUX	
COLOUR FLO CUSTOM AUTOMOTIVE		INC.	
GOLDEN LANE BUILDERS INC.		SKY NET EXTERIOR MAINTENANCE	
JENDI INVESTMENTS LIMITEDRENEGADZ INC		LTDSLAVIK RESEARCH GROUP INC	
SILKTRON INC.		YEF CONSULTING SERVICES INC	
TRUST JEANS WINDSOR INC		1007739 ONTARIO LIMITED	
1035634 ONTARIO LTD.		103732 ONTARIO LIMITED	
793205 ONTARIO INC.		1326085 ONTARIO CORPORATION	
909920 ONTARIO INC.		1362649 ONTARIO INC	
2005-07-20		1414120 ONTARIO LTD	
AMB COSMETICS INC.	001059388	1482173 ONTARIO LIMITED	
DIGITECH INDUSTRIAL SUPPLIES INC.		859879 ONTARIO INC	
JAMARRIS INVESTMENTS LIMITED		2005-08-08	
PICTURE KING INC.		A.M.P. CONSTRUCTION CORP	
1260040 ONTARIO LIMITED		AURORA MOTOR SALES INC	
925017 ONTARIO LIMITED	000925017	CF DONWAY INC	00077216
2005-07-23		CF MEDIA, INC	00100510
ANDREW CHRISTIE HOME INSPECTIO		EGLINTON OFFICE SERVICES LIMIT	ED00020846
BRAMPTON FOODS LIMITED		EXPRESS CAR RENTAL INC	
MIDLAND PHYSIO-REHAB CENTRE IN		MCGEAN-ROHCO CANADA INC	
REITH INVESTMENTS INC.		METROPOLITAN INC.	
T.C.S. ELECTRONICS LTD		REDSTRIPE INVESTMENTS LIMITED	
VAN DER WOERD FINANCIAL PLANNI		SHARMAK SYSTEM CONSULTANTS	
1117266 ONTARIO INC		STANLEY COOPER TRAVEL (T.T.I.) II	
1415673 ONTARIO LTD.		TORONTO INTERCITY BUS TERMINA	
933939 ONTARIO LIMITED	000933939	TRICON TECHNOLOGY (CANADA) L	
2005-07-25 BRACEBRIDGE ANIMAL HOSPITAL PR	OFECCIONAL	YMIR DEVELOPMENTS INC.	
CORPORATION		1143288 ONTARIO INC 1394703 ONTARIO LIMITED	
CANVIK AUTO SERVICE LTD		1458011 ONTARIO LIMITED	
FARLIN GRAPHICS INC		1475355 ONTARIO INC	
SATURDAY'S CHILD LTD.		582105 ONTARIO LIMITED	
SHANGHAI INTAC CORPORATION		2005-08-09	00036210
475646 ONTARIO LIMITED		A & G PHARMA INC	00107097
720377 ONTARIO LIMITED		ACCESS POWERLINE CORPORATION	
2005-07-26		ACCESS SEMICONDUCTOR CORPOR	
1289492 ONTARIO LTD.	001289492	AMG CORPORATE TRAVEL INC	
2005-07-27		BAL BROS TRANSPORT INC	
ALISON MCPHERSON INTERIORS INC.	000918287	C & K GENERAL FARM INC	00162063
2005-07-28		CHALLISTER INVESTMENTS LIMITE	
NTI TOOL INC		CLCS GENERAL PARTNER VII LIMIT	ED/ COMMANDITE
T.A.L. MANAGEMENT INC.	001300153	CLCS VII LIMITEE	00128910
2005-08-01		DANDYWAY CORPORATION	
DUNDALE CARPET SERVICES INC		DASHAM TRANSPORT INC	
1123476 ONTARIO INC		ENA WEYBURN GP LIMITED	
1459639 ONTARIO INC	001459639	EXHIBITION STOCK CAR RACING LI	
2005-08-03		GUY'S CONSTRUCTION INC	
HILLTOP MEMORIALS LIMITED		J. BRUCE PALMER LIMITED	
PROWEB COMPUTER SYSTEMS LTD		JOHNSON TIRE CENTRES INC	
TREND GRAPHICS LTD.	001176620	K.S. MALWA TRANSPORTATION INC	
2005-08-04	0011(0070	MIGWETCH CORPORATION INC	
BEST CHOICE CONVENIENCE LTD T. J. CONNOLLY CONSTRUCTION LIMI		MIGWETCH TECHNICAL SERVICES I TZANETAKIS INVESTMENTS LIMITE	
TOTTENHAM TROPHIES & ENGRAVIN		VANZELM ARMSTRONG LTD	
593117 ONTARIO LIMITED		1033791 ONTARIO INC	
794490 ONTARIO INC		1049319 ONTARIO INC	
866557 ONTARIO LIMITED		1072530 ONTARIO INC	
2005-08-05	000000337	1161469 ONTARIO LIMITED	
CITAK ENTERPRISES LTD	000984483	1463428 ONTARIO INC	
DYNAMIC DESIGN INC.		1501309 ONTARIO CORP.	
LEMAN RENOVATION INC.		1516044 ONTARIO INC	
	001604523		00153169

Name of Corporation:	Ontario Corporation Numb	of someollation presentes t	corporation(s) have been disso
Dénomination sociale de la compagnie:	Numéro de compagnie en Ontar	0	1 0
1501206 ONTARIO DIG	00150120	 AVIS EST DONNÉ PAR LA 	PRÉSENTE que, conformémer
	00158130		par actions, les certificats prés
		unitares et les compagn	ies ont été dissoutes. La dér
	TED00110786		st précédée de la date de prise o
	TED00110786		
	00082613		Ontario
	00085983	Dénomination sociale	
	00086942	de la compagnie:	
	00090323	36	
	0009424	32 <u>2005-08-12</u>	TING LIMITED
2005-08-10			
	TD00047730	/ -	STATES LTD
	00064263		D. C. Hawmon
	ATION00108292		B. G. HAWTON,
	NS LIMITED00030348		Director, Companies ar
	0012844		Security Branch
	LTD00067339		Directrice, Direction de
MANIKIS IMPORTS LTD	00066716	67 (138-G896)	sûretés mobilières
OLIVE SYSTEMS INC	0013206′	71	
WCA FILM AND TELEVISION	LTD00118136	66	
YAN FAT ENTERPRISE LIMIT	TED00114609	Name of Corporation:	Ontario
1160159 ONTARIO INC	00116015	Dénomination sociale	Olitario
1248052 ONTARIO INC	0012480	de la compagnie:	
1288116 ONTARIO LTD	0012881	.6	
1585680 ONTARIO CORP		30 <u>2004-03-05</u>	
1612145 ONTARIO LIMITED		15 1609353 ONTARIO IN	IC
1642552 ONTARIO INC	0016425	52 2004-09-10	
	0003919		USTRIES INC.
	00046153	2004-09-16	
2005-08-11		2004-09-17	
	EVELOPMENT INC0015420	1632275 ONTARIO LT	ΓD
	D	A CALLED THE ACCURATE A TEXT	U PRODUCTIONS INC
			MITED
			OND LEVEL LODGING H
		TIPIPI DI TERIL CITA	INE INC
		.,	
	P. LTD00131270	· •	
	LTD00134726		
			Ontario
	NER) LTD00142269		
	INC00076573		
	00128942		
	00130039	1644 - 01 - 01	IC
	0015815	*************	
	0016268	1 (4 5 5 0 2 0) TT + D 1 0 1 1	MITED
		000 = 04 40	MITED
905834 ONTARIO LIMITED	00090583	34 <u>2005-01-19</u>	
	HAWTON,	2005-01-24 TEGT NED LA GOVERN	ANY LIMITED
	etor, Companies and Personal Property		ANY LIMITED
	rity Branch	2005-01-28 CYER PARIO PAG	
	etrice, Direction des compagnies et des	CITK RADIO INC	
(138-G901) sûrete	és mobilières		D. C. H.
			B. G. HAWTON,
			Director, Companies ar

(138-G898)

Cancellation of Certificate of Incorporation (Business Corporations Act) **Annulation de Certificat de Constitution** en Personne Morale (Loi sur les sociétés par actions)

NOTICE IS HEREBY GIVEN that by orders under subsection 241(4) of the Business Corporation Act, the certificates of incorporation set out hereunder

have been cancelled and corporation(s) have been dissolved. The effective date

ent au paragraphe 241(4) ésentés ci-dessous ont été lénomination sociale des d'effet de l'annulation.

Name of Corporation: Dénomination sociale	Ontario Corporation Number Numéro de la
de la compagnie:	compagnie en Ontario
2005-08-12	compagnic on ontain
HADRIAN EXCAVATI	ING LIMITED 307126 STATES LTD. 335061
	B. G. HAWTON, Director, Companies and Personal Property Security Branch Directrice, Direction des compagnies et des
(138-G896)	sûretés mobilières
Name of Corporation:	Ontario Corporation Number
Dénomination sociale de la compagnie:	Numéro de la compagnie en Ontario
2004-03-05 1609353 ONTARIO INC	C
2004-09-10	JSTRIES INC1630904
2004-09-16	
<u>2004-09-17</u>	D
2004-09-21	U PRODUCTIONS INC1617122
2004-09-23	
2004-12-31	MITED
	ND LEVEL LODGING HOME INC 1644062 NE INC1644062
Name of Corporation: Dénomination sociale	Ontario Corporation Numbe Numéro de la
de la compagnie:	compagnie en Ontario
2005-01-07	
	C
1645583 ONTARIO LIN	MITED164558
	NY LIMITED1646730
<u>2005-01-28</u> CITR RADIO INC	
	B. G. HAWTON, Director, Companies and Personal Property Security Branch
(129 (2909)	Directrice, Direction des compagnies et des

sûretés mobilières

Cancellation of Extra-Provincial Licence (Extra-Provincial Corporations Act) **Annulation de Permis Extraprovincial** (Loi sur les compagnies extraprovincials)

NOTICE IS HEREBY GIVEN that orders under Section 7(1) of the Extra-Provincial Corporations Act have been made cancelling the licence of the following extra-provincial corporations. The date of the cancellation order precedes the name of the corporation.

AVIS EST DONNÉ PAR LES PRÉSENTES de l'annulation des permis extraprovinciaux suivants, faite conforment à l'article 7(1) de la Loi sur les compagnies extraprovinciales. La date d'entree en vigueur précède la lists des compagnies visées.

Name of Corporation: Ontario Corporation Number Dénomination sociale Numéro de la compagnie en Ontario de la compagnie: 2005-08-12 THE HOCKING CARTAGE COMPANY691761

> B. G. HAWTON, Director, Companies and Personal Property Security Branch

Directrice, Direction des compagnies et des sûretés mobilières

(138-G897)

Ministry of Municipal Affairs and Housing Ministère des Affaires municipales et du Logement

Tenant Protection Act, 1997 Loi de 1997 sur la protection des locataires

SECTION 129 **GUIDELINE FOR 2006**

NOTICE

The Guideline applicable for the year 2006 for the purposes of the Tenant Protection Act, 1997 is 2.1 percent.

DATED at Toronto, this 12th day of August, 2005

(138-G895)

JOHN GERRETSEN Minister of Municipal Affairs and Housing

Foreign Cultural Objects Immunity From Seizure Act Determination

Pursuant to delegated authority and in accordance with subsection 1(1) of the Foreign Cultural Objects Immunity from Seizure Act, R.S.O. 1990, c.F.23, the works of art or objects of cultural significance listed in Schedule "A" attached hereto, which works or objects are to be on temporary exhibit during the Catherine the Great: Arts for the Empire - Masterpieces from the State Hermitage Museum exhibition at the Art Gallery of Ontario in Toronto pursuant to a loan agreement between the Art Gallery of Ontario and the State Hermitage Museum, Russia, are hereby determined to be of cultural significance and the temporary exhibition of these works or objects in Ontario are in the interest of the people of Ontario.

Date: August 17, 2005 DETERMINED BY: MARJORIE MERCER, Assistant Deputy Minister, Ministry of Culture

SCHEDULE "A"

Catherine the Great: Arts for the Empire - Masterpieces from the State Hermitage Museum from The State Hermitage Museum, St. Petersburg, Russia

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
1	Étienne Allegrain	<u>Landscape with the finding of Moses</u> , last quarter 17th-first third 18th century oil on canvas 88.0 x 114.0 cm	Inv. No. GE 1133
2	Alexei Petrovich Antropov	Portrait of Catherine II, before 1766 oil on canvas 51.0 x 38.0 cm	Inv. No. 570
3	Vladimir Lukich Borovikovsky	Portrait of Catherine II Walking in the Park at Tsarskoe Selo, late 18th-early 19th century oil on canvas 96.0 x 66.0 cm	Inv. No. Rz 568
4	Sébastien Bourdon	The Massacre of the Innocents, 1640s oil on canvas 126.0 x 177.5 cm	Inv. No. 1223
5	Richard Brompton	Portrait of Grand Dukes Alexander and Constantine Pavlovich, around 1781 oil on canvas 208.0 x 146.0 cm	Inv. No. GE 4491

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
6	Heinrich Buchholz	Allegory of the Victory of the Russian Fleet over the Turks in the Turkish War of 1768-1774, 1777 oil on canvas 75.0 x 127.2 cm	Inv. No. ERG 1727
7	Jean-Baptiste Siméon Chardin	The Attributes of the Arts and Their Rewards, 1766 oil on canvas 112.0 x 140.5 cm	Inv. No. GE 5627
8	Vigilius Eriksen	Portrait of Catherine II in front a Mirror, 1762 oil on canvas 265.0 x 203.0 cm	Inv. No. GE 1352
9	Jean-Baptiste Greuze	Filial Piety, 1763 oil on canvas 115.0 x 146.0 cm	Inv. No. GE 1168
10	Georg Christoph Grooth	Portrait of Grand Duchess Catherine Alekseevna, around 1745 oil on canvas 105.0 x 85.0 cm	Inv. No.ERZj 2474
11	Gregorio Guglielmi	Apotheosis of the Reign of Catherine II, 1767 oil on canvas 107.0 x 168.0 cm	Inv. No. GE 5531
12	Jacob Philipp Hackert	The Destruction of the Turkish Fleet in Chesme Harbour, 1771 oil on canvas 162.0 x 220.0 cm	Inv. No. 2048
13	Jacob Philipp Hackert	Temple Ruins in Sicily, 1778 oil on canvas 123.0 x 170.0 cm	Inv. No. GR 7381
14	Jean Huber	Voltaire's Morning, 1750-1775 (1 of 9) oil on canvas 52.0 x 43.0 cm	Inv. No. GE 6724
15	Jean Huber	<u>Voltaire's Breakfast</u> , 1750-1775 (2 of 9) oil on canvas 52.5 x 44.0 cm	Inv. No. GE 6721
16	Jean Huber	Voltaire Planting Trees, 1750-1775 (3 of 9) oil on canvas 52.5 x 43.0 cm	Inv. No. GE 6728
17	Jean Huber	Voltaire Taming a Horse, 1750-1775 (4 of 9) oil on canvas 62.0 x 50.0 cm	Inv. No. GE 6727
18	Jean Huber	<u>Voltaire in a Cabriolet</u> , 1750-1775 (5 of 9) oil on canvas 62.0 x 51.5 cm	Inv. No. GE 6725
19	Jean Huber	Voltaire on Stage, 1750-1775 (6 of 9) oil on canvas 61.0 x 49.0 cm	Inv. No. GE 6729
20	Jean Huber	Voltaire Playing Chess, 1750-1775 (7 of 9) oil on canvas 53.0 x 44.0 cm	Inv. No. GE 6723
21	Jean Huber	Voltaire Riding a Horse, 1750-1775 (8 of 9) oil on canvas 62.0 x 51.0 cm	Inv. No. GE 6722

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
22	Jean Huber	Voltaire Welcoming Visitors, 1750-1775 (9 of 9) oil on canvas 53.0 x 44.0 cm	Inv. No. GE 6726
23	Angelica Kauffman	Abelard Bidding Farewell to Heloïse, around 1779 oil on canvas 65.5 x 65.5 cm (unframed); 86.0 x 86.0 x 12.0 cm (framed)	Inv. No. GE 1338
24	Angelica Kauffman	Hector Summoning Paris to Battle, 1775 oil on canvas 137.0 x 178.0 cm	Inv. No. GE 6472
25	Angelica Kauffman	The Insane Maria, around 1777-1779 oil on canvas 65.5 x 65.5 cm (unframed); 86.0 x 86.0 x 12.0 cm (framed)	Inv. No. GE 1339
26	Karl Friedrich Knappe	View of "The Bronze Horseman" by Falconet at Senate Square, 1799 oil on canvas 36.5 x 62.0 cm	Inv. No. ERG 1910
27	Johann Baptist Lampi	Portrait of Catherine II, 1793 oil on canvas 290.0 x 208.0 cm	Inv. No. GE 2755
28	Johann Baptist Lampi	Portrait of Grand Dukes Constantine and Alexander Pavlovich, 1790s oil on canvas 250.0 x 200.0 cm	Inv. No. E 4487
29	Johann Baptist Lampi	Portrait of Prince Grigory Aleksandrovich Potemkin-Tavrichesky, around 1790 oil on canvas 73.5 x 60.5 cm	Inv. No. ERG 1879
30	Claude Le Lorrain (called Claude Gelée)	Christ on the Road to Emmaus, 1660 oil on canvas 99.5 x 132.0 cm	Inv. No. GE 1229
31	Eustache Le Sueur	Darius Hystaspes opening the grave of Nytocris, around 1649 oil on canvas 163.0 x 112.0 cm (unframed); 198.0 x 146.0 x 18.0 cm (framed)	Inv. No. GE 1242
32	Jean Lemaire-Poussin (called Jean Lemaire)	View in an Ancient City, late 1630s oil on canvas 97.0 x 134.0 cm	Inv. No. GE 1181
33	Louis-Michel van Loo	The Spanish Concert, 1768 oil on canvas 145.5 x 193.5 cm	Inv. No. 1610
34	Fyodor Matvyev	Italian Landscape, 1780s oil on canvas 97.0 x 136.0 cm	Inv. No. ERG 2609
35	Johann Georg de Mayr	St. Petersburg from Vasilevskii Island, 1796 oil on canvas 76.0 x 117.0 cm	Inv. No. ERG 2219
36	Anton Raphael Mengs	Perseus and Andromeda, 1777 oil on canvas 227.0 x 153.5 cm (unframed); 235.0 x 166.0 x 6.0 cm (framed)	Inv. No. 1328

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
37	Anton Raphael Mengs	Saint John the Baptist Preaching, 1767 oil on canvas 208.0 x 153.0 cm	Inv. No. 1332
38	Benjamin Patersen	View of the Tauride Palace, before 1797 oil on canvas 57.5 x 89.5 cm	Inv. No. ERJ 1903
39	Nicolas Poussin	The Holy Family in Egypt, 1658 oil on canvas 105.0 x 145.0 cm	Inv. No. 6741
40	Sir Joshua Reynolds	Cupid Untying the Girdle of Venus, 1788 oil on canvas 127.5 x 101.0 cm (unframed); 155.0 x 127.0 x 10.0 cm (framed)	Inv. No. GE 1320
41	Pietro Rotari	Alexander the Great and Roxana, 1750s oil on canvas 243.0 x 202.0 cm	Inv. No. GE 2223
42	Stepan Semeonovich Shchukin	Portrait of Paul I, 1796 oil on canvas 154.0 x 116.0 cm	Inv. No. ERG 1733
43	Pierre Subleyras	The Mass of St. Basil, 1743-1747 oil on canvas 133.5 x 80.0 cm (unframed); 139.0 x 86.0 x 6.0 cm (framed)	Inv. No. GE 1169
44	Alexei Vassiliévitch Tiranov	The Library of the Hermitage, 1826 oil on canvas 93.5 x 73.0 cm	Inv. No. ERZj 2430
45	Johann Heinrich Wilhelm Tischbein II	Conradin of Swabia and Fredrick of Baden, Imprisoned in Naples, Informed of Their Impending Execution, 1785 oil on canvas 65.5 x 91.5 cm	Inv. No. GE 7155
46	Unknown artist	Portrait of Alexander Dimitrievich Lanskoy, late 1783-early 1784 oil on canvas 84.0 x 66.5 cm	Inv. No. ERZj 92
47	Unknown artist	Portrait of Count Alexei Grigorievich Orlov Chemensky, second half 18th century oil on canvas 72.0 x 55.0 cm	Inv. No. ERZj 2333
48	Unknown artist after the painting of 1762 by Alexei Petrovich Antropov	Portrait of Peter III, around 1762 oil on canvas 132.5 x 99.0 cm	Inv. No. ERG 562
49	Unknown artist after the portrait by Vigilius Eriksen	Portrait of Catherine II in a Kokoshnik, mid-19th century oil on canvas 70.0 x 60.0 cm	Inv. No. GE 7276
50	Unknown artist face after portrait by Fyodor Stepanovich Rokotov figure and accessories after portrait by Alexander Roslin	Portrait of Catherine II, 1780s oil on canvas 263.0 x 188.0 cm	Inv. No. ERZj II 678
51	Unknown artist after the portrait of 1787 by Mikhail Shibanov	Portrait of Catherine II in travelling costume, after 1787 oil on canvas 52.2 x 65.8 cm	Inv. No. ERZi 2702

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
52	Unknown painter	Catherine's Rules for Behaviour in the Hermitage, 1760s oil on canvas on wood panel 78.0 x 60.0 cm	Inv. No. AE 3300
53	Elisabeth Louise Vigée-Lebrun	Portrait of Grand Duchess Elizaveta Alekseevna, 1795 oil on canvas 262.5 x 200.0 cm	Inv. No. 1283
54	Adriaen van der Werff	Sarah Leading Hagar to Abraham, 1696 oil on canvas 86.0 x 68.5 cm (unframed); 106.0 x 89.0 x 9.0 cm (framed)	Inv. No. GE 1064
55	Joseph Wright of Derby	An Iron Forge Viewed from Outside, 1773 oil on canvas 105.0 x 140.0 cm	Inv. No. 1349
56	Louis-Nicolas van Blarenberghe	The Thunder-Stone Being Moved during Winter, 1777 gouache on paper 44.0 x 98.0 cm (image); 69.3 x 121.0 cm (framed)	Inv. No. 18592
57	Louis-Nicolas van Blarenberghe	The Thunder-Stone Being Moved from the Barge onto Senate Square, 1777 gouache on paper 46.0 x 98.5 cm (image); 69.3 x 121.0 cm (framed)	Inv. No. 18591
58	Charles Cameron	Design for a ceiling in the Arabesque Hall of the Catherine Palace at Tsarskoye Selo, early 1780s watercolour, pen and ink on paper 41.5 x 60.5 cm	Inv. No. 11035
59	Charles Cameron	Design for a ceiling in the Lyon Drawing Room of the Catherine Palace at Tsarskoye Selo, early 1780s watercolour, pen and ink on paper 45.5 x 58.0 cm	Inv. No. 11061
60	Charles Cameron	Design for the Arabesque Hall of the Catherine Palace at Tsarskoye Selo, early 1780s watercolour, pen and ink on paper 43.5 x 63.5 cm	Inv. No. 10983
61	Charles Cameron	Design with two variant proposals for a windowed wall at Tsarskoye Selo, 1780s watercolour, pen and ink on paper 40.5 x 60.3 cm	Inv. No. 10993
62	Charles-Louis Clérisseau	Architectural Fantasy, 1784 gouache on paper 61.7 x 91.1 cm	Inv. No. 11551
63	Charles-Louis Clérisseau	Design for the main façade of a Triumphal Arch, 1781 pen and ink with watercolour wash on paper 59.7 x 99.1 cm	Inv. No. 40408
64	Charles-Louis Clérisseau	"The Roman Project," Tsarskoye Selo – Design for an Interior Wall, 1770s watercolour over pen and ink on paper 92.1 x 146.5 cm (with strips of paper glued around the edges); 71.9 x 126.1 cm (main sheet)	Inv. No. 2604
65	Louis-Jean Desprez	Project for a "Temple of Immortality" dedicated to Catherine II - Inauguration of Temple, after 1790 pen and ink with watercolour over chalk outline on paper 64.3 x 100.6 cm	Inv. No. 6675
66	Louis-Jean Desprez	Project for a "Temple of Immortality" dedicated to Catherine II - Interior view, after 1790 pen and ink with watercolour and gouache heightened with gilding on paper 81.2 x 112.1 cm	Inv. No. 11807

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
67	Louis-Jean Desprez	Project for a "Temple of Immortality" dedicated to Catherine II - Interior with Monument to Catherine II, after 1790 pen and ink with watercolour on paper 80.4 x 112.5 cm	Inv. No. 11808
68	Yury Fel'ten	Design for a Rock Bridge with a Chinese Pagoda in Tsarskoye Selo Park, late 1760s pencil and watercolour wash on paper 37.4 x 52.8 cm	Inv. No. 8754
69	Yury Fel'ten	Design for a rock sculpture with spruce trees in Tsarskoye Selo Park, late 1760s pen and ink with pencil and watercolour wash on paper 37.4 x 52.8 cm	Inv. No. OP 8769
70	Jean-Pierre-Louis-Laurent Houel	View of Basaltic Rocks in the Bay of Trezza, Sicily, 1776-1779 gouache on paper 27.0 x 40.5 cm	Inv. No. 3982
71	Jean-Pierre-Louis-Laurent Houel	View of Mt. Etna with ruins of "The Philosopher's Tower", Sicily, 1776-1779 gouache on paper 23.0 x 45.0 cm	Inv. No. 3948
72	Jean-Pierre-Louis-Laurent Houel	View of Rock on the Second Island of Cyclops, Sicily, 1776-1779 gouache on paper 29.2 x 45.0 cm	Inv. No. 3985
73	Jean-Pierre-Louis-Laurent Houel	View of the Vulcanello Crater on the Island of Volcano [Tyrrhenian Sea near Sicily], 1776-1779 gouache on paper 30.8 x 45.0 cm	Inv. No. 4149
74	Nikolaj Aleksandrovič L'vov	Plan and Design for a fantasy ruin in Tsarskoye Selo, 1790s watercolour with pen and ink on paper 60.8 x 46.4 cm	Inv. No. ERR 3577
75	Giuseppe Mannocchi	The Temple of the Sibyl and the Pyramid of Gaius Cestius, Rome, 1779 gouache and watercolour on paper 45.2 x 60.0 cm	Inv. No. E 4487
76	Giuseppe Mannocchi	The Temple of Vesta, Rome, 1784 gouache and watercolour on paper 43.7 x 55.8 cm	Inv. No. 4524
77	Vassili Petrovich Petrov	View of the Cameron Gallery with the inclined ramp leading to the gardens at Tsarskoye Selo, 1794 gouache on cardboard 49.1 x 78.4 cm	Inv. No. RP 6430
78	Giacomo Quarenghi	Longitudinal Section and Plan of the Painting and Sculpture Gallery above the Stables of the Hermitage, around 1800 pen and ink heightened with watercolour on paper 48.2 x 96.7 cm (overall)	Inv. No. 9698
79	Semyon Fyodorovich Shchedrin	View of the Farmyard at Tsarskoye Selo, 1777 gouache and ink on cardboard 58.0 x 72.5 cm	Inv. No. PP 6428
80	Semyon Fyodorovich Shchedrin	View of the Island in the Large Pond at Tsarskoye Selo, 1777 gouache and ink on cardboard 53.8 x 65.3 cm	Inv. No. PP 6423
81	Jean-Balthazar de la Traverse	View of the Gardens of Tsarskoye Selo with the Music Pavilion and the Turkish Pavilion, late 1780s watercolour, gouache, ink and pencil on paper 37.2 x 51.9 cm	Inv. No. PP 5620
82	Pavel Ucitelev	The Central Hall of the Agate Pavilion at Tsarskoye Selo, late 18th century watercolour and pen on paper 69.0 x 82.8 cm	Inv. No. 11051

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
83	Pavel Ucitelev	<u>View of the Cameron Gallery at Tsarskoye Selo</u> , late 18th century watercolour and pen on paper 73.0 x 59.0 cm	Inv. No. 11071
84	Unknown artist after a 1760s watercolour by Joachim Conrad Keestner	Catherine II on the balcony above the Commandant Entrance to the Winter Palace on the day of her coup d'etat, June 28, 1762, first third 19th century watercolour and gouache on board 25.5 x 34.5 cm	Inv. No. ERR 8033
85	Unknown artist after a 1760s watercolour by Joachim Conrad Keestner	Catherine II on the Steps of the Cathedral of Our Lady of Kazan on the day of her coup d'etat, June 28, 1762, end of 18th century-first third 19th century watercolour and gouache on board 25.7 x 35.0 cm	Inv. No. ERR 8035
86	Charles de Wailly	Design for a Pavilion of the Arts and Sciences: view of the entrance as a Temple of Minerva, around 1773 pen and ink with watercolour wash on paper 56.2 x 92.3 cm; attached to a sheet from an album: 62.0 x 95.0 cm	Inv. No. 6869
87	Johann Jacobé (Austrian, 1733-1797) after a painting of 1772 by Dmitry Grigoryevich Levitsky	Portrait of Prince Dmitry Aleksandrovich Golitsyn, 1773 mezzotint on paper 61.0 x 42.0 cm	Inv. No. ERG-12983
88	Thomas Malton the Elder after a drawing by Joseph Hearn	The Marble Palace, 1780 aquatint with watercolour on paper 33.5 x 50.7 cm; 42.0 x 59.5 cm	Inv. No. ERG-30515
89	Thomas Malton the Elder after a drawing by Joseph Hearn	View of the Academy of Arts from Vasilevskii Island on the Neva River, 1789 aquatint with watercolour on paper 33.5 x 50.7 cm; 42.0 x 59.5 cm	Inv. No. ERG-30516
90	Thomas Malton the Elder (British, 1726-1801) after a drawing by Joseph Hearn	View of the Academy of Sciences on Vasilevskii Island on the Neva River, 1789 aquatint with watercolour on paper 33.5 x 50.7 cm; 42.0 x 59.5 cm	Inv. No. ERG-29344
91	Aleksei Kiprianovicth Melnikov after a 1782 drawing by Aleksei Petrovic Davydov	The Unveiling of the Monument to Peter the Great, mid-19th century engraving on paper 65.0 x 83.5 cm	Inv. No. ERG-6802
92	Benjamin Paterssen	View of the English Quay near the Senate, 1799-1801 engraving heightened with watercolour, pen and ink on board 60.0 x 94.8 cm	Inv. No. ERR 3335
93	Antoine Radigues after a painting of 1777 by Alexander Roslin	Portrait of Ivan Ivanovich Betskoi, 1794 engraving on paper 52.0 x 37.5 cm	Inv. No. 34013
94	Jacob van der Schley after a drawing by Yury Fel'ten	The Thunder-Stone as found in the Karelian Forest, early 1770s (1 of 3) engraving on paper 45.0 x 71.0 cm; 61.7 x 86.0 cm	Inv. No. E 29457
95	Jacob van der Schley after a drawing by Yury Fel'ten	The Carving of the Thunder-Stone, 1770s (2 of 3) engraving on paper 45.0 x 71.0 cm; 61.7 x 86.0 cm	Inv. No. E 29456
96	Jacob van der Schley after a drawing by Yury Fel'ten	The Delivery of the Thunder-Stone, 1779 (3 of 3) engraving on paper 45.0 x 71.0 cm	Inv. No. E 29753
97	Gavril Skorodumov	Portrait of Princess Ekaterina Dashkova, 1777 engraving on paper 25.2 x 19.0 cm; 27.0 x 20.8 cm	Inv. No. ERG-13114
98	Unknown artist, after a drawing by Jean-Louis de Vellier and Mikhail Makhaev	Catherine II with her courtiers in the Assumption Cathedral in the Moscow Kremlin on the occasion of her coronation, 1790s engraving on paper 62.0 x 76.5 cm; 66.0 x 87.0 cm	Inv. No. ERG-16653

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
99	Unknown artist, after a drawing by Jean-Louis de Vellier and Mikhail Makhaev	Coronation Dinner of Catherine II in the Faceted Chamber of the Moscow Kremlin, 1790s engraving on paper 61.0 x 78.5 cm; 66.0 x 83.0 cm	Inv. No. ERG-16655
100	Unknown engraver	Map of the Russian Empire in 1783 Probably prepared by the Geography Department, Academy of Sciences of the Russian Empire in 1783 engraving with watercolour on paper 71.0 x 105.0 cm	Inv. No. ERG 10883
101	James Walker after the painting by Johann Baptist Lampi	Portrait of Count Alexander Sergeevich Stroganoff, late 1790s mezzotint on paper 40.5 x 30.2 cm; 38.0 cm x 27.7 cm	Inv. No. ERG-15798
102	Unknown artist	Head of Athena, 2nd century A.D. Roman copy of a Greek original, 430-420 B.C. marble Height: 65.0 cm	Inv. No. A 47 (1725)
103	Pierre-Louis Agis	Bust of Catherine II as Minerva, 1781 gilt bronze on marble base 50.0 x 20.0 x 23.0 cm	Inv. No. 5609
104	Marie-Anne Collot	Bust of Catherine II, 1769 marble Height: 61.0 cm	Inv. No. N.Sk.1391
105	Marie-Anne Collot	Bust of Denis Diderot, 1772 marble Height: 57.0 cm	Inv. No. N.Sk.2
106	Marie-Anne Collot	Bust of Étienne-Maurice Falconet, 1773 marble Height: 45.0 cm; base: 11.0 cm	Inv. No. N.Sk.6
107	Marie-Anne Collot	Bust of François Marie Arouet de Voltaire, 1770s marble Height: 39.0 cm; base: 10.0 cm	Inv. No. N.Sk.3
108	Marie-Anne Collot	Bust of Peter the Great, 1768 bronze 57.0 x 22.0 cm	Inv. No. N.Sk.2135
109	Jean-Antoine Houdon	Bust of François Marie Arouet de Voltaire in a Toga, 1778 marble Height: 58.0 cm	Inv. No. N.Sk7
110	Jean-Antoine Houdon	Bust of Georges Louis Leclerc Buffon, 1782 marble Height: 50.0 cm; base: 11.0 cm	Inv. No. N.Sk.225
111	Workshop of Jean-Antoine Houdon	Bust of Jean-Jacques Rousseau, 1778-1779 marble Height: 50.0 cm	Inv. No. ERSk.72
112	Ivan Petrovich Martos	Statue of Prince Grigory Potemkin-Tavrichesky, 1794-1795 marble Height: 100.0 cm	Inv. No. N.Sk.270
113	Assembled by Giovanni Battista Piranesi	The Piranesi Vase, assemblage of ancient and modern elements: body of urn and handles, 1st century A.D., collar, base and restorations 18th century marble Height: 68.0 cm	Inv. No. A. 110
114	Feodosy Shehedrin	The Nymph of the Little Fountain, 1780s marble Height: 100.0 cm	Inv. No. ERSk.271

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
115	Pierre Morand	Model of Voltaire's Home at Ferney, 1777 wood, paper, glass, metal, plaster 48.0 x 100.0 x 65.0 cm	Inv. No. ERT 2138
116		The Russian Language Lover's Companion, 1783-1784 Academy of Sciences (publisher) printed paper in leather binding stamped with gold 20.5 x 12.5 cm	Inv. No. 72929
117	Catherine II (author)	The Initial Instruction of Oleg, 1791 printed paper in leather binding stamped with gold 41.0 x 27.0 cm	Inv. No. 136327
118	Catherine II (author)	Notes on Russian History, 1787 printed paper in leather binding stamped with gold 22.5 x 15.0 cm	Inv. No. 96573
119	Catherine II (author)	Pedagogical Manual for Young Children: Writing Lessons, around 1783 (2 of 3) printed paper in leather binding stamped with gold 20.0 x 13.0 cm	Inv. No. 111222
120	Catherine II (author)	Saint Petersburg Nakaz Instruction, 1770 printed paper in leather binding stamped with gold 27.0 x 22.0 cm	Inv. No. 111052
121	Johann Gottlieb Georgi (author) and Christopher Melchior Roth (engraver)	A Description of the Peoples of Russia, 1776 printed paper in leather binding stamped with gold 28.5 x 22.0 cm (each)	Inv. Nos. 8093/8094
122	Alfonso Miliotti (author)	Description des Pierre Gravées [Catalogue of Engraved Gems], around 1790 printed paper in leather binding stamped with gold 43.5 x 28.5 cm	Inv. No. 47088
123	Unknown author	Catalogue des tableaux qui se trouvent dans les Galeries et dans les Cabinets du Palais Impérial de Saint Pétersbourg [Catalogue of paintings found in the galleries and cabinets of the Imperial Palace in St. Petersburg], 1774 printed paper in leather binding stamped with gold 16.0 x 11.5 cm	Inv. No. 16056
124	Unknown author	Édifices construits à Saint-Pétersbourg, d'après les plans du Chevalier de Quarenghi et sous direction T.I. [Buildings constructed in St. Petersburg after the plans of Chavlier Quarenghi and under the direction of], first half 19th century printed paper in leather binding stamped with gold 49.0 x 37.0 x 2.0 cm	Inv. No. 99758
125		State document signed by Catherine II elevating court advisor Nikolai Latynin to the nobility and granting him a coat of arms with skippet bearing the Russian coat of arms enclosing a wax seal of state, mid-18th century watercolour, gouache, ink and gilding on parchment; gilded bronze, gold thread and wax 36.0 x 52.0 cm	Inv. No. RDR 2095
126	Unknown St. Petersburg jeweller	Lady-in-Waiting's Brooch in the form of Catherine II's Monogram, 1770s-1780s diamonds set in silver and gold 7.3 x 3.3 cm	Inv. No. E 289
127	Charles Brown	Cameo carved with Allegory of the Victory over the Turkish Fleet, 1791 sardonyx mounted in gold 5.3 x 6.8 cm	Inv. No. K 1104
128	Charles Brown	Cameo carved with Catherine II Crowning Prince Potemkin with Laurels, 1792 sardonyx mounted in gold 5.7 x 6.6 cm	Inv. No. K 1125
129	William Brown	Cameo carved with Catherine II Instructing her Grandsons, 1791 agate-onyx mounted in gold 5.4 x 6.7 cm	Inv. No. K 1124

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
130		Cameo carved with Catherine II as Minerva, 1789 Grand Duchess Maria Fedorovna (Russian, 1759-1828) jasper mounted in gold 6.7 x 4.7 cm	Inv. No. K 1077
131	Unknown Russian maker	Covered cup: Gift of Catherine II to her grandson Grand Duke Alexander Pavlovich and his fiancée Grand Duchess Elizaveta Alexeevna, around 1793 gold, silver and enamel mounted with ruby and diamonds 20.7 x 8.8 cm	Inv. No. E 2743 a, b
132	Workshop of James Tassie	Gem casts with a Falcon Seated on a Solar Disk, 1780s (2 works) coloured and white glass with paper mounted in gold 3.9 x 3.3 cm (coloured paste); 4.1 x 3.4 cm (white paste)	Inv. No. R-T 7a, b
133	Workshop of James Tassie	Gem casts with the Head of Medusa, 1780s (2 works) coloured and white glass with paper mounted in gold 7.6 x 9.2 cm (coloured paste); 7.8 x 9.2 cm (white paste)	Inv. No. R-T 3296a, b
134	Workshop of James Tassie	Gem casts with Venus with an Eagle, 1780s (2 works) coloured and white glass with paper mounted in gold 3.6 x 2.9 cm (coloured paste); 3.7 x 3.1 cm (white paste)	Inv. No. R-T 358a, b
135	Charles Brown	Intaglio engraved with A Horse Frightened by a Lion, 1774 carnelian mounted in gold 2.9 x 3.5 cm	Inv. No. I 3953
136	Charles Brown	Intaglio engraved with Mars and Bellona, around 1784 carnelian 4.0 x 3.5 cm	Inv. No. I 3946
137	Charles Brown and William Brown	Intaglio engraved with The Death of Socrates, 1791 (British, 1748-1825) chalcedony 2.3 x 3.1 cm	Inv. No. 4072
138	Jean-Pierre Ador	Snuff Box with Catherine II as Minerva, 1774 Inscribed: "By God's Grace Catherine II Empress and Autocrat of All Russia" based on the coronation medal by Johann Georg Waechter (German, 1726-1800; active in St. Petersburg from 1741) gold Height: 3.3 cm; Diameter: 8.2 cm	Inv. No. E 4142
139	Jean-Pierre Ador	Snuff Box with Catherine II receiving the keys to the City of Bender, 1771-1772 enamel mounted with gold, silver and diamonds Height: 3.2 cm; Diameter: 7.5 cm	Inv. No. E 4495
140	Jean-Pierre Ador	Snuff Box with putti, 1770s gold, silver, diamonds, enamel 2.8 x 6.2 x 4.9 cm	Inv. No. E 4496
141	Alexander Lang	Snuff Box with allegorical representation of Catherine II (cover), engraved medallions of hope, fertility, justice and prosperity (sides) and entwined hands of friendship (base), 1776 gold and silver with enamel mounted with diamonds and garnets 3.5 x 7.5 x 5.3 cm	Inv. No. E 4462
142	Alexander Lang	Snuff Box with classical scenes, 1780s gouache on paper under glass with gold and silver mounts 3.4 x 6.4 x 3.9 cm	Inv. No. E 4059
143	Alexander Lang	Snuff Box with mosaic of a bird, 1780s gold, silver, marble, smalt and mosaic Height: 1.8 cm; Diameter: 6.6 cm	Inv. No. E 3948
144		Mineralogical Snuff Box mounted with precious gems and cameo (cover), engraved portraits of Roman Emperors (sides) and a zodiac (base), around 1790 Monogrammist "PMG", Vyborg, Russia gold and silver, precious and semi-precious stones encased in rock-crystal 4.4 x 9.4 x 7.5 cm	Inv. No. E 4165

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
145	Georges Raymond firm	Snuff Box with Pluto and Proserpina Releasing Orpheus and Eurydice from Hell, 1790s enamelled gold 1.7 x 9.8 x 6.9 cm	Inv. No. E 4694
146	David Rudolph	Mineralogical Snuff Box with Siberian gems, cameo portrait of Catherine II (cover) and Siberian Coat of Arms (base), 1780s jasper, amethysts and topazes, gemstones, agate cameo, gold mounts Height: 2.8 cm; Diameter: 8.3 cm	Inv. No. E 4204
147	Johann Gottlieb Scharff	Snuff Box with Beehive, Bees and Rosebush Emblem and ("Useful") Motto, 1780s enamel with gold, silver, diamonds and rock-crystal 2.2 x 4.9 x 6.9 cm	Inv. No. E 4692
148	Johann Gottlieb Scharff	Snuff Box with Shubin's monument to Catherine II, 1776 (box), 1790 (medallion) and Gavriil Kozlov, enameller (Russian, 1738-1791) gold, silver, diamonds, enamel, sapphires Height: 1.9 cm; Diameter: 6.9 cm	Inv. No. E 4491
149	Unknown Swiss workshop	Snuff Box with Falconet's 'Bronze Horseman', 1780s after a medal by Johann Georg Waetcher and Johann Balthasar Gass enamelled gold, opals, glass and hair Height: 7.5 cm; Diameter: 2.2 cm	Inv. No. E 4025
150		Watch on chatelaine with watch key, late 1770s-early 1780s Duval workshop, St. Petersburg; goldsmith work by Louis David Duval (Swiss, 1727-1788; active in St. Petersburg) and Michael Heinrich Tirjong (Danish, active in St. Petersburg from 1769); watch movement by Sandoz Basselier, St. Petersburg gold, diamonds set in silver, glass, enamel, metal and fabric Diameter: 4.3 cm; Length: 11.7 cm	Inv. No. E 4287 a,b
151	Louis Mallet	Watch on chatelaine with seal, watch key and brushes, 1770s gold, silver, diamonds, enamel, pearls, rock-crystal, cornelian, metal alloys Diameter: 3.5 cm; Length: 21.5 cm	Inv. No. 4291 a, b
152	Original model by Friedrich Elias Meyer the Elder	Catherine II enthroned, 1770-1772 Berlin Porcelain Manufactory porcelain with gilt bronze base Height: 38.5 cm; base width: 50.0 cm; base depth: 40.0 cm	Inv. No. 19088
153	Friedrich Elias Meyer the Elder	Four Russian peasants, 1770-1772 Berlin Porcelain Manufactory porcelain Height: 15.5 cm; 23.0 cm; 13.5 cm; 15.0 cm	Inv. Nos. 2706, 2703, 2701, 2712
154		Dessert Plate from the Arabesque Service, 1784 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 4.0 x 24.3 cm	Inv. No. 355
155		Lidded Sauceboat with Tray from the Arabesque Dessert Service, 1784 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 6.6 x 20.5 x 12.3 cm; 7.3 x 16.2 x 12.0 cm; 3.0 x 22.8 x 16.5 cm	Inv. No. 351 a, b, c
156		Wine Bottle Cooler from the Arabesque Dessert Service, 1784 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 12.8 x 16.2 x 13.3 cm	Inv. No. 350
157		Bust of Catherine II, 1790s Imperial Porcelain Manufactory, St. Petersburg porcelain with polychrome decoration 33.8 x 11.0 x 9.0 cm	Inv. No. 7179
158		Soup Tureen on Stand with views of the Molle Bridge and the Temple of Janus from the Cabinet Service, 1793-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding a: 15.3 x 34.5 x 20.5 cm; b: 11.2 x 29.0 x 21.8 cm; c: 10.0 x 37.5 x 30.0 cm	Inv. No. ERF 6810 a-b-c
159		Plate with a Roman View from the Cabinet Service, 1793-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 5.3 x 23.8 cm	Inv. No. ERF 6821

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
160		Monteith with views of Mt. Aventin and the Church of St. Francis in Rome from the Cabinet Service, 1793-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 12.1 x 29.9 x 17.8 cm	Inv. No. ERF 6854
161		Plate with a Roman view from the Cabinet Service, 1793-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 3.4 x 24.5 cm	Inv. No. ERF 6850
162	Original models by Jean Dominique Rachette	Figures representing the People of Russia (including a native Kamchatka man and woman; a Tartar Man from Kazan, an Estland Woman and a Maimista (Finnish) Woman) based on Johann Georgi's "Peoples of Russia" series, 1780-1790 Imperial Porcelain Manufactory, St. Petersburg porcelain with polychrome decoration 20.5 x 9.4 x 7.9 cm; 22.3 x 9.7 x 8.2 cm; 22.0 x 9.5 x 8.3 cm; 20.0 x 8.8 x 6.9 cm; 20.8 x 10.1 x 7.7 cm; 22.0 x 9.7 x 7.7 cm	Inv. Nos. ERF 176, 177, 788, 791, 790, 3357
163	Jacques Dominique Rachette	The Jassy Peace Treaty, around 1791 Imperial Porcelain Manufactory, St. Petersburg biscuit (unglazed) porcelain Height: 29.5 cm	Inv. No. 445
164		Covered Tureen with Views of English Castles, 1793-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding a: 5.6 x 38.5 x 28.6 cm; b: 15.1 x 31.6 x 21.3 cm	Inv. No. 76a
165		Covered Vase Commemorating Catherine II's Name Day (November 24th), late 1780s-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding a: 50.5 x 41.6 x 31.4 cm; b: 27.0 x 21.0 cm	Inv. No. 488 a, b
166	Jean Dominique Rachette	Covered Vase with portraits of the Rulers of Macedonia, 1780 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding a: 42.5 x 30.5 x 23.0 cm; b: 12.5 x 19.5 cm	Inv. No. ERF 480 a, b
167	Stefano della Bella	Lidded Vase, 1780-1796 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 32.3 x 25.0 x 21.9 cm (vase); 10.2 x 16.3 cm (lid)	Inv. No. ERF 476 a, b
168		Coffee Cup and Saucer from the Cameo Service, 1778-1779 Sèvres Porcelain Manufactory, France soft-paste porcelain with transfer printing, enamel painting and gilding Height: 5.5 cm (cup); Diameter: 12.0 cm (saucer)	Inv. Nos. GT 488, 430
169		Coffee Pot from the Cameo Service, 1778-1779 Sèvres Porcelain Manufactory, France soft-paste porcelain with transfer printing, enamel painting and gilding Height: 17.2 cm	Inv. No. GT 680 a, b
170		Dinner plate from the Cameo Service, 1778-1779 Sèvres Porcelain Manufactory, France soft-paste porcelain with transfer printing, enamel painting and gilding Diameter: 26.1 cm	Inv. No. GCh 221
171		Ice-Cream Cooler from the Cameo Service, 1778-1779 Sèvres Porcelain Manufactory, France soft-paste porcelain with transfer printing, enamel painting and gilding Height: 24.0 cm; Diameter: 19.0 cm	Inv. No. GT 623 a, b,
172		Lidded Sugar Bowl and Oval Tray from the Cameo Service, 1778-1779 Sèvres Porcelain Manufactory, France soft-paste porcelain with transfer printing, enamel painting and gilding Height: 14.0 cm, diameter: 17.0 cm (sugar bowl); diameter: 27.7 cm, depth: 17.0 cm (tray)	Inv. Nos. GT 687 a,b, GT 380
173	Étienne-Maurice Falconet	Pygmalion and Galatea sculpture: 1766-1773; base: 1773-1780 Sèvres Porcelain Manufactory, France biscuit (unglazed) porcelain Height: 36.9 cm; base: 27.6 x 21.9 x 9.8 cm	Inv. Nos. ERF 24161, 7168

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
174	John Flaxman II	Catherine II Rewarding Art and Protecting Commerce, around 1785 Josiah Wedgwood & Sons Manufactory, England jasper ware (unglazed stoneware) 41.8 x 31.6 cm	Inv. No. 23320
175		Plate with View of Abraham Darby's Ironworks in the Coalbrookdale Valley from the Green Frog Service, 1773-1774 Wedgwood Manufactory, England earthenware with overglaze enamel painting Diameter: 24.5 cm	Inv. No. Gch 8783
176		Plate with View of the Gardens of Chiswick from the Green Frog Service, 1773-1774 Wedgwood Manufactory, England earthenware with overglaze enamel painting Diameter: 24.5 cm	Inv. No. Gch 8834
177		Plate with View of the ruins of Kirkham Priory, Yorkshire from the Green Frog Service, 1773-1774 Wedgwood Manufactory, England earthenware with overglaze enamel painting Diameter: 24.5 cm	Inv. No. Gch 8921
178	Workshop of Philippe Lasalle	Fire-screen with portraits of Catherine II; one in profile and one as Minerva decorating Count Orlov for his victory over the Turks at Chesme, 1770-1780 silk in gilded wood frame 146.0 x 88.0 x 44.2 cm	Inv. No. E 5083
179		Gem Cast Cabinet, 1783-1790 Attributed to J. Roach (?) (British, active in London last quarter of the 18th century) design by James Wyatt (British, 1746-1813) satinwood, palm, ebony, stained maple and thuja woods mounted with paste reliefs and bronze 125.0 x 122.0 x 44.3 cm	Inv. No. E 342
180	Doors by David Röentgen, upper cabinet by Christian Meyer; lower cabinet by Heinrich Gambs	Gem Cabinet Doors: 1786-1787; upper and lower cabinets: early 19th century mahogany and oak with gilded bronze mounts 187.5 x 65.0 x 39.4 cm	Inv. No. E 155
181	Workshop of David Röentgen	Roll-Top Writing Desk with Portrait of Plato and Allegorical Sculpture of Knowledge, 1785 mahogany veneer on wood carcass, gilded bronze mounts, inlaid brass 195.0 x 148.0 x 91.0 cm	Inv. No. E 5085
182	Johann Gottlieb Truscott	Globe, 1773 (modern stand) wood globe with engraved, hand-coloured map; brass mounts Diameter: 61.0 cm; height of stand: 90.0 cm	Inv. No. ERT ch 1618
183	Unknown maker	Armchair for the President of the Army College, around 1784 gilded wood with gold-embroidered velvet upholstery 153.0 x 75.0 x 68.0 cm	Inv. No. ERMb 109
184	Georg Heinrich König	Relief with still-life and cameo portrait of Catherine II, 1779 gold, glass, glass paste, enamel and metal Diameter: 18.6 cm	Inv. No. E 1825
185		Obelisk, end of 18th century Potemkin Glass Factory, St. Petersburg glass with gilded bronze mounts 55.8 x 9.5 x 9.5 cm	Inv. No. ERS 1914
186	Unknown Italian maker	Pendant with Sosos' Doves, late 18th century or early 19th century glass micromosaic with gilt bronze mount Diameter: 6.7 cm; Diameter with frame: 8.0 cm; Diameter with ring: 10.2 cm	Inv. No. E 5734
187		Bowl, end 18th century-beginning 19th century Imperial Lapidary Manufactory, Peterhof jasper with gilded bronze mounts Height: 22.1 cm; Length: 31.4 cm	Inv. No. ERKM 1008
188	Joseph Bottom	Columns representing the architectural orders: Doric, Ionic and Corinthian, 1773, 1774, 1772 Imperial Lapidary Manufactory, Peterhof Siberian and Ural jasper Height: 45.5 cm (each)	Inv. Nos. ERKm 949, 940, 939

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
189		Pair of Obelisks Italian, 1770s granite with gilded bronze mounts Height: 50.0 cm each	Inv. Nos. ERKM 954, 955
190		Obelisk on columnar base, 1778 Imperial Lapidary Manufactory, Peterhof Siberian jasper; gilded bronze Height: 30.7 cm; width of base: 6.0 cm	Inv. No. 1411
191		Obelisk with Russian Coats of Arms, 1780s Imperial Lapidary Manufactory, Peterhof jasper obelisk with granite base mounted in gilded bronze 35.5 x 10.2 x 10.0 cm	Inv. No. ERKm 499
192	Matthew Boulton	Pair of Perfume Burners, 1770s blue john (Derbyshire fluorspar) with gilded bronze mounts Height: 23.0 cm; Diameter: 11.5 cm each	Inv. Nos. E 6480, E 7549
193	Matthew Boulton	Perfume Burner, 1770s blue john (Derbyshire fluorspar) with gilded bronze mounts 31.0 x 11.4 cm; diameter of base: 13.5 cm	Inv. No. Zi 12614
194		Urn, 1790s Imperial Lapidary Manufactory, Kolovan quartz 13.0 x 13.5 x 6.5 cm	Inv. No. ERKM 952
195	Joseph Bottom	Urn, 1777 Imperial Lapidary Manufactory, Peterhof Siberian jasper 37.0 x 17.0 x 17.0 cm	Inv. No. ERKm 936 a,b
196		Urn, 1780s Imperial Lapidary Manufactory, Peterhof amazonite 25.8 x 13.8 x 13.8 cm	Inv. No. ERKm 933
197		Vase on Pedestal Base, 1770s Italian marble vase on granite base with gilded bronze mounts Height: 26.5 cm	Inv. No. ERKM 960
198	Pierre-Louis Agis	Chesme Inkwell, 1794 gilded bronze 40.0 x 30.0 x 40.0 cm	Inv. No. E 4974
199	Jean François Xavier Bouddé, goldsmith and Gavriil Kozlov, enameller	Chalice with the Pietá and the Last Supper, 1790 Inscribed: 'He Who Eats My Flesh and Drinks my Blood Abides in Me' gold mounted with enamel medallions Height: 33.0 cm (approx.); Diameter: 16.5 cm	Inv. No. E 13103
200	Jean-Jacques Duc, goldsmith	Vase with scene of Catherine II accepting offerings of hearts, 1777 gold, enamel, copper and glass Height: 21.0 cm; Diameter: 7.8 cm	Inv. No. E 2854
201		Tankard for the Free Economic Society with Russian and European Coins Monogrammist "GB", St. Petersburg, 1789 gilded silver 42.0 x 40.0 x 25.4 cm	Inv. No. EPO 4759
202		Tray with map of the Black Sea, 1774 Monogrammist "MH", Moscow silver and gilded silver with niello decoration 5.8 x 68.0 x 53.0 cm	Inv. No. EPO 4819
203	Giacomo Quarenghi	Candelabrum, around 1795 Imperial Bronze Manufactory, St. Petersburg gilded bronze 130.0 x 60.0 x 60.0 cm	Inv. No. E 5895
204	Antoine Simon	Ballot Box for Academy of the Arts, 1769-1770 Inscribed on underside of columns: 'For,' 'Against,' 'Abstain' gilded bronze, silver, silk, velvet 40.0 x 22.0 x 21.5 cm	Inv. No. EPM 5218

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
205	Andrian Sukhanov	Chessmen from a Four Handed Chess Set: Queen, Pawn, Knights, Rook and Bishops (15 pieces), 1780s Tula Manufactory, Russia oxidized and polished steel Kings: 10.6 x 3.2 x 3.2 cm & 10.6 x 3.4 x 3.4 cm; Queens: 9.6 x 3.0 x 3.0 cm & 9.5 x 3.0 x 3.0 cm; Pawns: 2 each: 5.2 x 2.0 x 2.0 cm & 2 each: 5.1 x 2.1 x 2.1 cm; Knights: 4 each: 5.1 x 2.5 x 2.5 cm; Rook: 4.0 x 3.9 x 2.5 cm; Bishops: 2 each: 8.3 x 2.9 x 2.9 cm	Inv. Nos. ERM 4579, 4591, 4580, 4592, 4586, 4587, 4594, 4595, 4589, 4590, 4608, 4609, 4607, 4581, 4593
206		Armchair, footstool and cushion, 1790s Tula Manufactory, Russia oxidized steel with gilded bronze; footstool with pearls and velvet 97.5 x 58.5 x 48.0 cm (armchair); 18.0 x 39.0 x 28.0 cm (footstool); 41.5 x 23.0 cm (cushion)	Inv. Nos. ERM 2185, 7535, 2336
207		Box with Catherine II's monogram, late 18th century Tula Manufactory, Russia oxidized steel with gilded bronze and velvet 17.0 x 26.0 x 17.5 cm	Inv. No. ERM 7503
208		Candelabra, last quarter 18th century Tula Manufactory, Russia oxidized steel with gilded bronze 27.5 x 11.0 x 11.0 cm	Inv. No. ERM 981
209		Table, around 1801 Tula Manufactory, Russia oxidized steel with gilded bronze 76.5 x 55.5 x 38.0 cm	Inv. No. ERM 7497
210	Unknown artist	Catherine II Writing the "Nakaz" or "Instruction" enamel on copper 8.0 x 10.7 cm	Inv. No. ERR 8014
211	Unknown goldsmith	<u>Chalice</u> gilded silver with niello decoration 32.8 x 12.8 x 12.8 cm	Inv. No. PO-5343
212	Unknown goldsmith	Paten and asterisk gilded silver with niello decoration Height: 7.5 cm, Diameter: 22.5 cm (paten); Height: 11.7 cm, diameter: 16.5 cm (asterisk)	Inv. Nos. PO-8147, PO-8036
213	Unknown Russian maker	Uniform Dress of Catherine II Modelled on Uniform of the Lifeguards Cavalry Regiment, 1773 silk with metal thread embroidery Overgown length: 155.0 cm; Undergown length: 150.0 cm	Inv. Nos. ERT 11002, 11008
214	Unknown Russian maker	Uniform Dress of Catherine II Modelled on Uniform of the Preobrazhensky Lifeguards Regiment, 1763 silk with metal thread embroidery, cloth, copper Length: 194.0 cm	Inv. Nos. ERT 11013, 11023
215		Portrait of Catherine II, 1782-1783 After the portrait of 1779 by Fyodor Rokotov (Russian, 1735-1808) Imperial Tapestry Manufactory, St. Petersburg woven wool and silk with metal threads in gilded wood frame 82.0 x 62.0 cm (oval)	Inv. No. ERT 16192
216	Workshop of Philippe Lasalle	Fabric panel with Partridges (fragment), 1770 woven silk 126.0 x 52.0 cm	Inv. No. T 240
217	Unknown weaver after Philippe Lasalle	Fabric panel with Peacock, Pheasant and Duck, late 18th century woven silk 328.0 x 79.0 cm	Inv. No. T 15900
218	Designed by Milon	The Romanov Coronation Coach,, painted figures attributed to François Boucher Royal Gobelin Manufactory, Paris, first quarter 18th century; oak, ash, beech and walnut, silver, iron, copper, bronze, steel, glass, leather, silk, cloth, gilding 720.0 x 200.0 x 300.0 cm	Inv. No. KH 1
219	Andrei Osipovich Zhdanov	Icon of Saint Catherine and Saint Januarius, late 18th century oil on canvas 147.0 x 75.0 cm	Inv. No. ERG 2448

NO.	ARTIST	TITLE & DESCRIPTION OF WORK	ACCESS. NO.
220	José Dupont (?)	Seated Figure of Voltaire, 1786 bronze 55.0 x 18.0 x 28.0 cm	Inv. No. 2075
221	Catherine II (author)	Pedagogical Manual for Young Children: Writing Lessons, 1780s (1 of 3) printed paper in leather binding stamped with gold	Inv. No. 111220
222	Catherine II (author)	Pedagogical Manual for Young Children: Writing Lessons, around 1780 (3 of 3) printed paper in leather binding stamped with gold 20.0 x 13.0 cm	Inv. No. 111341
223	Alfonso Miliotti (author)	Description des Pierre Gravées [Catalogue of Engraved Gems], around 1790 printed paper in leather binding stamped with gold 43.5 x 28.5 cm (each)	Inv. No. 47089
224		Lidded Cream Cup from the Arabesque Dessert Service, 1784 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 60.7 x 7.5 x 5.8 cm; 3.5 x 4.6 cm	Inv. No. 348 a,b
225		Egg-cup from the Arabesque Dessert Service, 1784 Imperial Porcelain Manufactory, St. Petersburg porcelain with enamel painting and gilding 4.0 x 4.5 cm	Inv. No. 353
226	Giacomo Raffaelli	Mosaic with the Fall of Tivoli, 1800 micromosaic with gold frame Diameter: 7.2 cm	Inv. No. E 7649
227	Giacomo Raffaelli	Rabbit Mosaic, 1796 micromosaic Diameter: 7.0 cm	Inv. No. E 5602
228	Unknown artist	<u>Dog Mosaic</u> , end of 18th century-beginning of 19th century micromosaic Diameter with frame: 7.2 cm	Inv. No. E 7007
229		Vladimir and Rogneda Tapestry, 1823-1824 After a painting by A. Losenko Imperial Tapestry Manufactory, St. Petersburg wool and silk 141.0 x 101.0 cm	CTH.0387; Inv. No. EPT-16277

(138-G902)

Applications to Provincial Parliament — Private Bills Demandes au Parlement provincial — Projets de loi d'intérêt privé

PUBLIC NOTICE

The rules of procedure and the fees and costs related to applications for Private Bills are set out in the Standing Orders of the Legislative Assembly. Copies of the Standing Orders, and the guide "Procedures for Applying for Private Legislation", may be obtained from the Legislative Assembly's Internet site at http://www.ontla.on.ca or from:

Committees Branch Room 1405, Whitney Block, Queen's Park Toronto, Ontario M7A 1A2

Telephone: 416/325-3500 (Collect calls will be accepted)

Applicants should note that consideration of applications for Private Bills that are received after the first day of September in any calendar year may be postponed until the first regular Session in the next following calendar year.

(8699) T.F.N.

CLAUDE L. DESROSIERS, Clerk of the Legislative Assembly.

Applications to Provincial Parliament

NOTICE OF APPLICATION

NOTICE IS HEREBY GIVEN that on behalf of the Corporation of the City of Kawartha Lakes, application will be made to the Legislative Assembly of the Province of Ontario for an Act to extend all speed limits that applied within the City on December 31, 2000, the day before the City of Kawartha Lakes was established, for a further five years to December 31, 2010.

The application will be considered by the Standing Committee on Regulations and Private Bills. Any person who has an interest in the application and who wishes to make submissions, for or against the application, to the Standing Committee on Regulations and Private Bills should notify, in writing, the Clerk of the Legislative Assembly, Legislative Building, Queen's Park, Toronto, Ontario, M7A lA2.

DATED at Lindsay, Ontario this 12th day of August, 2005.

(138-P618) 33, 34, 35, 36

JUDY CURRINS, CMO, Clerk, City of Kawartha Lakes.

NOTICE

NOTICE IS HEREBY GIVEN that an application is to be made to the Superintendent of Financial Services of Ontario pursuant to the Insurance Act (Ontario) for a licence authorizing Fidelity Investments Insurance Company of Canada, in English, and Fidelity Investments, compagnie d'assurance du Canada, in French to carry on within Ontario the business of life insurance.

DATED at Toronto, this 10th day of August, 2005.

JOHN L. WALKER Barrister and Solicitor Suite 202, 1451 Royal York Road Toronto, Ontario M9P 3B2

(138-P633) 34, 35, 36

Solicitor for the applicant

Corporation Notices

JEWELERS MUTUAL INSURANCE COMPANY

APPLICATION FOR A LICENCE

NOTICE IS HEREBY GIVEN that Jewelers Mutual Insurance Company, which operates in Canada as a branch, is applying to the Financial Services Commission of Ontario to obtain an order approving the insuring in Canada of risks falling within the classes of boiler and machinery, property, liability and fidelity under the name Jewelers Mutual Insurance Company.

DATED at Toronto, this 15th day of August, 2005.

JEWELERS MUTUAL INSURANCE COMPANY

By its Solicitors,

(138-P640) 35, 36

Cassel Brock & Blackwell LLP

Sheriff's Sales of Lands Ventes de terrains par le shérif

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of the Ontario Court of Appeal or the Superior Court of Justice at St. Catharines dated January 12, 2005

Court File Number CV-04-012013-SR to me directed, against the real and personal property of:

BERNARD G. PHELAN ALSO KNOWN AS BERNIE PHELAN ALSO KNOWN AS BERNARD GERRARD PHELAN Defendant(s) at the suit of CANADIAN IMPERIAL BANK OF COMMERCE, PLAINTIFF(S), I have seized and taken in execution all the right, title and equity of redemption of BERNARD G. PHELAN ALSO KNOWN AS BERNIE PHELAN ALSO KNOWN AS BERNARD GERRARD PHELAN Defendant(s) in and to: Lot 69, City Plan 160, City of St. Catharines, Regional Municipality of Niagara, MUNICIPALLY KNOWN AS 19 QUEEN MARY DR., ST. CATHARINES, ON L2R 2J3.

All of which said right, title, interest and equity of redemption of BERNARD G. PHELAN ALSO KNOWN AS BERNIE PHELAN, ALSO KNOWN AS BERNARD GERRARD PHELAN, Defendant(s), in the said land and Tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at:

THE ROBERT S. K. WELCH COURT HOUSE, 59 CHURCH STREET, WEST BOARDROOM 4th Floor, ST., CATHARINES, ONTARIO, L2R 7N8 on: SEPTEMBER 27th, 2005 @ 2:00 P.M.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

Deposit 10% of bid price or \$1,000.00, whichever is greater

- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at:

Finance/Enforcement-59 Church Street, St. Catharines, On L2R 7N8

All payments in cash or by certified cheque made payable to the Minister of Finance.

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price.

Other conditions as announced.

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a Sheriff under legal process, either directly or indirectly.

DATED July 20, 2005

SHEILA BRISTO, Sheriff Regional Municipality of Niagara Robert S. K. Welch Court House 59 Church St., St. Catharines, On L2R 7N8

(138-P636)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of the Federal Court, In the Matter of Income Tax Act et al, dated December 2, 2003, Court File Number ITA-8764-03, to me directed, against the real and personal property of DON SHERK CONSTRUCTION LIMITED Defendant, at the suit of INCOME TAX ACT ET AL, Plaintiff, I have seized and taken in execution all right, title, interest and equity of redemption of DON SHERK CONSTRUCTION LIMITED, in and to:

Part of Lot 100, Concession 2, Township of Tay, now Town of Midland, County of Simcoe, being Part 1, Plan 51R-23327 and Part 2, Plan 51R-23327

ALL OF WHICH said right, title, interest and equity of redemption of DON SHERK CONSTRUCTION LIMITED, Defendant, I shall offer for sale by Public Auction in my office at 114 Worsley Street, Barrie, Ontario on: WEDNESDAY, SEPTEMBER 28, 2005 at 10:00 a.m.

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges, liens, outstanding taxes and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

Deposit 10% of bid price or \$ 1,000.00 whichever is greater Payable at time of sale by successful bidder

To be applied to purchase price

Non-refundable

Ten business days from date of sale to arrange financing and pay balance in full at SHERIFF/ENFORCEMENT OFFICE at 114 Worsley Street, Barrie, Ontario

All payments in cash or by certified cheque made payable to MINISTER OF FINANCE

Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price

Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION UP TO TIME OF SALE WITHOUT FURTHER NOTICE.

NO EMPLOYEE OF THE MINISTRY OF THE ATTORNEY GENERAL MAY PURCHASE ANY GOODS OR CHATTELS, LANDS OR TENEMENTS EXPOSED FOR SALE BY A SHERIFF UNDER LEGAL PROCESS, EITHER DIRECTLY OR INDIRECTLY,

DATED August 15, 2005

KATHIE POULIOT SHERIFF 114 Worsley Street BARRIE ON L4M 1M1 705-739-6100

(138-P638)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated June 3, 2004, Court File No. 04-CV-267064SR, to me directed, against the real and personal property of LINDA RUMBERG also known as LINDA MARLENE RUMBERG, Defendant, at the suit of ROYAL BANK OF CANADA, I have seized and taken in execution all the right, title, interest and equity of redemption of LINDA MARLENE RUMBERG, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Unit 25, Level 1, Metropolitan Toronto Condominium Plan No. 702, together with its appurtenant common interest in the City of North York, in the Municipality of Metropolitan Toronto, in the Land Titles Division of Metropolitan Toronto (No. 66). Known as 22 CARTWHEEL MILLWAY, TORONTO, ONTARIO M2L 1P6.

All of which said right, title, interest and equity of redemption of LINDA MARLENE RUMBERG, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- 2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 7, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P641)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Orangeville, dated October 4, 2004, Court File No. 636/04, to me directed, against the real and personal property of HOWARD W. MANN also known as HOWARD WESCOTT MANN, Defendant, at the suit of THE CANADA TRUST COMPANY, I have seized and taken in execution all the right, title, interest and equity of redemption of HOWARD WESCOTT MANN, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Parcel 93-1-0, Section M-24, being Part of Lot 93, Plan M-24, City of Toronto. Land Titles Division of Toronto (No.66), known as **523 DELAWARE AVENUE NORTH, TORONTO, ONTARIO M6H 2V3.**

All of which said right, title, interest and equity of redemption of HOWARD WESCOTT MANN, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- · Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- · All payments in cash or by certified cheque made payable to the Minister of Finance
- · Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 13, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P642)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Orangeville, dated August 10, 2004, Court File No. 519/04, to me directed, against the real and personal property of **CARMELINA DAMIANO**, Defendant, at the suit of THE TORONTO-DOMINION BANK, I have seized and taken in execution all the right,

title, interest and equity of redemption of CARMELINA DAMIANO, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Part of Lot 50, Plan 9133, in the City of Scarborough, in the Municipality of Metropolitan Toronto, registered in the Metropolitan Toronto Registry Division (No.64). Known as **64 PARKDENE COURT, TORONTO, ONTARIO M1W 2J3.**

All of which said right, title, interest and equity of redemption of CARMELINA DAMIANO, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- · Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- · All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 13, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P643)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Milton, dated November 18, 2002, Court File No. 2264/02, to me directed, against the real and personal property of ALAN TUCKER also known as ALAN M. TUCKER also known as ALAN MICHAEL TUCKER and CHRISTINA TUCKER, Defendant, at the suit of CANADIAN IMPERIAL BANK OF COMMERCE, I have seized and taken in execution all the right, title, interest and equity of redemption of ALAN MICHAEL TUCKER and CHRISTINA TUCKER, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being composed of parts of lots 502 and 501, on the north side of Mortimer Avenue according to Plan M-484, in the office of Land Titles at Toronto and more particularly described in schedule A. Known as 274 MORTIMER AVENUE, TORONTO, ONTARIO M4J 2C7.

All of which said right, title, interest and equity of redemption of ALAN MICHAEL TUCKER and CHRISTINA TUCKER, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 11, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P644)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated December 31, 1999, Court File No. 99-CV-174891, to me directed, against the real and personal property of VASSILIOS VASSILI APOSTOLOPOULOS, Defendant, at the suit of 933577 ONTARIO INC., I have seized and taken in execution all the right, title, interest and equity of redemption of VASSILIOS VASSILI APOSTOLOPOULOS, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Parcel 130-2, Section M-380, being Parts of Lots 130 and 131, Plan M-380 City of Toronto. The Land Titles Division of the Toronto Registry Office No. 66. Known as **659 ORIOLE PARKWAY, TORONTO, ONTARIO M4R 2C1.**

All of which said right, title, interest and equity of redemption of VASSILIOS VASSILI APOSTOLOPOULOS, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance

- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 15, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P645)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated November 1st 2002, Court File No. T65250/02, to me directed, against the real and personal property of NGUYEN CHOUNG also known as NUGYEN CHOUNG, Defendant, at the suit of THE TORONTO-DOMINION BANK, I have seized and taken in execution all the right, title, interest and equity of redemption of NUGYEN CHOUNG, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Part of Lot 208, 209 and 210, Plan 1665, City of Toronto (formerly City of York), Registry Division of Toronto (No.64). Known as 150 PRITCHARD AVENUE, TORONTO, ONTARIO M6N 1T8.

All of which said right, title, interest and equity of redemption of NUGYEN CHOUNG, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 13, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424

Toronto, Ontario M5G 2C2

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Milton, dated July 12, 2004, Court File No. 2426/04, to me directed, against the real and personal property of DESMOND RODRIGUES also known as DESMOND F. RODRIGUES also known as DESMOND FRANK RODRIGUES and KRISS KROSS INTERNATIONAL COURIER & CARGO SERVICES INC., Defendant, at the suit of BANK OF MONTREAL, I have seized and taken in execution all the right, title, interest and equity of redemption of DESMOND RODRIGUES, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Part Lot 87, Plan 5766, City of Etobicoke, Municipality of Metropolitan Toronto, Metropolitan Toronto Land Titles Division (No.66) as in Instrument No. EB269257, known as 7 DUNSANY CRESCENT, TORONTO, ONTARIO M9R 3W7.

All of which said right, title, interest and equity of redemption of **DESMOND RODRIGUES**, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 11, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P647)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated June 20, 2003, Court File No. T53850/01, to me directed, against the real and personal property of MICHAEL J. CARUSO, Defendant, at the suit of ACZ STABLE, C/O PANOREA KATAPODIS / PASQUALE J. BUTTIGIEG, I have seized and taken in execution all the right, title, interest and equity of redemption of MICHAEL J. CARUSO, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Lot 112, Plan 4607, Etobicoke, City of Toronto. Known as 15 REXTON ROAD, TORONTO, ONTARIO M9C 2E3.

All of which said right, title, interest and equity of redemption of MICHAEL J. CARUSO, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street

(138-P646)

West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- · Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 13, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P648)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated August 11, 2004, Court File No. 00-CV-200852, to me directed, against the real and personal property of MARYANN KUYUMCUOGLU and HAGOP KUYUMCUOGLU, Defendant, at the suit of DANIEL VANDERLUGT and INA MARIAN VANDERLUGT, I have seized and taken in execution all the right, title, interest and equity of redemption of MARYANN KUYUMCUOGLU and HAGOP KUYUMCUOGLU, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Parcel 646-1, Section M-1148, City of Scarborough, being Lot 646, Plan M-1148, City of Scarborough, Municipality of Metropolitan Toronto. Known as 22 CREEKWOOD DRIVE, TORONTO, ONTARIO M1E 4L7.

All of which said right, title, interest and equity of redemption of MARYANN KUYUMCUOGLU, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable

- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- · Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 19, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P649)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Brampton, dated January 12, 2005, Court File No. CV-04-008328-00, to me directed, against the real and personal property of FRANCELINA REGO also known as FRANCELNIA REGO and CARLOS C, REGO also known as CARLOS REGO and JEFFREY REGO also known as JEFFREY RICHARD REGO, in their personal capacities, and carrying on business in partnership as DYNOPOWER SERVICES, Defendant, at the suit of CANADIAN IMPERIAL BANK OF COMMERCE, I have seized and taken in execution all the right, title, interest and equity of redemption of CARLOS REGO and FRANCELINA REGO, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Parcel 263-1, Section M-13, City of Toronto, southerly 10 feet from front to rear of Lot 263 and the northerly 10 feet from front to rear of Lot 264 on the east side of Symington Avenue. Known as 181 SYMINGTON AVENUE, TORONTO, ONTARIO M6P 3W5.

All of which said right, title, interest and equity of redemption of CARLOS REGO and FRANCELINA REGO, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- · \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- · Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly. **DATED July 22, 2005**

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P650)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Brampton, dated November 19, 2003, Court File No. 03-BN-10251SR, to me directed, against the real and personal property of LAWRIE J. JACQUES and IRIS A. JACQUES, Defendant, at the suit of BANK OF MONTREAL, I have seized and taken in execution all the right, title, interest and equity of redemption of IRIS A. JACQUES also known as IRIS ALEXIS JACQUES, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Whole Lot 31, Plan 8533, City of North York, Municipality of Metropolitan Toronto, Known as 7 OSMUND COURT, TORONTO, ONTARIO M2H 1P5.

All of which said right, title, interest and equity of redemption of IRIS ALEXIS JACQUES, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- · \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- To be applied to purchase price
- Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED August 12, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P651)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Toronto, dated March 3, 2003, Court File No. 00-CV-189180 SR, to me directed, against the real and personal property of IAN GOULBOURNE and MYLENE GOULBOURNE, Defendant, at the suit of PROCARE RESTORATION LTD., I have seized and taken in execution all the right, title, interest and equity of redemption of IAN GOULBOURNE and MYLENE GOULBOURNE, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Whole of Lot 351, Plan 4467, City of Scarborough,

Municipality of Metropolitan Toronto, known as 1592 WARDEN AVENUE, TORONTO, ONTARIO M1R 2T2.

All of which said right, title, interest and equity of redemption of IAN GOULBOURNE and MYLENE GOULBOURNE, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- · 2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- · Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED August 15, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P652)

UNDER AND BY VIRTUE OF a Writ of Seizure and Sale issued out of Superior Court of Justice, Newmarket, dated September 21, 2004, Court File No. 70703/04SR, to me directed, against the real and personal property of ANNETTE WILLIAMS also known as ANNETTE MARIA WILLIAMS, Defendant, at the suit of CANADA TRUSTCO MORTGAGE COMPANY, I have seized and taken in execution all the right, title, interest and equity of redemption of ANNETTE MARIA WILLIAMS, Defendant in and to:

ALL AND SINGULAR that certain parcel or tract of land and premises situated, being Parcel 123-1, Section M-1317, being Lot 123, Plan M-1317, City of North York, Municipality of Metropolitan Toronto. Known as **51 MOGUL DRIVE, TORONTO, ONTARIO M2H 2M8.**

All of which said right, title, interest and equity of redemption of ANNETTE MARIA WILLIAMS, Defendant, in the said lands and tenements described above, I shall offer for sale by Public Auction subject to the conditions set out below at, Room 424, Writs Office, 40 Dundas Street West, Toronto, Ontario, on Thursday, September 29, 2005 AT 11:00 a.m. (Registration 9:00 a.m.-10.30 a.m.).

CONDITIONS:

The purchaser to assume responsibility for all mortgages, charges liens, outstanding taxes, and other encumbrances. No representation is made regarding the title of the land or any other matter relating to the interest to be sold. Responsibility for ascertaining these matters rests with the potential purchaser(s).

TERMS:

- \$2,000.00 certified cheque or cash upon bidder registration
- Deposit 10% of bid price or \$2,000.00, whichever is greater
- Payable at time of sale by successful bidder
- · To be applied to purchase price
- · Non-refundable
- Ten business days from date of sale to arrange financing and pay balance in full at 40 Dundas St. W., Room 424, Toronto, Ontario
- All payments in cash or by certified cheque made payable to the Minister of Finance
- Deed Poll provided by Sheriff only upon satisfactory payment in full of purchase price
- · Other conditions as announced

THIS SALE IS SUBJECT TO CANCELLATION BY THE SHERIFF WITHOUT FURTHER NOTICE UP TO THE TIME OF SALE.

Note: No employee of the Ministry of the Attorney General may purchase any goods or chattels, lands or tenements exposed for sale by a sheriff under legal process, either directly or indirectly.

DATED July 22, 2005

MICHAEL MACLEAN Enforcement Office 40 Dundas Street W., Room 424 Toronto, Ontario M5G 2C2

(138-P653)

Sale of Lands for Tax Arrears by Public Tender Ventes de terrains par appel d'offres pour arriéré d'impôt

Municipal Act, 2001

SALE OF LAND BY PUBLIC TENDER

THE CORPORATION OF THE CITY OF OWEN SOUND

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on Wednesday September 21, 2005, at City Hall, City of Owen Sound, 808 - 2nd Avenue East, Owen Sound, Ontario.

The Tenders will be opened in public on the same day at 3:15 p.m. on Wednesday September 21, 2005 at City Hall, City of Owen Sound, 808 - 2nd Avenue East, Owen Sound, Ontario

Description of Lands:

Southerly 54 feet from front to rear of Lot 14, Plan 8, City of Owen Sound, County of Grey

Minimum Tender Amount: \$6,420.28

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation payable to the municipality (or board) and representing at least 20 per cent of the tender amount.

Except as follows, the municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Act, 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus accumulated taxes and the relevant land transfer tax.

The municipality has no obligation to provide vacant possession to the successful purchaser.

For further information regarding this sale and copy of the prescribed form of tender, contact:

WAYNE RITCHIE Treasurer

The Corporation of the City of Owen Sound

808 - 2nd Avenue East Owen Sound, Ontario

(138-P637) N4K 2H4

Municipal Act, 2001

SALE OF LANDS BY PUBLIC TENDER

THE CORPORATION OF THE CITY OF SAULT STE. MARIE

TAKE NOTICE that tenders are invited for the purchase of the lands described below and will be received until 3:00 p.m. local time on Tuesday, September 27th, 2005 at the City Tax Collector's Office, 2nd Floor, Civic Centre, 99 Foster Drive, Sault Ste. Marie, Ontario.

The tenders will then be opened in public on the same day immediately following the 3:00 pm deadline in the Russ Ramsay Board Room, 3rd Floor, Civic Centre.

Description of Land:

Property #1. Roll No. 57 61 010 090 029 02. 00000 Frontenac Street. Part of Lot 12, Second Range, Rankin Location being Lot 5, Registrar's Compiled Plan H-718.

Minimum Tender Amount: \$3,489.63

Property #2. Roll No. 57 61 020 043 041 00. 843 Queen Street East. Those lands and premises situate, lying and being in the City of Sault Ste. Marie, District of Algoma, being composed of: <u>FIRSTLY</u>: Lot 4, Stonehouse Subdivision, Plan 958; and <u>SECONDLY</u>: Firstly: Premising that the side lines thereof run due North and South, being composed of the Easterly 36 feet throughout from the front to rear of Lot 5, Stonehouse Subdivision, Plan 958; Secondly: The Easterly 3 feet of the westerly 96 feet of Lot 5, Stonehouse Subdivision, Plan 958. AS PREVIOUSLY DESCRIBED IN INSTRUMENT NO. 722618.

Minimum Tender Amount: \$61,180.86

Property #3. Roll No. 57 61 020 043 057 00. 708 Queen Street East. FIRSTLY: All of Lot 5, and part of Lot 4 in the Gouin Subdivision, according to a plan thereof registered in the Registry Office for the Registry Division of Algoma as Number 323; part Lot 4 as aforesaid being more particularly described as follows: PREMISING that the line between Lot 3 and 4 of the said subdivision has an astronomical bearing of South 33 degrees, 35 minutes, 50 seconds West, and referring all bearing herein thereto; COMMENCING at a point on the northerly limit of Queen Street, being the most southerly angle of said Lot 4 and which point is the place of commencement. THENCE Westerly along the southwesterly limit of said Lot No. 4 to the most westerly limit of the said lot; THENCE Northeasterly along the northwest limit of said Lot, 90.50 feet more or less to the northeasterly limit of the said Lot 4; THENCE Easterly along the northeasterly limit of the said Lot No. 4, 24.01 feet more or less to a point on the said northeasterly limit; THENCE South 30 degrees, 45 minutes, 40 seconds west along the southeast face of a stone building constructed on the said Lot Number 4, 27.17 feet to a point; THENCE North 59 degrees, 14 minutes, 10 seconds West 1.52 feet to a point on the line between Lots 3 and 4 in the said Gouin Subdivision registered Plan 323; THENCE Southwesterly along the southeasterly limit of said Lot No. 4, 57.15 feet to the most easterly angle of the said lot, being also the Place of Commencement. SECONDLY: Part of Lot Number 3 in the Gouin Subdivision, according to a plan thereof registered in the Registry Office for the Registry Division of Algoma as Number 323, which said parcel may be more particularly described as follows: PREMISING that the line between Lot 3 and Lot 4 of said subdivision has an astronomic bearing of South 33 degrees 35 minutes 50 seconds west and referring all bearings herein thereto; COMMENCING at a point on the northeasterly limit of Queen Street, being the most westerly corner of the said lot 3 and which said point is the place of beginning, THENCE South 65 degrees 01 minute

east and along the northeasterly limit of Queen Street a distance of 1.40 feet more or less to a point, being on the southwesterly production of the southeasterly face of a stone building situate on lot 3 and lot 4 and lot 5 of the said Gouin Subdivision; THENCE North 30 degrees, 45 minutes 40 seconds east and along the said southwesterly production of the southeasterly face of said stone building up to and along said face a distance in all of 26.42 feet more or less to the point of intersection with the northwesterly limit of said lot 3 and the face of said southeasterly face of said stone building; THENCE South 33 degrees 35 minutes 50 seconds west and along the northwesterly limit of said lot 3 a distance of 26.57 feet more of less to the place of beginning.

Minimum Tender Amount: \$53,785.74

Property #4. Roll No. 57 61 030 005 010 01. 1075 McNabb Street. Part of Lot 13, Nanne Subdivision, Plan 51476 being more particularly described as Part 1 on Plan 1R-2952.

Minimum Tender Amount: \$22,522.19

Property #5. Roll No. 57 61 040 027 028 00. 32 Wellington Street West. FIRSTLY: part of Lot 71 in the Brown Subdivision according to a plan registered as No. 453 in the Registry Office for the said District, and which said parcel may be more particularly described as follows: THAT IS TO SAY: Commencing at the Southerly angle of said Lot 71 in the North-easterly limit of Wellington Street. Thence North Forty-two (42) degrees and Thirteen (13') minutes West and along the Northeasterly limit of Wellington Street, Twenty-five and eight-tenths (25.8) feet. Thence North Forty-three (43) degrees and Twenty (20') minutes East, One hundred and nineteen and seventy-six one hundredths (119.76) feet more or less to a point in the North-easterly limit of said lot, distant Thirty-five and one-tenth (35.1) feet from the Easterly angle of the said lot. Thence South Forty-two (42) degrees and Thirteen (13') minutes East, and along the North-easterly limit of the said lot, Thirtyfive and one-tenth (35.1) feet to the Easterly angle of the said lot. Thence South Forty-seven (47) degrees and Forty-seven (47') minutes West and along the South-easterly limit of the said lot, One hundred and nineteen and four-tenths (119.4) feet more or less to the place of beginning; and SECONDLY: part of Lot Seventy-two (72) in the Brown Subdivision according to a plan registered as No. 453 in the Registry Office for the said District, and which said parcel may be more particularly described as follows: THAT IS TO SAY: Commencing at the Westerly angle of said Lot 72 in the North-easterly limit of Wellington Street. Thence South forty-two (42) degrees and Thirteen (13') minutes East and along the north-east limit of Wellington Street Twelve and thirty-five one hundredths (12.35) feet. Thence North Fortyfour (44) degrees and Eleven (11') minutes East, One hundred and nineteen and sixty-five one hundredths (119.65) feet more or less to a point in the North-east limit of the said lot, distant Four and seven-tenths (4.7) feet from the Northerly angle of the said lot. Thence North Fortytwo (42) degrees and Thirteen (13') minutes West and along the Northeast limit of the said lot Four and seven-tenths (4.7) feet to the Northerly angle of the said lot. Thence South Forty-seven (47) degrees and Fortyseven (47') minutes West and along the North-westerly limit of the said Lot 72, One hundred and nineteen and four-tenths (119.4) feet more or less to the place of beginning; Save and excepting thereout any portion of the said lands encroached upon by the buildings now situate on the lands immediately east hereof. BEING THE LANDS DESCRIBED IN INSTRUMENT T-151871.

Minimum Tender Amount: \$4,905.86

Property #6. Roll No. 57 61 050 030 054 00. 92 Second Line West. Lots 28 and 29, Registrar's Compiled Plan H-651, saving and excepting part one (1), Plan 1R-3215; and part of Lot 27, Plan H-651, designated as part one (1), Plan 1R-2455.

Minimum Tender Amount: \$52,234.49

Property #7. Roll No. 57 61 060 003 063 00. 774 Dyment Street. Firstly: Lots 11 & 12, Bayview Subdivision, Block 21, Plan 2872; Secondly: Part of a 10' lane & part of a 20 ' lane, North Bayview Subdivision, Block 21, Plan 2872 being Part 2 on Plan 1R-4902 (said lane closed by By-law 81-191 registered as Instrument No. T-220708) Minimum Tender Amount: \$6,493.66

Property #8. Roll No. 57 61 060 005 129 00. 894 Bonney Street. Lots 396 and 397, Steel Plant Subdivision, Plan 1598.

Minimum Tender Amount: \$7,475.84

Property #9. Roll No. 57 61 060 035 196 00. 8 Warren Avenue. Lot 6, Allard Subdivision, Plan H-407.

Minimum Tender Amount: \$6,341.73

Property #10. Roll No. 57 61 060 035 196 00. 16 Warren Avenue. Lot 8, Allard Subdivision, Plan H-407.

Minimum Tender Amount: \$6,343.65

Property #11. Roll No. 57 61 060 040 268 00. 987 Third Line West. ALL AND SINGULAR that certain parcel or tract of land and premises situate. lying and being in the Township of Korah in the District of Algoma and Province of Ontario and being composed of part of the North Half of the Northwest Quarter of Section Twenty-seven (27) of the said Township of Korah, more particularly described as follows: COMMENCING at the northwest angle of said Section Number 27; THENCE southerly and parallel to the westerly limit of the said Section a distance of 33 feet to the easterly limit of the road allowance, which point is at the intersection of the Third Base Line Road with the Township Road along the west of the said Section; THENCE easterly and parallel to the Northerly limit of the said Section and at a constant perpendicular distance of 33 feet therefrom, a distance of 677 feet to a point which is the place of beginning; THENCE southerly and parallel to the westerly limit of the said Section a distance of 220 feet to a point; THENCE easterly and parallel to the Northerly limit of the said Section a distance of 100 feet to a point; THENCE northerly and parallel to the westerly limit of said Section a distance of 220 feet to a point; THENCE westerly and parallel to the northerly limit of said Section a distance of 100 feet to the place of beginning; the lands hereby conveyed having an area of one-half an acre, more or less. (As described in Instrument No. 16106)

Minimum Tender Amount: \$10,131.61

The sale of these properties is subject to cancellation up to the time of the tender opening without any further notice.

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank or trust corporation payable to the municipality and representing at least 20 per cent of the tender amount.

The municipality makes no representation regarding the title or any other matters relating to the land to be sold, including but not limited to the potential existence of environmental contamination, estates and interests of the federal or provincial governments or their agencies, easements and restrictive covenants, and interests acquired by adverse possession. Responsibility for ascertaining these matters rests with the potential purchaser.

This sale is governed by the *Municipal Act, 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus accumulated taxes, penalties and interest, GST if applicable, and the relevant land transfer tax.

The municipality has no obligation to provide vacant possession to the successful purchaser.

For further information regarding this sale and a copy of the prescribed form of tender contact:

MR. PETER A. LIEPA Assessment & Collections Supervisor The Corporation of the City of Sault Ste. Marie P. O. Box 580 99 Foster Drive Sault Ste. Marie, ON P6A 5N1 (705) 759-5269

Personal information contained on this form, collected pursuant to the Municipal Act, 2001 and Regulations thereunder, will be used for the purposes of that Act. Questions should be directed to the Freedom of Information and Privacy Coordinator at the institution responsible for procedures under that Act.

(138-P639)

Municipal Act, 2001

SALE OF LAND BY PUBLIC TENDER

THE CORPORATION OF THE TOWN OF FORT ERIE

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on the 20th day of September, 2005 at the Municipal Centre, Clerk's Department of The Corporation of the Town of Fort Erie, 1 Municipal Centre Drive, Fort Erie, Ontario L2A 2S6.

The tenders will then be opened in public on the same day at The Municipal Centre, Conference Room 3 at $3:05~\rm p.m.$

Description of Lands:

DOMINION RD NS, PLAN 22, LOT 368 & 369 NP401 72.00FR 104.00D, CORNER, PIN 64215-0164 (LT) ROLL NUMBER 2703 010 034 11500 Minimum Tender Amount: \$6,793.12

45 MALKIN AVE, PLAN 22, LOT 392 & 393 68.00FR 115.00D, PIN 64215-0148 (LT) ROLL NUMBER 2703 010 034 14900 Minimum Tender Amount: \$11,130.99

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank or trust corporation payable to the municipality and representing at least 20 per cent of the tender amount.

Except as follows, the municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

The lands do not include mobile homes situate on the lands, if any.

This sale is governed by the *Municipal Act, 2001* and the Municipal Tax Sales Rules made under that Act. The successful purchaser will be required to pay the amount tendered plus accumulated taxes and the relevant land transfer tax.

The municipality has no obligation to provide vacant possession to the successful purchaser.

NOTE: G.S.T. MAY BE PAYABLE BY SUCCESSFUL PURCHASER.

For further information regarding this sale and a copy of the prescribed form of tender contact:

GILLIAN CORNEY
Manager of Revenue & Collections
1 Municipal Centre Drive
Fort Erie, Ontario
L2A 2S6
T. (905) 871-1600 ext 228
gcorney@forterie.on.ca

(138-P654)

Publications under the Regulations Act Publications en vertu de la Loi sur les règlements

2005-08-27

ONTARIO REGULATION 460/05

made under the

SUBSTITUTE DECISIONS ACT, 1992

Made: July 21, 2005 Filed: August 8, 2005

CAPACITY ASSESSMENT

Definition

1. In this Regulation,

"qualification date", when used in reference to a person, means,

- (a) the date he or she successfully completes the qualifying course required by clause 2 (1) (b), or
- (b) December 1, 2005, in the case of a person who, on November 30, 2005, is qualified to do assessments of capacity under Ontario Regulation 293/96 (Capacity Assessment) made under the Act.

Persons qualified to do assessments of capacity

- 2. (1) A person is qualified to do assessments of capacity if he or she,
- (a) satisfies one of the conditions set out in subsection (2);
- (b) has successfully completed the qualifying course for assessors described in section 4;
- (c) complies with section 5 (continuing education courses);
- (d) complies with section 6 (minimum annual number of assessments); and
- (e) is covered by professional liability insurance of not less than \$1,000,000, in respect of assessments of capacity, or belongs to an association that provides protection against professional liability, in respect of assessments of capacity, in an amount not less than \$1,000,000.
- (2) The following are the conditions mentioned in clause (1) (a):
- 1. Being a member of the College of Physicians and Surgeons of Ontario.
- 2. Being a member of the College of Psychologists of Ontario.
- 3. Being a member of the Ontario College of Social Workers and Social Service Workers and holding a certificate of registration for social work.
- 4. Being a member of the College of Occupational Therapists of Ontario.
- 5. Being a member of the College of Nurses of Ontario and holding a general certificate of registration as a registered nurse or an extended certificate of registration as a registered nurse.
- (3) The requirement that the person hold a general certificate of registration as a registered nurse or an extended certificate of registration as a registered nurse, as set out in paragraph 5 of subsection (2), does not apply to a member of the College of Nurses of Ontario who, on November 30, 2005, is qualified to do assessments of capacity under Ontario Regulation 293/96 (Capacity Assessment) made under the Act.
- (4) Clause (1) (b) does not apply to a person who, on November 30, 2005, is qualified to do assessments of capacity under Ontario Regulation 293/96 (Capacity Assessment) made under the Act.

Guidelines

- **3.** (1) The "Guidelines for Conducting Assessments of Capacity" established by the Attorney General, dated May, 2005 and available on the internet website of the Ministry of the Attorney General at http://www.attorneygeneral.jus.gov.on.ca/english/family/pgt/capacity.asp are prescribed.
 - (2) An assessor is required to comply with the prescribed guidelines.
- (3) Failure to comply with the prescribed guidelines may result in a complaint to the college of the regulated health profession of which the assessor is a member.

Qualifying course

- **4.** The qualifying course required by clause 2 (1) (b) shall be given or approved by the Attorney General, and shall include,
 - (a) instruction in,
 - (i) the Substitute Decisions Act, 1992,
 - (ii) best practices in completing forms and reports under that Act,
 - (iii) standards for the performance of assessments of capacity, as set out in the guidelines referred to in section 3, and
 - (iv) procedures for determining if a person needs decisions to be made on his or her behalf by a person authorized to do so, as set out in the guidelines referred to in section 3; and
 - (b) an evaluation of the trainee's mastery of the training.

Continuing education courses

- **5.** (1) To remain qualified to do assessments of capacity, an assessor is required to successfully complete a continuing education course given or approved by the Attorney General,
 - (a) on or before the second anniversary of his or her qualification date; and
 - (b) thereafter, at intervals of two years or less.
 - (2) A continuing education course shall include,
 - (a) participation in one or more training activities; and
 - (b) submission to the Ministry of the Attorney General, for review and comment, of at least two recently completed Statements of Assessor in Form A or Form B and the recently completed corresponding Assessment Reports in Form C.
 - (3) Personal information shall be removed from forms before they are submitted under clause (2) (b).

Minimum annual number of assessments

- 6. To remain qualified to do assessments of capacity, an assessor is required to do at least five assessments,
- (a) during the two-year period following his or her qualification date; and
- (b) thereafter, during each two-year period.

Forms

- 7. The following forms provided by the Attorney General and available on the internet website of the Ministry of the Attorney General at http://www.attorneygeneral.jus.gov.on.ca/english/family/pgt/capacity.asp are prescribed:
 - 1. "Form A: Statement of Assessor Determination of Capacity/Incapacity or Certificate of Incapacity Property" for the purpose of subsection 9 (3) or 16 (3) or section 72 or 73 of the Act, dated May, 2005.
 - 2. "Form B: Statement of Assessor Determination of Capacity/Incapacity Personal Care" for the purpose of subsection 49 (2) or section 74 or 75 of the Act, dated May, 2005.
 - 3. "Form C: Assessment Report" for the purpose of subsection 78 (4) of the Act, dated May, 2005.
 - 4. "Form D: Statement of Assessor Regarding Capacity to Grant a Power of Attorney for Personal Care with Special Provisions" for the purpose of paragraph 2 of subsection 50 (1) of the Act, dated May, 2005.
 - 5. "Form E: Statement of Assessor Regarding Capacity to Revoke a Power of Attorney for Personal Care with Special Provisions" for the purpose of subsection 50 (4) of the Act, dated May, 2005.

Revocation

8. Ontario Regulation 293/96 is revoked.

Commencement

9. This Regulation comes into force on December 1, 2005.

RÈGLEMENT DE L'ONTARIO 460/05

pris en application de la

LOI DE 1992 SUR LA PRISE DE DÉCISIONS AU NOM D'AUTRUI

pris le 21 juillet 2005 déposé le 8 août 2005

ÉVALUATION DE LA CAPACITÉ

Définition

1. La définition qui suit s'applique au présent règlement.

«date de qualification» Relativement à une personne, s'entend :

- a) de la date à laquelle elle réussit le cours de qualification exigé par l'alinéa 2 (1) b);
- b) du 1^{er} décembre 2005, dans le cas de la personne qui, le 30 novembre 2005, a les qualités requises pour faire des évaluations de la capacité en application du Règlement de l'Ontario 293/96 (Évaluation de la capacité) pris en application de la Loi.

Personnes ayant les qualités requises pour faire des évaluations de la capacité

- 2. (1) Une personne a les qualités requises pour faire des évaluations de la capacité si elle remplit les exigences suivantes :
- a) elle satisfait à l'une des conditions énoncées au paragraphe (2);
- b) elle a réussi le cours de qualification pour les évaluateurs décrit à l'article 4;
- c) elle se conforme à l'article 5 (cours de formation continue):
- d) elle se conforme à l'article 6 (nombre annuel minimal d'évaluations);
- e) elle a une assurance-responsabilité professionnelle d'au moins 1 000 000 \$ à l'égard des évaluations de la capacité ou fait partie d'une association qui offre une protection contre la responsabilité professionnelle, à l'égard des évaluations de la capacité, d'un montant d'au moins 1 000 000 \$.
- (2) Les conditions suivantes sont celles visées à l'alinéa (1) a) :
- 1. Avoir la qualité de membre de l'Ordre des médecins et chirurgiens de l'Ontario.
- 2. Avoir la qualité de membre de l'Ordre des psychologues de l'Ontario.
- 3. Avoir la qualité de membre de l'Ordre des travailleurs sociaux et des techniciens en travail social de l'Ontario ainsi qu'un certificat d'inscription de travailleur social.
- 4. Avoir la qualité de membre de l'Ordre des ergothérapeutes de l'Ontario.
- 5. Avoir la qualité de membre de l'Ordre des infirmières et infirmiers de l'Ontario et être titulaire d'un certificat d'inscription général à titre d'infirmière autorisée ou d'infirmier autorisé ou d'un certificat d'inscription supérieur à titre d'infirmière autorisée ou d'infirmier autorisée.
- (3) L'exigence voulant que la personne soit titulaire d'un certificat d'inscription général à titre d'infirmière autorisée ou d'infirmier autorisée ou d'infirmier autorisée ou d'infirmier autorisé, telle qu'elle est énoncée à la disposition 5 du paragraphe (2), ne s'applique pas au membre de l'Ordre des infirmières et infirmiers de l'Ontario qui, le 30 novembre 2005, a les qualités requises pour faire des évaluations de la capacité en application du Règlement de l'Ontario 293/96 (Évaluation de la capacité) pris en application de la Loi.
- (4) L'alinéa (1) b) ne s'applique pas à la personne qui, le 30 novembre 2005, a les qualités requises pour faire des évaluations de la capacité en application du Règlement de l'Ontario 293/96 (Évaluation de la capacité) pris en application de la Loi.

Lignes directrices

- **3.** (1) Les «Lignes directrices relatives à la conduite des évaluations de la capacité» établies par le procureur général, datées de mai 2005 et disponibles sur le site Web d'Internet du ministère du Procureur général à l'adresse http://www.attorneygeneral.jus.gov.on.ca/french/family/pgt/capacity.asp sont prescrites.
 - (2) L'évaluateur est tenu de se conformer aux lignes directrices prescrites.
- (3) L'inobservation des lignes directrices prescrites peut donner lieu à une plainte portée devant l'ordre de la profession de la santé réglementée dont l'évaluateur est membre.

Cours de qualification

- **4.** Le cours de qualification exigé à l'alinéa 2 (1) b) est offert ou approuvé par le procureur général et doit comprendre ce qui suit :
 - a) une formation sur ce qui suit :
 - (i) la Loi de 1992 sur la prise de décisions au nom d'autrui,
 - (ii) les meilleures pratiques à suivre pour remplir les formules et les rapports visés par cette loi,
 - (iii) les normes relatives à l'exécution des évaluations de la capacité, telles qu'elles sont énoncées dans les lignes directrices mentionnées à l'article 3,
 - (iv) les procédures établies pour déterminer si une personne a besoin qu'une personne autorisée à le faire prenne des décisions en son nom, telles que ces procédures sont énoncées dans les lignes directrices mentionnées à l'article 3.
 - b) une évaluation pour déterminer si la personne a bien assimilé la formation qu'elle a reçue.

Cours de formation continue

- **5.** (1) Afin de demeurer qualifié pour faire des évaluations de la capacité, l'évaluateur est tenu de réussir un cours de formation continue qu'offre ou approuve le procureur général :
 - a) au plus tard à la date du deuxième anniversaire de sa date de qualification;
 - b) par la suite, tous les deux ans ou moins.
 - (2) Un cours de formation continue comprend ce qui suit :
 - a) la participation à une ou plusieurs activités de formation;
 - b) la présentation au ministère du Procureur général, aux fins d'examen et d'observations, d'au moins deux Déclarations de l'évaluateur, rédigées selon la formule A ou la formule B, récemment remplies, et les Rapports d'évaluation correspondants, rédigés selon la formule C, récemment remplis.
 - (3) Les renseignements personnels sont supprimés des formules avant leur présentation en application de l'alinéa (2) b).

Nombre annuel minimal d'évaluations

- 6. Afin de demeurer qualifié pour faire des évaluations de la capacité, l'évaluateur est tenu de faire au moins cinq évaluations :
 - a) d'une part, pendant la période de deux ans qui suit sa date de qualification;
 - b) d'autre part, pendant chaque période de deux ans par la suite.

Formules

- 7. Les formules suivantes fournies par le procureur général et disponibles sur le site Web d'Internet du ministère du Procureur général à l'adresse http://www.attornevgeneral.jus.gov.on.ca/french/family/pgt/capacity.asp sont prescrites :
 - 1. «Formule A : Déclaration de l'évaluateur Détermination de la capacité ou de l'incapacité ou certificat d'incapacité Biens» pour l'application du paragraphe 9 (3) ou 16 (3) ou de l'article 72 ou 73 de la Loi, datée de mai 2005.
 - 2. «Formule B : Déclaration de l'évaluateur Détermination de la capacité ou de l'incapacité Soin de la personne» pour l'application du paragraphe 49 (2) ou de l'article 74 ou 75 de la Loi, datée de mai 2005.
 - 3. «Formule C: Rapport d'évaluation» pour l'application du paragraphe 78 (4) de la Loi, datée de mai 2005.
 - 4. «Formule D: Déclaration de l'évaluateur concernant la capacité d'accorder une procuration pour les soins de la personne avec dispositions spéciales» pour l'application de la disposition 2 du paragraphe 50 (1) de la Loi, datée de mai 2005.
 - 5. «Formule E : Déclaration de l'évaluateur concernant la capacité de révoquer une procuration pour les soins de la personne avec dispositions spéciales» pour l'application du paragraphe 50 (4) de la Loi, datée de mai 2005.

Abrogation

8. Le Règlement de l'Ontario 293/96 est abrogé.

Entrée en vigueur

9. Le présent règlement entre en vigueur le 1^{er} décembre 2005.

35/05

ONTARIO REGULATION 461/05

made under the

ENVIRONMENTAL PROTECTION ACT

Made: July 15, 2005 Filed: August 10, 2005

Amending Reg. 347 of R.R.O. 1990 (General — Waste Management)

Note: Regulation 347 has previously been amended. Those amendments are listed in the <u>Table of Regulations – Legislative</u> History Overview which can be found at www.e-Laws.gov.on.ca.

- 1. (1) Clause (a) of the definition of "acute hazardous waste chemical" in subsection 1 (1) of Regulation 347 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:
 - (a) a commercial waste chemical listed as an acute hazardous waste chemical in Part A of Schedule 2, other than a waste described in Schedule 2.1,
 - (2) Subsection 1 (1) of the Regulation is amended by adding the following definition:
- "aqueous waste" means waste that is aqueous and contains less than one per cent total organic carbon by weight and less than one per cent total suspended solids by weight;
 - (3) Subsection 1 (1) of the Regulation is amended by adding the following definition:
- "characteristic waste" means hazardous waste that is,
 - (a) corrosive waste,
 - (b) ignitable waste,
 - (c) leachate toxic waste, or
 - (d) reactive waste:
- (4) The definition of "commercial waste chemical" in subsection 1 (1) of the Regulation is amended by striking out "except as specified in subparagraph i, ii or iii" in the portion after clause (c) and substituting "except as specified in clause (a), (b) or (c)".
- (5) The definition of "corrosive waste" in subsection 1 (1) of the Regulation is amended by striking out "or" at the end of clause (a), by adding "or" at the end of clause (b) and by adding the following clause:
 - (c) is a solid and, when prepared in a mixture or solution with distilled water that is 50 per cent waste by weight, has a pH less than or equal to two or greater than or equal to 12.5 as determined by a pH meter;
- (6) Clause (a) of the definition of "hazardous industrial waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (a) a waste listed as a hazardous industrial waste in Schedule 1, other than a waste described in Schedule 1.1,
- (7) Clause (h) of the definition of "hazardous waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (h) radioactive waste, except radioisotope wastes disposed of in a landfilling site in accordance with the written instructions of the Canadian Nuclear Safety Commission,
- (8) Clause (k) of the definition of "hazardous waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:

- (k) PCB waste,
- (9) Subclause (m) (ii) of the definition of "hazardous waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (ii) is owned by the Crown or the Ontario Clean Water Agency, subject to an agreement with a municipality under the *Ontario Water Resources Act*, or
- (10) Clause (a) of the definition of "hazardous waste chemical" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (a) a commercial waste chemical listed as a hazardous waste chemical in Part B of Schedule 2, other than a waste described in Schedule 2.2,
 - (11) Subsection 1 (1) of the Regulation is amended by adding the following definition:

"land disposal" means, with respect to a waste, the deposit or disposal of the waste upon, into, in or through land, including,

- (a) the deposit of the waste at a dump,
- (b) the landfilling of the waste,
- (c) the discharge of the waste into a geological formation by means of a well, and
- (d) the landfarming of the waste, in the case of a petroleum refining waste,
- and "land disposed" has a corresponding meaning;
- (12) Subsection 1 (1) of the Regulation is amended by adding the following definition:
- "landfarming" means the biodegradation of petroleum refining wastes by naturally occurring soil bacteria by means of controlled application of the wastes to land followed by periodic tilling;
- (13) The definition of "leachate toxic waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
- "leachate toxic waste" means a waste producing leachate containing any of the contaminants listed in Schedule 4 at a concentration equal to or in excess of the concentration specified for that contaminant in Schedule 4 using the Toxicity Characteristic Leaching Procedure;
- (14) Clause (a) of the definition of "liquid industrial waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (a) hazardous waste,
- (a.1) hauled sewage,
- (15) Clause (c) of the definition of "liquid industrial waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:
 - (c) waste from the operation of a water works subject to the *Ontario Water Resources Act* or the *Safe Drinking Water Act*, 2002.
 - (16) Subsection 1 (1) of the Regulation is amended by adding the following definition:
- "listed waste" means hazardous waste that is,
 - (a) an acute hazardous waste chemical,
 - (b) hazardous industrial waste,
 - (c) a hazardous waste chemical, or
 - (d) severely toxic waste;
 - (17) Subsection 1 (1) of the Regulation is amended by adding the following definition:
- "non-aqueous waste" means waste that is not aqueous waste;
 - (18) Subsection 1 (1) of the Regulation is amended by adding the following definitions:
- "PCB" has the same meaning as in Regulation 362 of the Revised Regulations of Ontario, 1990 (Waste Management PCBs) made under the Act;
- "PCB waste" has the same meaning as in Regulation 362 of the Revised Regulations of Ontario, 1990 (Waste Management PCBs) made under the Act;
- (19) The definition of "Regional Director" in subsection 1 (1) of the Regulation is amended by striking out "the Director of the Waste Management Branch" and substituting "the Director of the Waste Management Policy Branch".

(20) Clause (a) of the definition of "severely toxic waste" in subsection 1 (1) of the Regulation is revoked and the following substituted:

- (a) a waste that contains a contaminant listed as a severely toxic contaminant in Schedule 3 at a concentration greater than one part per million,
- (21) Subsection 1 (1) of the Regulation is amended by adding the following definition:

"soil mixture" includes a mixture of soil and liquids, sludges or solids, where,

- (a) the mixture cannot be separated by simple mechanical removal processes; and
- (b) based on visual inspection, the volume of the mixture is made up primarily of soil or other finely divided material that is similar to soil;
- (22) Clauses (a) and (b) of the definition of "subject waste" in subsection 1 (1) of the Regulation are revoked and the following substituted:
 - (a) liquid industrial waste,
 - (b) hazardous waste, and
- (b.1) waste that was characteristic waste but that has been treated so that it is no longer characteristic waste, if the waste may not be disposed of by land disposal under subsection 79 (1),

.

(23) Subsection 1 (1) of the Regulation is amended by adding the following definition:

"Toxicity Characteristic Leaching Procedure" means the Toxicity Characteristic Leaching Procedure, Method 1311, that appears in United States Environmental Protection Agency Publication SW-846 entitled "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", as amended from time to time, or a test method that the Director has approved in writing as equivalent;

(24) Subsection 1 (1) of the Regulation is amended by adding the following definition:

"treatment code" means a code listed as a treatment code in Schedule 7;

(25) Clause (a) of the definition of "waste-derived fuel" in subsection 1 (1) of the Regulation is revoked and the following substituted:

- (a) is hazardous waste, liquid industrial waste, waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of "hazardous waste" or waste described in clause (d) of the definition of "liquid industrial waste",
- 2. Paragraph 6 of subsection 3 (2) of the Regulation is amended by striking out "or" at the end of subparagraph i and by adding the following subparagraph:
 - i.1 a sewage works outside Ontario, if the utilization of pickle liquor for this purpose is acceptable to the environmental regulatory authority in the jurisdiction where the sewage works is located, or
- 3. Subsection 5.2 (4) of the Regulation is amended by striking out "is exempt from sections 27, 30 and 32" and substituting "is exempt from sections 27, 30 and 32 of the Act".
 - 4. Subsection 8 (2) of the Regulation is revoked.
 - 5. The Regulation is amended by adding the following section:
- **14.0.1** If hazardous waste is being handled, stored, treated or disposed of at a waste disposal site or transferred to a waste disposal site, no person shall cause or permit the hazardous waste to be mixed, blended, bulked or in any other way intermingled with any other waste or material, unless the mixing, blending, bulking or other intermingling is in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for the waste disposal site.
 - 6. Subsection 16 (1) of the Regulation is amended by adding the following paragraph:
 - 5.1 If hazardous waste is being transferred to or from a waste transportation vehicle or is being transported in a waste transportation vehicle, no person shall cause or permit the hazardous waste to be mixed, blended, bulked or in any other way intermingled with any other waste or material, unless,
 - i. the mixing, blending, bulking or other intermingling is in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for the receiving facility named in the manifest that is related to the waste transportation vehicle's load, and the carrier has, accompanying the load, a document from the owner or operator of the receiving facility agreeing to accept the mixed, blended, bulked or otherwise intermingled waste, or

ii. the mixing, blending, bulking or other intermingling is done in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for a waste transportation system that the waste transportation vehicle is part of.

7. The Regulation is amended by adding the following section:

WASTE GENERATION FACILITIES

- **17.1** (1) Sections 27, 40 and 41 of the Act do not apply to a waste generation facility in respect of the activities set out in subsection (2), to the extent that those activities relate to,
 - (a) waste that was produced at the waste generation facility, other than PCB waste; or
 - (b) waste that came legally to the waste generation facility but was not produced at the facility, other than PCB waste, soil or a soil mixture.
 - (2) The following activities are the activities referred to in subsection (1):
 - 1. The production, collection, handling or temporary storage of municipal waste.
 - 2. The production, collection, handling or temporary storage of subject waste.
 - 3. The processing of waste, if the processing does not involve,
 - i. the combustion or land application of municipal waste, hazardous waste or liquid industrial waste,
 - ii. the mixing, blending, bulking or other intermingling of waste or other material with characteristic waste or listed waste that, pursuant to section 75, 76, 77, 78 or 79, may not be land disposed, or
 - iii. the processing of soil.
 - 4. The processing of municipal waste at an on-site incinerator that, pursuant to subsection 28 (1) of this Regulation, is exempt from the operation of section 27 of the Act.
 - 5. The processing of characteristic waste or listed waste, if the processing involves the mixing, blending, bulking or other intermingling of waste or other material with the characteristic waste or listed waste, and,
 - i. the processing will, by itself or in conjunction with other processing, permit the land disposal of the characteristic waste or listed waste under section 75, 76, 77, 78 or 79, or
 - ii. the mixed, blended, bulked or otherwise intermingled waste is to be transported to a receiving facility, the mixing, blending, bulking or other intermingling is in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for the receiving facility, and the operator of the waste generation facility has, at the waste generation facility, a document from the owner or operator of the receiving facility agreeing to accept the mixed, blended, bulked or otherwise intermingled waste.
 - 6. The processing of waste so that it becomes exempt from Part V of the Act and this Regulation under paragraph 7 of subsection 3 (1).
 - 7. The introduction of waste into, and the processing of waste in preparation for the introduction of the waste into,
 - i. a sewage works that is subject to the *Ontario Water Resources Act* or that was established before August 3, 1957, or
 - ii. a sewage system regulated under Part 8 of Ontario Regulation 403/97 (Building Code) made under the *Building Code Act, 1992*.
 - 8. The packaging or offering of waste for retail sale to meet a realistic market demand, and the processing of waste, if the processing is for the purpose of packaging or offering the waste for retail sale to meet a realistic demand.
 - 9. The transfer to a waste transportation vehicle of,
 - i. municipal waste, or
 - ii. subject waste, other than characteristic waste or listed waste that, pursuant to section 75, 76, 77, 78 or 79, may not be land disposed.
 - 10. The transfer to a waste transportation vehicle of characteristic waste or listed waste that, pursuant to section 75, 76, 77, 78 or 79, may not be land disposed, if the transfer does not involve the mixing, blending, bulking or other intermingling of the characteristic waste or listed waste with any other waste or material.
 - 11. The transfer to a waste transportation vehicle of characteristic waste or listed waste that, pursuant to section 75, 76, 77, 78 or 79, may not be land disposed, if the transfer involves the mixing, blending, bulking or other intermingling of the characteristic waste or listed waste with any other waste or material and,

- i. the mixing, blending, bulking or other intermingling is in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for the receiving facility named in the manifest that is related to the waste transportation vehicle's load, and the carrier has, accompanying the load, a document from the owner or operator of the receiving facility agreeing to accept the mixed, blended, bulked or otherwise intermingled waste, or
- ii. the mixing, blending, bulking or other intermingling is done in accordance with a certificate of approval or provisional certificate of approval issued under Part V of the Act for a waste transportation system that the waste transportation vehicle is part of.
- (3) Subsection (1) does not apply to a waste generation facility if waste management is the principal function of the waste generation facility.
- **17.2** If a waste generation facility to which subsection 17.1 (1) applies stores subject waste, the operator and the owner of the facility shall ensure that it is operated in accordance with the following rules:
 - 1. Subject waste must be stored, handled and maintained so as to prevent,
 - i. leaks or spills of the waste, or
 - ii. damage to or deterioration of the container in which the waste is stored.
 - 2. Subject waste must not be stored for a period exceeding 24 months unless an application for a certificate of approval respecting the storage of subject waste by the waste generation facility has been made and not yet determined.
 - 3. The first time that subject waste is stored at the waste generation facility for more than 90 days, a notice must be given to the Regional Director, within five business days after the 90th day of storage, that,
 - i. describes, as accurately as possible, the nature, amount and location of subject waste stored, or expected to be stored in the future, at the waste generation facility for more than 90 days, and
 - ii. indicates how frequently subject waste is expected to be stored in the future at the waste generation facility for more than 90 days.
 - 4. If notice is given under paragraph 3, written notice must be given to the Regional Director of,
 - i. any change in the information referred to in paragraph 3, within five business days after the change, or
 - ii. the closure of the waste generation facility, within five business days after the closure.
 - 5. If subject waste is stored at the waste generation facility for more than 90 days, a record must be made of the following information within five business days after the 90th day of storage:
 - i. The name and waste number of the waste.
 - ii. The quantity of the waste.
 - iii. The manner in which the waste is stored.
 - iv. The reasons for storing the waste.
 - v. The anticipated time and manner of disposal of the waste.
 - 6. A record made under paragraph 5 must be updated as often as necessary to ensure that it contains information that is current to within five business days.
 - 7. A record made or updated under paragraph 5 or 6 must be retained at the location where subject waste is stored.
 - 8. A record made or updated under paragraph 5 or 6 must be retained until the date that the subject waste is no longer stored, and for at least two years after that date.

8. (1) Section 18 of the Regulation is amended by adding the following subsection:

(1.1) Subsection (1) applies to waste produced, collected, handled or stored at the waste generation facility that is subject waste and that is characteristic waste or listed waste, even if the waste ceases to be hazardous waste while it is at the facility.

(2) Subsection 18 (2) of the Regulation is revoked and the following substituted:

- (2) Every report referred to in subsection (1) or (6) shall be in the form or format provided or approved by the Ministry, shall comply with the Manual and shall contain the data, analysis and other information necessary to enable the Director to satisfy himself or herself of the following:
 - 1. The quality, quantity and nature of the waste.
 - 2. The required treatment for the waste and the planned treatment for the waste.
 - 3. The intended manner and location of the disposal of the waste or, if the waste is not to be disposed, the use to which the waste will be put.
 - 4. Compliance with all applicable legal requirements.

- (3) Subsection 18 (5) of the Regulation is revoked.
- (4) Subsection 18 (6) of the Regulation is revoked and the following substituted:
- (6) If there is any change from the information submitted in an initial Generator Registration Report, the most recent annual Generator Registration Report or any previous supplementary Generator Registration Reports, the generator shall submit a supplementary Generator Registration Report to the Director within 15 days after the change.
- (6.1) A generator who submits an initial, annual or supplementary Generator Registration Report to the Director shall make a record of all data, analysis and other information used in the preparation of the report and shall keep the record at the waste generation facility for at least three years.
 - (5) Subsection 18 (10) of the Regulation is revoked.
- (6) The definition of "liquid waste" in subsection 18 (15) of the Regulation is amended by striking out "set out in Schedule 5" at the end and substituting "set out in Schedule 9".
 - 9. Section 35 of the Regulation is revoked and the following substituted:
- **35.** Section 19 and sections 21 to 27 do not apply in respect of subject waste that is stationary refrigerant waste being managed in accordance with section 30.
 - 10. Section 42 of the Regulation is revoked and the following substituted:
- **42.** Section 19 and sections 21 to 27 do not apply in respect of subject waste that is mobile refrigerant waste being managed in accordance with section 37.
- 11. Subsection 47 (1) of the Regulation is amended by striking out "the Chief Fire Official as defined in subsection 1.2.1 of Regulation 454 of the Revised Regulations of Ontario, 1990" and substituting "the Chief Fire Official appointed under subsection 1.1.8 of Ontario Regulation 388/97 (Fire Code) made under the *Fire Protection and Prevention Act, 1997*".
- 12. Subsection 59 (2) of the Regulation is amended by striking out "the Chief Fire Official as defined in subsection 1.2.1 of Regulation 454 of the Revised Regulations of Ontario, 1990" and substituting "the Chief Fire Official appointed under subsection 1.1.8 of Ontario Regulation 388/97 (Fire Code) made under the *Fire Protection and Prevention Act, 1997*".
 - 13. Section 60 of the Regulation is revoked and the following substituted:
- **60.** In the event of conflict between sections 44 to 59 of this Regulation and Ontario Regulation 388/97 (Fire Code) made under the *Fire Protection and Prevention Act, 1997* or Ontario Regulation 213/01 (Fuel Oil) made under the *Technical Standards and Safety Act, 2000*, Ontario Regulation 388/97 or 213/01 prevails.
 - 14. The Regulation is amended by adding the following section:

LAND DISPOSAL OF HAZARDOUS WASTE

- 74. No person shall dispose of PCB waste by land disposal.
- 15. The Regulation is amended by adding the following sections:
- 75. (1) No person shall dispose of hazardous waste that is hazardous industrial waste by land disposal unless, before it is land disposed, the waste is treated in accordance with the following rules:
 - 1. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Schedule 1 if the waste is an aqueous waste:
 - i. If Column 5 of Schedule 1 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Schedule 1 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 5 of Schedule 1 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of composite samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - 2. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Schedule 1 if the waste is a non-aqueous waste:

- i. If Column 6 of Schedule 1 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Schedule 1 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
- ii. If Column 6 of Schedule 1 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of grab samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
- iii. For the purpose of subparagraph ii, if the numerical concentration set out in Column 6 of Schedule 1 is expressed as a TCLP concentration, the concentration in the treated waste must be determined using the Toxicity Characteristic Leaching Procedure.
- iv. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
- 3. If treatment subcategories are set out for the waste in Schedule 1, paragraphs 1 and 2 apply to the treatment subcategory that most closely describes the waste.
- (2) Dilution may not be used to comply with subparagraph 1 ii or 2 ii of subsection (1).
- (3) Despite subsection (1), a person may dispose of hazardous waste that is hazardous industrial waste by land disposal if the waste has been treated in a manner that the Director has approved in writing as equivalent to the treatment referred to in subsection (1).
 - (4) Subsections (1) to (3) do not apply to a waste until December 31, 2009 unless the waste is listed in Schedule 10.
- **76.** (1) No person shall dispose of hazardous waste that is acute hazardous waste chemical by land disposal unless, before it is land disposed, the waste is treated in accordance with the following rules:
 - 1. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Part A of Schedule 2 if the waste is an aqueous waste:
 - i. If Column 6 of Part A of Schedule 2 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Part A of Schedule 2 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 6 of Part A of Schedule 2 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of composite samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - 2. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Part A of Schedule 2 if the waste is a non-aqueous waste:
 - i. If Column 7 of Part A of Schedule 2 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Part A of Schedule 2 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 7 of Part A of Schedule 2 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of grab samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. For the purpose of subparagraph ii, if the numerical concentration set out in Column 7 of Part A of Schedule 2 is expressed as a TCLP concentration, the concentration in the treated waste must be determined using the Toxicity Characteristic Leaching Procedure.
 - iv. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.

- 3. If treatment subcategories are set out for the waste in Part A of Schedule 2, paragraphs 1 and 2 apply to the treatment subcategory that most closely describes the waste.
- (2) Dilution may not be used to comply with subparagraph 1 ii or 2 ii of subsection (1).
- (3) Despite subsection (1), a person may dispose of hazardous waste that is acute hazardous waste chemical by land disposal if the waste has been treated in a manner that the Director has approved in writing as equivalent to the treatment referred to in subsection (1).
 - (4) Subsections (1) to (3) do not apply to a waste until December 31, 2009 unless the waste is listed in Schedule 11.
- 77. (1) No person shall dispose of hazardous waste that is hazardous waste chemical by land disposal unless, before it is land disposed, the waste is treated in accordance with the following rules:
 - 1. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Part B of Schedule 2 if the waste is an aqueous waste:
 - i. If Column 6 of Part B of Schedule 2 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Part B of Schedule 2 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 6 of Part B of Schedule 2 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of composite samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - 2. Subject to paragraph 3, the following rules apply in respect of each regulated constituent set out for the waste in Part B of Schedule 2 if the waste is a non-aqueous waste:
 - i. If Column 7 of Part B of Schedule 2 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Part B of Schedule 2 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 7 of Part B of Schedule 2 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of grab samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. For the purpose of subparagraph ii, if the numerical concentration set out in Column 7 of Part B of Schedule 2 is expressed as a TCLP concentration, the concentration in the treated waste must be determined using the Toxicity Characteristic Leaching Procedure.
 - iv. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - 3. If treatment subcategories are set out for the waste in Part B of Schedule 2, paragraphs 1 and 2 apply to the treatment subcategory that most closely describes the waste.
 - (2) Dilution may not be used to comply with subparagraph 1 ii or 2 ii of subsection (1).
- (3) Despite subsection (1), a person may dispose of hazardous waste that is hazardous waste chemical by land disposal if the waste has been treated in a manner that the Director has approved in writing as equivalent to the treatment referred to in subsection (1).
 - (4) Subsections (1) to (3) do not apply to a waste until December 31, 2009 unless the waste is listed in Schedule 12.

16. The Regulation is amended by adding the following section:

- **78.** (1) No person shall dispose of hazardous waste that is severely toxic waste by land disposal unless, before it is land disposed, the waste is treated in accordance with the following rules:
 - 1. If the waste is an aqueous waste, the waste must be treated so that, in the treated waste, based on an analysis of composite samples, the concentration of the regulated constituent set out for the waste in Schedule 3 is less than the numerical concentration set out for that regulated constituent in Column 6 of Schedule 3.

- 2. If the waste is a non-aqueous waste, the waste must be treated so that, in the treated waste, based on an analysis of grab samples, the concentration of the regulated constituent set out for the waste in Schedule 3 is less than the numerical concentration set out for that regulated constituent in Column 7 of Schedule 3.
- (2) Dilution may not be used to comply with paragraph 1 or 2 of subsection (1).
- (3) Despite subsection (1), a person may dispose of hazardous waste that is severely toxic waste by land disposal if the waste has been treated in a manner that the Director has approved in writing as equivalent to the treatment referred to in subsection (1).

17. The Regulation is amended by adding the following section:

- **79.** (1) No person shall dispose of characteristic waste by land disposal unless, before it is land disposed, the waste is treated in accordance with the following rules:
 - 1. Subject to paragraphs 3 and 4, the following rules apply in respect of each regulated constituent set out for the waste in Schedule 5 if the waste is an aqueous waste:
 - i. If Column 5 of Schedule 5 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Schedule 5 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 5 of Schedule 5 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of composite samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - iv. If Column 5 of Schedule 5 contains the words "meet Schedule 6 standards" in respect of a land disposal treatment requirement for the waste and, on or after December 31, 2009, the waste is treated in accordance with that requirement, the waste must also be treated so that, based on an analysis of composite samples, the concentration in the treated waste of each regulated constituent listed in Schedule 6 is less than the concentration set out for that regulated constituent in Column 3 of Schedule 6.
 - 2. Subject to paragraphs 3 and 4, the following rules apply in respect of each regulated constituent set out for the waste in Schedule 5 if the waste is a non-aqueous waste:
 - If Column 6 of Schedule 5 sets out one or more treatment codes as the land disposal treatment requirement for that regulated constituent of the waste,
 - A. the waste must be treated in accordance with Schedule 5 using the treatment methods set out for those treatment codes in Schedule 7, and
 - B. the treated waste resulting from each treatment method must meet the treatment standard set out for that method in Schedule 7.
 - ii. If Column 6 of Schedule 5 sets out a numerical concentration as the land disposal treatment requirement for that regulated constituent of the waste, the waste must be treated so that, based on an analysis of grab samples, the concentration of the regulated constituent in the treated waste is less than that concentration.
 - iii. If subparagraphs i and ii both apply, the waste only needs to be treated in accordance with one of those subparagraphs.
 - iv. If Column 6 of Schedule 5 contains the words "meet Schedule 6 standards" in respect of a land disposal treatment requirement for the waste and, on or after December 31, 2009, the waste is treated in accordance with that requirement, the waste must also be treated so that, based on an analysis of grab samples, the concentration in the treated waste of each regulated constituent listed in Schedule 6 is less than the concentration set out for that regulated constituent in Column 4 of Schedule 6.
 - v. For the purpose of subparagraphs ii and iv, if the numerical concentration set out in Column 6 of Schedule 5 or Column 4 of Schedule 6 is expressed as a TCLP concentration, the concentration in the treated waste must be determined using the Toxicity Characteristic Leaching Procedure.
 - 3. If Column 5 or 6 of Schedule 5 contains the words "best efforts to achieve" in respect of a numerical concentration that is set out as the land disposal treatment requirement for that regulated constituent of the waste, it is not necessary for the concentration of the regulated constituent in the treated waste to be less than that concentration, but the person treating the waste must use the person's best efforts to achieve that standard.

- 4. If treatment subcategories are set out for the waste in Schedule 5, paragraphs 1 to 3 apply to the treatment subcategory that most closely describes the waste.
- (2) Dilution may not be used to comply with subparagraph 1 ii or iv or 2 ii or iv of subsection (1).
- (3) Nothing in this section requires further treatment for a regulated constituent of a waste if,
- (a) treatment that is required for the waste by subsection (1) causes the concentration of the regulated constituent in the treated waste to increase;
- (b) a numerical concentration is set out as the land disposal treatment requirement for that regulated constituent of the waste in,
 - (i) Column 5 of Schedule 5, if the waste is an aqueous waste, or
 - (ii) Column 6 of Schedule 5, if the waste is a non-aqueous waste; and
- (c) the concentration of the regulated constituent in the untreated waste was less than the concentration referred to in clause (b).
- (4) For the purpose of subsection (3), if the numerical concentration referred to in clause (3) (b) is expressed as a TCLP concentration, the concentration of the regulated constituent in the untreated waste and in the treated waste must be determined using the Toxicity Characteristic Leaching Procedure.
- (5) Despite subsection (1), a person may dispose of characteristic waste by land disposal if the waste has been treated in a manner that the Director has approved in writing as equivalent to the treatment referred to in subsection (1).
- (6) This section does not apply to a hazardous waste that is a characteristic waste and that is also a listed waste if all of the regulated constituents set out for the waste in Schedule 5 are regulated constituents set out for the waste in Schedule 1, Part A of Schedule 2, Part B of Schedule 2 or Schedule 3.
 - (7) Subsections (1) to (5) do not apply to a waste until December 31, 2009 unless the waste is listed in Schedule 13.

18. The Regulation is amended by adding the following sections:

- **80.** (1) Sections 75, 77 and 79 do not apply to the land disposal of a sealed container if,
- (a) a certificate described in subsection (3) is affixed to the container;
- (b) the container does not appear to be broken or leaking; and
- (c) the seal does not appear to be broken or tampered with.
- (2) A generator who transfers a sealed container containing waste shall affix a certificate described in subsection (3) to the container if,
 - (a) all the waste in the container is hazardous industrial waste, hazardous waste chemical or characteristic waste;
 - (b) the waste in the container was produced at the generator's waste generation facility;
 - (c) the waste generation facility produces a total of less than 100 kilograms of hazardous industrial waste, hazardous waste chemical and characteristic waste in any month;
 - (d) no waste in the container has been mixed, blended, bulked or in any other way intermingled with any other waste or material;
 - (e) the container and its seal comply with any requirements of the Manual; and
 - (f) the total weight of the container and its contents does not exceed 250 kilograms.
 - (3) The certificate referred to in clause (1) (a) and subsection (2) must contain the following:
 - 1. The name, address and telephone number of the generator.
 - 2. A statement that, pursuant to subsection (1), sections 75, 77 and 79 do not apply to the land disposal of the sealed container, as long as,
 - i. the container does not appear to be broken or leaking, and
 - ii. the seal does not appear to be broken or tampered with.
 - 3. A description of the contents of the container, including,
 - i. a statement that all the waste in the container is hazardous industrial waste, hazardous waste chemical or characteristic waste,
 - ii. a statement that no waste in the container has been mixed, blended, bulked or in any other way intermingled with any other waste or material, and

- iii. a statement that the waste in the container was produced at the generator's waste generation facility.
- 4. A statement that the waste generation facility produces a total of less than 100 kilograms of hazardous industrial waste, hazardous waste chemical and characteristic waste in any month.
- 5. A statement that the container and its seal comply with any requirements of the Manual.
- 6. A statement that the total weight of the container and its contents does not exceed 250 kilograms.
- **81.** Sections 75 to 79 do not apply to the land disposal of hazardous waste that is composed only of combined quantities of individual wastes described in one or more of clauses (n), (p), (q), (r), (s), (t) and (u) of the definition of "hazardous waste" in subsection 1 (1) if,
 - (a) each of the individual wastes was brought to and accepted by a waste disposal site that accepts that type of waste from the general public, handles and temporarily stores it, but does not process or dispose of it; and
 - (b) each of the individual wastes would be hazardous waste if it were produced by a commercial or industrial generator or if it were produced in a larger quantity.

19. The Regulation is amended by adding the following sections:

- **82.** (1) Despite sections 75 to 79, a person may dispose of listed waste or characteristic waste by land disposal if the waste is soil or a soil mixture and the waste is first treated in accordance with the following rules:
 - 1. If the soil or soil mixture is corrosive waste, ignitable waste or reactive waste, it must be treated so that it ceases to be corrosive waste, ignitable waste or reactive waste, as the case may be.
 - 2. For each regulated constituent listed in Schedule 6 that can reasonably be expected to be present in the soil or soil mixture at a concentration that exceeds 10 times the standard set out for that regulated constituent in Column 4 of that Schedule, the soil or soil mixture must be treated so that,
 - i. the concentration of the regulated constituent after the treatment is not more than 10 per cent of the concentration of the regulated constituent before the treatment, or
 - ii. the concentration of the regulated constituent after the treatment is not more than 10 times the standard set out for the regulated constituent in Column 4 of Schedule 6.
 - 3. For the purpose of subparagraph 2 i, the concentration of the regulated constituent shall be based on,
 - i. the total concentration of the regulated constituent in the soil or soil mixture, measured in milligrams per kilogram, if,
 - A. the regulated constituent is a metal, and the soil or soil mixture is treated using a metals removal technology,
 - B. the regulated constituent is carbon disulfide, cyclohexanone or methanol, and the soil or soil mixture is treated using a metals removal technology, or
 - C. the regulated constituent is not a metal and is not carbon disulfide, cyclohexanone or methanol, or
 - ii. if subparagraph i does not apply, the concentration of the regulated constituent in leachate from the treated media, measured in milligrams per litre, when the soil or soil mixture is tested using the Toxicity Characteristic Leaching Procedure.
 - 4. If soil or a soil mixture is treated in accordance with paragraphs 1 to 3 and the residuals from the treatment are characteristic waste that is soil or a soil mixture, paragraphs 1 to 3 also apply to those residuals.
- (2) If soil or a soil mixture is treated in accordance with paragraphs 1 to 3 of subsection (1) and the residuals from the treatment are characteristic waste that is not soil or a soil mixture, section 79 applies to those residuals.
 - **83.** (1) In this section,
- "debris" means solid waste that has a particle size of more than 60 millimetres, and includes material that remains with debris when simple mechanical means or simple physical means are used to separate material that is debris from material that is not debris:
- "debris mixture" means a mixture of debris and other material where, based on visual inspection, the volume of the mixture is made up primarily of debris.
- (2) Despite sections 75 to 79, a person may dispose of a listed waste or a characteristic waste by land disposal if the waste is debris or a debris mixture and the waste is first treated in accordance with the following rules:
 - 1. One or more of the treatment methods listed in Schedule 8 must be used.
 - 2. If Schedule 8 sets out restrictions applicable to a treatment method, that method may be used only in accordance with those restrictions.

- 3. When a treatment method listed in Schedule 8 is used, the treatment must achieve the standard set out for that treatment method in that Schedule.
- 4. If more than one treatment method listed in Schedule 8 is used and one of the treatment methods uses an immobilization technology, the method that uses the immobilization technology must be the last treatment method to be used.
- 5. After the waste is treated, the residuals from the treatment must be separated by simple mechanical means or simple physical means into,
 - i. residuals that are debris, and
 - ii. residuals that are not debris.
- 6. After the waste is treated, the residuals from the treatment that are debris must not be,
 - i. corrosive waste,
 - ii. ignitable waste,
 - iii. leachate toxic waste, or
 - iv. reactive waste.
- 7. If waste that is reactive waste because of the presence of cyanide is treated, the residuals from the treatment that are debris must be treated so that they may be land disposed in accordance with section 79 and, for that purpose, the residuals shall be deemed to be waste that is reactive waste because of the presence of cyanide.
- 8. If waste is treated by spalling, layers of the waste that are removed by spalling must be treated in accordance with the rules set out in this subsection and, for that purpose, the removed layers shall be deemed to be debris.
- 9. After the waste is treated, residuals from the treatment that are not debris must be treated in accordance with the following rules:
 - i. Residuals that are hazardous waste and are hazardous industrial waste must be treated so that they may be land disposed in accordance with section 75.
 - ii. Residuals that are hazardous waste and are acute hazardous waste chemical must be treated so that they may be land disposed in accordance with section 76.
 - iii. Residuals that are hazardous waste and are hazardous waste chemical must be treated so that they may be land disposed in accordance with section 77.
 - iv. Residuals that are hazardous waste and are severely toxic waste chemical must be treated so that they may be land disposed in accordance with section 78.
 - v. Residuals that are hazardous waste and are leachate toxic waste must be treated so that they may be land disposed in accordance with section 79.
 - vi. Residuals that are hazardous waste and are corrosive waste, ignitable waste or reactive waste must be treated so that they are no longer corrosive waste, ignitable waste or reactive waste, unless subparagraph vii applies.
 - vii. The following residuals from the treatment must be treated so that they may be land disposed in accordance with section 79 if they are hazardous waste:
 - A. Residuals that are reactive waste because of the presence of cyanide.
 - B. Residuals that are ignitable waste, are non-aqueous waste and contain 10 per cent total organic carbon or more.
- (3) If debris or a debris mixture is treated in accordance with the rules set out in subsection (2) and an immobilization technology described in Schedule 8 was not used, residuals from the treatment that are debris shall be deemed, for the purposes of this Regulation, not to be listed waste.
 - (4) Subsection (2) does not apply to debris or a debris mixture that includes any of the following:
 - 1. Lead acid batteries, cadmium batteries or radioactive lead solids.
 - 2. Process residuals, including,
 - i. smelter slag,
 - ii. residues from the treatment of wastewater or other waste,
 - iii. sludge and residues from the treatment of sludge, and
 - iv. residues from air pollution control equipment.

3. Intact containers of hazardous waste that are not ruptured and that retain at least 75 per cent of the volume of the original container.

20. The Regulation is amended by adding the following section:

- **84.** (1) A generator who transfers any of the following waste to a receiving facility shall, before or at the time the waste is received at the receiving facility, give the receiver notice of the information referred to in subsection (2):
 - 1. Characteristic waste or listed waste that, pursuant to section 75, 76, 77, 78 or 79, may not be land disposed.
 - 2. Waste that was characteristic waste but has been treated so that it is no longer characteristic waste, if the waste may not be disposed of by land disposal under subsection 79 (1).
 - (2) The information referred to in subsection (1) is the current information relating to the waste that is contained in,
 - (a) the most recent annual Generator Registration Report submitted by the generator or, if no annual Generator Registration Report has been submitted, the initial Generator Registration Report submitted by the generator; and
 - (b) any subsequent supplementary Generator Registration Reports submitted by the generator.
- (3) The generator shall comply with subsection (1) by giving the information, or a specific Internet address where the information can be found,
 - (a) to the carrier who transports the waste to the receiving facility, with instructions to deliver it to the receiver when the waste is delivered;
 - (b) to the receiver, in accordance with section 182 of the Act; or
 - (c) to the receiver, by fax or another form of delivery.
 - (4) The generator is only required to comply with subsection (1) in respect of,
 - (a) the first transfer to the receiving facility of each type of characteristic waste or listed waste identified in,
 - (i) the most recent annual Generator Registration Report submitted by the generator or, if no annual Generator Registration Report has been submitted, the initial Generator Registration Report submitted by the generator, and
 - (ii) any subsequent supplementary Generator Registration Reports submitted by the generator; and
 - (b) the first transfer to the receiving facility of a type of waste referred to in clause (a) following each significant change to information previously given to the receiver under subsection (1), if the change relates to the description or physical or chemical properties of that type of waste.
- (5) The generator shall make a record of its compliance with subsection (1), including the receiver to whom information was given under subsection (1) and the date the information was given.
 - (6) The generator shall keep every record made under subsection (5) at the waste generation facility for two years.
- (7) If waste is transferred by a generator to a receiving facility, the waste was characteristic waste and the waste can be disposed of by land disposal under section 79,
 - (a) the generator shall, before or at the time the waste is received at the receiving facility, give the receiver notice that the waste was characteristic waste and that the waste can be disposed of by land disposal under section 79; and
 - (b) subsections (3) to (6) apply, with necessary modifications, in respect of a notice required by clause (a).

21. The Regulation is amended by adding the following section:

- **85.** (1) A generator or operator of a waste disposal site who treats waste in accordance with section 75, 76, 77, 78, 79, 82 or 83 shall develop and follow a written plan that requires regular and detailed chemical and physical testing of representative samples of the waste.
 - (2) The person who develops the plan shall ensure that,
 - (a) the plan includes requirements to ensure that the testing will provide all information necessary to treat the waste in accordance with section 75, 76, 77, 78, 79, 82 or 83, as the case may be;
 - (b) the plan specifies the frequency with which testing will be conducted.
- (3) A person who develops a plan under subsection (1) shall keep a copy of the plan while that subsection applies to the person and for at least two years after that subsection ceases to apply to the person.
 - (4) A person who is required to keep a copy of a plan under subsection (3) shall keep it at,
 - (a) the waste generation facility, if the person is a generator, or
 - (b) the waste disposal site, if the person is the operator of a waste disposal site.

- (5) The person who is required to follow a plan under subsection (1) shall make a record of the result of every test conducted in accordance with the plan.
 - (6) A person who makes a record under subsection (5) shall keep the record for at least two years.

22. Schedule 1 to the Regulation is revoked and the following substituted:

SCHEDULE 1 HAZARDOUS INDUSTRIAL WASTE

Hazardous	s Industrial Waste from Non-	Specific Sources			
	Industrial Waste	Regulated Constituents (and Treatment Subcategories 1)		Land Disposal T Requirements Aqueous Waste	reatment Non-aqueous
				Aqueous waste	Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
F001	The following spent	Acetone	67-64-1	0.28	160
	halogenated solvents used in	Benzene	71-43-2	0.14	10
	degreasing:	n-Buthyl alcohol	71-36-3	5.6	2.6
	Tetrachloroethylene, trichloroethylene, methylene	Carbon disulfide	75-15-0	3.8	NA
	chloride, 1,1,1-	Carbon tetrachloride	56-23-5	0.057	6.0
	trichloroethane, carbon	Chlorobenzene	108-90-7	0.057	6.0
	tetrachloride and chlorinated	o-Cresol	95-48-7	0.11	5.6
	fluorocarbons; all spent solvent mixtures/blends used	m-Cresol (difficult to distinguish from p- cresol)	108-39-4	0.77	5.6
	in degreasing containing, before use, a total of ten per	p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6
	cent or more (by volume) of one or more of the above halogenated solvents or	Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88	11.2
	those solvents listed in F002,	Cyclohexanone	108-94-1	0.36	NA
	F004 and F005; and still bottoms from the recovery	o-Dichlorobenzene	95-50-1	0.088	6.0
	of these spent solvents and	Ethyl acetate	141-78-6	0.34	33
	spent solvent mixtures.	Ethyl benzene	100-41-4	0.057	10
	op 0 0 0 0	Ethyl ether	60-29-7	0.12	160
		Isobutyl alcohol	78-83-1	5.6	170
		Methanol	67-56-1	5.6	NA
		Methylene chloride	75-9-2	0.089	30
		Methyl ethyl ketone	78-93-3	0.28	36
		Methyl isobutyl ketone	108-10-1	0.14	33
		Nitrobenzene	98-95-3	0.068	14
		Pyridine	110-86-1	0.014	16
		Tetrachloroethylene	127-18-4	0.056	6.0
		Toluene	108-88-3	0.08	10
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30
		Trichloroethylene	79-01-6	0.054	6.0
		Trichlorofluoromethane	75-69-4	0.02	30
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
F002	The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1- trichloroethane, chlorobenzene, 1,1,2- trichloro-1,2,2- trifluoroethane, ortho-	same as F001			

Column 2		Industrial Waste from Non-S						
Column 1 Column 2 Column 3 Column 4 Column 5 Column 5 Column 6 CAS Number	Hazardous	Industrial Waste			Requirements			
Haz Waste Generic Name or other description CAS Number Ireatment Code for Concentration (mg/L) Ireatment Code for Concentration (mg/L) Ireatment Code for Concentration (mg/L) Ireatment Superal Super					•			
Code for a Concentration (mg/L) Concentra	Column 1	Column 2	Column 3	Column 4	Column 5			
Treatment Subcategory 1 Treatment Subcategory 2 Treatment Subcategory 3 Treatment Subcategory 4 Treatment Subcategory 5 Treatment Subcategory 5 Treatment Subcategory 6 Treatment Subcategory 7 Treatment Subcategory 8 Treatment Subcategory 9 Treatment Subcategory 9 Treatment Subcategory 9 Treatment Subcategory 9 Treatment Subcategory 1 Treatment Subcategory 1 Treatment Subcategory 1 Treatment Subcategory 2 Treatment Subcategory 3 Treatment Subcategory 4 Treatment Subcategory 2 Treatment Subcategory 2 Treatment Subcategory 3 Treatment Subcategory 4 Treatment Subcategory 4 Treatment Subcategory 5 Treatment Subcategory 5 Treatment Subcategory 5 Treatment Subcategory 6 Treatment Subcategory 6 Treatment Subcategory 7 Treatment Subcategory 8 Treatment Subcategory 8 Treatment Subcategory 8 Treatment Subcategory 8 Treatment Subcategory 9 Treatment Subcat	Waste	Waste	Generic Name or other description	CAS Number ³	Code ⁴ or Concentration ⁵	Concentration ⁶ (mg/kg, unless otherwise		
The following spent non-halogenated solvents: Xylene, acetone, ethyl acetate, ethyl benzene, ethyl tether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents isnal at total of fen per cent or more (by volume) of one or more of these solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents is tested in F001, F002 and F005; and still bottoms from the recovery of these spent solvent mixtures. F005 The following spent non-halogenated solvents and spent solvent mixtures. F006 The following spent non-halogenated solvents and spent solvent mixtures. F107 Treatment Subcategory 1 All F003 wastes, except those identified in Subcategory 2:		trichlorofluoromethane and 1,1,2-trichloro-ethane; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004 or F005; and still bottoms from the recovery of these spent solvents and spent solvent						
halogenated solvents: Xylene, acetone, ethyl acetate, ethyl benzene, ethyl tether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone and methanol: all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents from the recovery of these spent solvent mixtures. F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and introbenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of these spent solvents and spent solvent mixtures. F005 The following spent non-halogenated solvents or those solvents in F001, F002, and still bottoms from the recovery of these spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F005 The following spent non-halogenated solvents: All F003 wastes, except those identified in Subcategory 2:	F003		Treatment Subcategory 1	l	1			
acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvent mixtures. F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F005 The following spent non-halogenated solvents: All F003 wastes, except those identified in Subcategory 2:		halogenated solvents:		in Subcategory 2	•			
ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents and all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of these spent solvents isated in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of these spent solvent mixtures/blends containing, before use, a total of the per cent or more (by volume) of one or more of these solvents: F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvent mixtures. F005 The following spent non-halogenated solvents: All F003 wastes, except those identified in Subcategory 2:			same as F001					
ketone, n-butyl alcohol, cyclohexanone and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvent mixtures. F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents: F005 The following spent non-halogenated solvents and spent solvent mixtures. F006 The following spent non-halogenated solvents: F007 The following spent non-halogenated solvents and spent solvent mixtures. F008 The following spent non-halogenated solvents: F009 The following spent non-halogenated solvents: F009 The following spent non-halogenated solvents: F000 The following spent non-ha								
eyclohexanone and methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvents and spent solvents: F004 The following spent non-halogenated solvents: Crabon disulfide 75-15-0 3.8 4.8 mg/L) Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-50-3 3.8 4.8 mg/L) Methanol 67-56-1 5.6 0.75 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-0 3.8 4.8 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Methanol 67-56-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only listed F001-5-6-1 5.6 0.75 mg/L Salvents as the only lis		ketone, n-butyl alcohol, cyclohexanone and methanol; all spent solvent mixtures/blends containing,						
methanol; all spent solvent mixtures/blends containing, before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvent mixtures. F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F005 The following spent non-halogenated solvents: All F003 wastes, except those identified in Subcategory 2:								
before use, only the above spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvents and spent solvents and spent solvents. Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F005 The following spent non-halogenated solvents: Methanol 67-56-1 5.6 0.75 mg/L All F003 wastes, except those identified in Subcategory 2:						4.8 mg/L TCLP		
spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F004 The following spent non-halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvent mixtures. F005 The following spent non-halogenated solvents: Treatment Subcategory 1 All F003 wastes, except those identified in Subcategory 2:						0.75 mg/L TCLP		
halogenated solvents: Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non- halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. F005 The following spent non- halogenated solvents: Treatment Subcategory 1 All F003 wastes, except those identified in Subcategory 2:	F004	spent non-halogenated solvents; and all spent solvent mixtures/blends containing, before use, one or more of the above non-halogenated solvents, and, a total of ten per cent or more (by volume) of one or more of those solvents listed in F001, F002, F004 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. The following spent non-				one mg E 10El		
F005 The following spent non-halogenated solvents: Treatment Subcategory 1 All F003 wastes, except those identified in Subcategory 2:		Cresols and cresylic acid, and nitrobenzene; all spent solvent mixtures/blends containing, before use, a total of ten per cent or more (by volume) of one or more of the above non-halogenated solvents or those solvents listed in F001, F002 and F005; and still bottoms from the recovery of these spent solvents and						
halogenated solvents: All F003 wastes, except those identified in Subcategory 2:	F005		Treatment Subcategory 1	1	1	l		
	1005			in Subcategory 2	:			
Same as root		Toluene, methyl ethyl	same as F001					

	s Industrial Waste from Non-				
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
	ketone, carbon disulfide,	Treatment Subcategory 2			mareacea)
	isobutanol, pyridine, benzene, 2-ethoxyethanol, and 2-nitropropane; all spent solvent mixtures/blends containing, before use, a	F003 solvent wastes, that contain any solvents as the only listed F001-5 solv same as F003 Subcategory 2 Treatment Subcategory 3	rents: carbon disulf	ide, cyclohexanone	and/or methanol:
	total of ten per cent or more	F005 solvent waste containing 2-Nitro			
	(by volume) of one or more of the above non- halogenated solvents or those solvents listed in F001,	2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
	F002 or F004; and still	Treatment Subcategory 4		•	•
	bottoms from the recovery	F005 solvent waste containing 2-Etho	xyethanol as the on	ly listed F001-5 so	lvents:
	of these spent solvents and spent solvent mixtures.	2-Ethoxyethanol	110-80-5	BIODG; or CMBST	CMBST
F006	Wastewater treatment	Cadmium	7440-43-9	0.69	0.11 mg/L TCLP
	sludges from electroplating	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating	Cyanides (Total) ⁷	57-12-5	1.2	590
		Cyanides (Amenable) ⁷	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
F007	(segregated basis) on carbon steel; (4) aluminum or zincaluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum. Spent cyanide plating bath	Silver	7440-43-9	NA NA	0.14 mg/L TCLP
1.007	solutions from electroplating	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	operations	Cyanides (Total) ⁷	57-12-5	1.2	590
	=	Cyanides (Amenable) ⁷	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/L TCLP
F008	Plating bath residues from	Cadmium	7440-43-9	NA	0.11 mg/L TCLP
	the bottom of plating baths	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	from electroplating	Cyanides (Total) ⁷	57-12-5	1.2	590
	operations where cyanides	Cyanides (Amenable) ⁷	57-12-5	0.86	30
	are used in the process.	Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/L TCLP
F009	Spent stripping and cleaning	Cadmium	7440-43-9	NA	0.11 mg/L TCLP
	bath solutions from	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	electroplating operations	Cyanides (Total) ⁷	57-12-5	1.2	590
	where cyanides are used in the process.	Cyanides (Amenable) ⁷	57-12-5	0.86	30
	the process.	Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/L TCLP

	s Industrial Waste from Non- Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
F010	Quenching bath residues	Cyanides (Total) ⁷	57-12-5	1.2	590
	from oil baths from metal heat treating operations where cyanides are used in	Cyanides (Amenable) ⁷	57-12-5	0.86	NA
	the process.				
F011	Spent cyanide solutions	Cadmium	7440-43-9	NA	0.11 mg/L TCLP
	from salt bath pot cleaning	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	from metal heat treating	Cyanides (Total) ⁷	57-12-5	1.2	590
	operations.	Cyanides (Amenable) ⁷	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/L TCLP
F012	Quenching waste water	Cadmium	7440-43-9	NA	0.11 mg/L TCLP
	treatment sludges from	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	metal heat treating operations where cyanides are used in the process.	Cyanides (Total) ⁷	57-12-5	1.2	590
		Cyanides (Amenable) ⁷	57-12-5	0.86	30
		Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
		Silver	7440-22-4	NA	0.14 mg/L TCLP
F019	Wastewater treatment	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	sludges from the chemical conversion coating of	Cyanides (Total) ⁷	57-12-5	1.2	590
	aluminum except from zirconium phosphating in aluminum can washing when such phosphating is an exclusive conversion coating process.	Cyanides (Amenable) ⁷	57-12-5	0.86	30
F020	Wastes (except wastewater and spent carbon from	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	hydrogen chloride purification) from the	Hx CDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
	production or manufacturing use (as a reactant, chemical intermediate, or component	PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	intermediate, or component in a formulating process) of tri- or tetrachlorophenol, or	PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
	of intermediates used to	Pentachlorophenol	87-86-5	0.089	7.4
	produce their pesticide derivatives. (This listing	TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	does not include wastes from	TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
	the production of	2,4,5-Trichlorophenol	95-95-4	0.18	7.4
	Hexachlorophene from	2,4-6-Trichlorophenol	88-06-2	0.035	7.4
	highly purified 2,4,5-trichlorophenol.).	2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4

	s Industrial Waste from Non-S Industrial Waste	Regulated Constituents		Land Disposal T	reatment
		(and Treatment Subcategories ¹)		Requirements Aqueous Waste	Non-aqueous
C 1 1		0.1. 2	0.1.4	0.1. 5	Waste
Column 1 Haz. Waste Number ²	Column 2 Waste	Column 3 Generic Name or other description	Column 4 CAS Number ³	Column 5 Treatment Code ⁴ or Concentration ⁵ (mg/L)	Column 6 Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
F021	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of pentachlorophenol, or of intermediates used to produce its derivatives.	Same as F020			marcurea;
F022	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tetra-, penta-, or hexachlorobenzenes under alkaline conditions.	Same as F020			
F023	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tri- and tetrachlorophenols. (This listing does not include wastes from equipment used only for the production or use of Hexachlorophene from highly purified 2,4,5-trichlorophenol.).	Same as F020			
F024	Process wastes, including but not limited to, distillation residues, heavy ends, tars, and reactor cleanout wastes, from the production of certain chlorinated aliphatic hydrocarbons by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of	All F024 wastes 2-Chloro-1,3-butadiene 3-Chloropropylene 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropylene trans-1-3-Dichloropropylene bis(2-Ethylhexyl)phthalate Hexachloroethane Chromium (Total) Nickel	NA 126-99-8 107-05-1 75-34-3 107-06-2 78-87-5 10061-01-5 10061-02-6 117-81-7 67-72-1 7440-47-3 7440-02-0	CMBST ⁸ 0.057 0.036 0.059 0.21 0.85 0.036 0.036 0.036 0.28 0.055 2.77 3.98	CMBST ⁸ 0.28 30 6.0 6.0 18 18 18 28 30 0.60 mg/L TCLF 11 mg/L TCLP

	Industrial Waste from Non-						
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements			
0.1 1 0.1 2				Aqueous Waste	Non-aqueous Waste		
Column 1 Haz. Waste Number ²	Column 2 Waste	Column 3 Generic Name or other description	CAS Number ³	Column 5 Treatment Code ⁴ or Concentration ⁵ (mg/L)	Column 6 Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)		
	listing does not include wastewaters, wastewater treatment sludges, spent catalysts, and wastes listed in Part A or B of Schedule 2.)						
F025	Condensed light ends, spent filters and filter aids, and	Treatment Subcategory 1					
	spent desiccant wastes from	F025 Light Ends: Carbon tetrachloride	56-23-5	0.057	6.0		
1	the production of certain	Chloroform	67-66-3	0.037	6.0		
	chlorinated aliphatic	1,2-Dichloroethane	107-06-2	0.21	6.0		
	hydrocarbons, by free radical catalyzed processes.	1,1-Dichloroethylene	75-35-4	0.025	6.0		
	These chlorinated aliphatic	Methylene chloride	75-9-2	0.089	30		
İ	hydrocarbons are those	1,1,2-Trichloroethane	79-00-5	0.054	6.0		
	having carbon chain lengths	Trichloroethylene	79-01-6	0.054	6.0		
	ranging from one to and	Vinyl chloride	75-01-4	0.027	6.0		
i	including five, with varying amounts and positions of	Treatment Subcategory 2					
	amounts and positions of chlorine substitution.	F025 Spent Filters/Aids and Desiccants:					
		Carbon tetrachloride	56-23-5	0.057	6.0		
		Chloroform	67-66-3	0.046	6.0		
		Hexachlorobenzene	118-74-1	0.055	10		
		Hexachlorobutadiene	87-68-3	0.055	5.6		
		Hexachloroethane	67-72-1	0.055	30		
		Methylene chloride 1,1,2-Trichloroethane	75-9-2 79-00-5	0.089	30 6.0		
		Trichloroethylene	79-00-3	0.054	6.0		
		Vinyl chloride	75-01-4	0.034	6.0		
F026	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production of materials on equipment previously used for the manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tetra-, penta-, or hexachlorobenzene under alkaline conditions.	Same as F020					
F027	Discarded unused formulations containing tri-,	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
	tetra-, or pentachlorophenol or discarded unused formulations containing	HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001		
	compounds derived from these chlorophenols. (This	PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001		
	listing does not include formulations containing	PecDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001		
	Hexachlorophene synthesized from prepurified	Pentachlorophenol TCDDs (All Tetrachlorodibenzo-p-dioxins)	87-86-5 NA	0.089	7.4 0.001		
	2,4,5-trichlorophenol as the sole component.).	TCDFs (All Tetrachlorodibenzofurans) 2,4,5-Trichlorophenol	NA 95-95-4	0.000063 0.18	0.001 7.4		

Hazardous	s Industrial Waste from Non- Industrial Waste	Regulated Constituents		Land Disposal T	reatment
		(and Treatment Subcategories ¹)		Requirements	•
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
F028	Residues resulting from the incineration or thermal	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	treatment of soil contaminated with	HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
	Hazardous Waste Numbers F020, F021, F022, F023,	PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	F026 and F027.	PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		Pentachlorophenol	87-86-5	0.089	7.4
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
F032	Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent	Acenaphthene	83-32-9	0.059	3.4
		Anthracene	120-12-7	0.059	3.4
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
	formulations from wood preserving processes	Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
	generated at plants that	Benzo(a)pyrene	50-32-8	0.061	3.4
	currently use or have	Chrysene	218-01-9	0.059	3.4
	previously used	Dibenz(a,h) anthracene	53-70-3	0.055	8.2
	chlorophenolic formulations (except potentially cross-	2-4-Dimethyl phenol	105-67-9	0.036	14
	contaminated wastes that	Fluorene	86-73-7	0.059	3.4
	have had the F032 waste code deleted in accordance	Hexachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
	with s. 261.35 ⁹ or potentially cross-contaminated wastes	Hexachlorodibenzofurans	NA	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
	that are otherwise currently	Indeno (1,2,3-c,d) pyrene	193-39-5 91-20-3	0.0055	3.4 5.6
	regulated as hazardous wastes (i.e., F034 or F035), and where the generator	Naphthalene Pentachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
	does not resume or initiate use of chlorophenolic	Pentachlorodibenzofurans	NA	0.000035 or CMBST ⁸	0.001 or CMBST ⁸
:	formulations). This listing	Pentachlorophenol	87-86-5	0.089	7.4
	does not include K001	Phenanthrene	85-01-8	0.059	5.6
	bottom sediment sludge	Phenol	108-95-2	0.039	6.2
	from the treatment of wastewater from wood	Pyrene	129-00-0	0.067	8.2
	preserving processes that use creosote and/or	Tetrachlorodibenzo-p-dioxins	NA	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
	pentachlorophenol.	Tetrachlorodibenzofurans	NA	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
		Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLF

	s Industrial Waste from Non-S Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)	
F034	Wastewaters (except those	Acenaphthene	83-32-9	0.059	3.4	
	that have not come into	Anthracene	120-12-7	0.059	3.4	
	contact with process	Benz(a)anthracene	56-55-3	0.059	3.4	
	contaminants), process residuals, preservative drippage, and spent	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8	
	formulations from wood preserving processes	Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8	
	generated at plants that use	Benzo(a)pyrene	50-32-8	0.061	3.4	
	creosote formulations. This	Chrysene	218-01-9	0.059	3.4	
	listing does not include	Dibenz(a,h)anthracene	53-70-3	0.055	8.2	
	K001 bottom sediment	Fluorene	86-73-7	0.059	3.4	
	sludge from the treatment of	Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4	
	wastewater from wood	Naphthalene	91-20-3	0.059	5.6	
	preserving processes that use creosote and/or	Phenanthrene	85-01-8	0.059	5.6	
	pentachlorophenol.	Pyrene	129-00-0	0.067	8.2	
	pentaemorophenor.	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLI	
F035	Wastewaters (except those that have not come into	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
	contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that use inorganic preservatives containing arsenic or chromium. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote and/or pentachlorophenol.					
F037	Petroleum refinery primary	Acenaphthene	83-32-9	0.059	NA	
	oil/water/solids separation	Anthracene	120-12-7	0.059	3.4	
	sludge - Any sludge	Benzene	71-43-2	0.14	10	
	generated from the gravitational separation of	Benz(a)anthracene	56-55-3	0.059	3.4	
	oil/water/solids during the	Benzo(a)pyrene	50-32-8	0.061	3.4	
	storage or treatment of	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28	
	process wastewaters and oily	Chrysene	218-01-9	0.059	3.4	
	cooling wastewaters from	Di-n-butyl phthalate	84-74-2	0.057	28	
	petroleum refineries. Such	Ethylbenzene	100-41-4	0.057	10	
	sludges include, but are not	Fluorene	86-73-7	0.059	NA	
	limited to, those generated	Naphthalene	91-20-3	0.059	5.6	
	in: oil/water/solids	Phenanthrene	85-01-8	0.059	5.6	
	separators; tanks and impoundments; ditches and	Phenol	108-95-2	0.039	6.2	
	other conveyances; sumps;	Pyrene	129-00-0	0.067	8.2	
	and stormwater units	Toluene	108-88-3	0.08	10	
	receiving dry weather flow. Sludge generated in	Xylenes-mixed isomers (sum of o, m-, and p-xylene concentrations)	1330-20-7	0.32	30	

	s Industrial Waste from Non- Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	reatment
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
	stormwater units that do not	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
	receive dry weather flow,	Cyanides (Total) ⁷	57-12-5	1.2	590
	sludges generated from	Lead	7439-92-1	0.69	NA
	non-contact once-through cooling waters segregated	Nickel	7440-02-0	NA	11 mg/L TCLP
	process or oily cooling waters, sludges generated in aggressive biological treatment units as defined in s. 261.31(b)(2) ⁹ (including sludges generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and K051 wastes are not included in this listing. This listing does include residuals generated from processing or recycling oil-bearing hazardous secondary materials excluded under s.261.4(a)(12)(i) ⁹ , if those residuals are to be disposed				
F038	of. Petroleum refinery	Benzene	71-43-2	0.14	10
1 050	secondary (emulsified)	Benzo(a)pyrene	50-32-8	0.061	3.4
	oil/water/solids separation	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
	sludge - Any sludge and/or	Chrysene	218-01-9	0.059	3.4
	float generated from the	Di-n-butyl phthalate	84-74-2	0.057	28
	physical and/or chemical		100-41-4	0.057	10
	separation of oil/	Elyarana			
	water/solids in process	Fluorene Naphthalene	86-73-7 91-20-3	0.059	NA 5.6
	wastewaters and oily cooling wastewaters from petroleum	Phenanthrene	85-01-8	0.059	5.6
	refineries. Such wastes	Phenol	108-95-2	0.039	6.2
	include, but are not limited	Pyrene	129-00-0	0.039	8.2
	to, all sludges and floats	Toluene	108-88-3		10
	generated in: induced air	Xylenes-mixed isomers (sum of o, m-,	1330-20-7	0.08	
	flotation (IAF) units, tanks and impoundments, and all	and p- xylene concentrations)		0.32	30
	sludges generated in DAF	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLF
	units. Sludges generated in	Cyanides (Total) ⁷	57-12-5	1.2	590
	stormwater units that do not	Lead	7439-92-1	0.69	NA
	receive dry weather flow, sludges generated from non- contact once-through cooling waters segregated for treatment from other process or oily cooling waters, sludges and floats	Nickel	7440-02-0	NA	11 mg/L TCLP
	generated in aggressive biological treatment units as defined in s. 261.31(b)(2) ⁹ (including sludges and floats				

Hazardous	Industrial Waste	Specific Sources Regulated Constituents		Land Disposal T	reatment
Tiazaiuous	mudstriar waste	(and Treatment Subcategories ¹)		Requirements	
		(with Troumont Sucouregenes)		Aqueous Waste	Non-aqueous
				1	Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)
	generated in one or more additional units after wastewaters have been treated in aggressive biological treatment units) and F037, K048, and K051 wastes are not included in this listing.				
F039	Leachate (liquids that have	Acenaphthylene	208-96-8	0.059	3.4
	percolated through land	Acenaphthene	83-32-9	0.059	3.4
	disposed wastes) resulting from the disposal of more	Acetone	67-64-1	0.28	160
	than one hazardous waste.	Acetonitrile	75-05-8	5.6	NA
	(Leachate resulting from the	Acetophenone	96-86-2	0.01	9.7
	disposal of one or more of	2-Acetylaminofluorene	53-96-3	0.059	140
	the following Hazardous	Acrolein	107-02-8	0.29	NA
	Wastes and no other	Acrylonitrile	107-13-1	0.24	84
	Hazardous Wastes retains its Hazardous Waste	Aldrin	309-00-2	0.021	0.066
	Number(s): F020, F021,	4-Aminobiphenyl	92-67-1	0.13	NA
	F022, F026, F027, and/or F028.).	Aniline	62-53-3	0.81	14
		Anthracene	120-12-7	0.059	3.4
		Aramite	140-57-8	0.36	NA
		alpha-BHC beta-BHC	319-84-6	0.00014 0.00014	0.066
		delta-BHC	319-85-7 319-86-8	0.00014	0.066
		gamma-BHC	58-89-9	0.023	0.066
		Benzene	71-43-2	0.14	10
		Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.037	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Benzo(a)pyrene	50-32-8	0.061	3.4
		Bromodichloromethane	75-27-4	0.35	15
		Methyl bromide (Bromomethane)	74-83-9	0.11	15
		4-Bromophenyl phenyl ether	101-55-3	0.055	15
		n-Butyl alcohol	71-36-3	5.6	2.6
		Butyl benzyl phthalate 2-sec-Buty-4,6-dinitrophenol	85-68-7 88-85-7	0.017 0.066	28 2.5
		(Dinoseb) Carbon disulfide	75-15-0	3.8	
		Carbon disumde Carbon tetrachloride	56-23-5	0.057	NA 6.0
		Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
		p-Chloroaniline	106-47-8	0.46	16
		Chlorobenzene	108-90-7	0.057	6.0
		Chlorobenzilate	510-15-6	0.037	NA
		2-Chloro-1,3-butadiene	126-99-8	0.057	NA
		Chlorodibromomethane	124-48-1	0.057	15
		Chloroethane	75-00-3	0.27	6
		bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2
		bis(2-Chloroethyl)ether	111-44-4	0.033	6.0

	s Industrial Waste from			T 1D: 1T		
Hazardous	Industrial Waste	Regulated Constituents	(and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
		(and Treatment Subcategories)	(and Treatment Subcategories)		Non-aqueous	
				Aqueous Waste	Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration ⁶ (mg/kg, unless	
					otherwise indicated)	
		Chloroform	67-66-3	0.046	6.0	
		bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2	
		p-Chloro-m-cresol	59-50-7	0.018	14	
		Chloromethane (Methyl chloride)	74-87-3	0.19	30	
		2-Chloronaphthalene	91-58-7	0.055	5.6	
		2-Chlorophenol	95-57-8	0.044	5.7	
		3-Chloropropylene	107-05-1	0.036	30	
		Chrysene	218-01-9	0.059	3.4	
		o-Cresol	95-48-7	0.11	5.6	
		m-Cresol (difficult to distinguish from p- cresol)	108-39-4	0.77	5.6	
		p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6	
		Cyclohexanone	108-94-1	0.36	NA	
		1,2-Dibromo-3-chloropropane	96-12-8	0.11	15	
		Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15	
		Dibromomethane	74-95-3	0.11	15	
		2,4-D (2,4-Dichlorophenoxyacetic acid)	94-75-7	0.72	10	
		o,p'-DD	53-19-0	0.023	0.087	
		p,p'-DDD	72-54-8	0.023	0.087	
		o,p'-DDE	3424-82-6	0.031	0.087	
		p,p'-DDE	72-55-9	0.031	0.087	
		o,p'-DDT	789-02-6	0.0039	0.087	
		p,p'-DDT	50-29-3	0.0039	0.087	
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2	
		Dibenz(a,e)pyrene	192-65-4	0.061	NA	
		m-Dichlorobenzene	541-73-1	0.036	6.0	
		o-Dichlorobenzene	95-50-1	0.088	6.0	
		p-Dichlorobenzene	106-46-7 75-71-8	0.09	6.0 7.2	
		Dichlorodifluoromethane 1,1-Dichloroethane	75-71-8	0.23	6.0	
		1,2-Dichloroethane	107-06-2	0.039	6.0	
		1,1-Dichloroethylene	75-35-4	0.025	6.0	
		trans-1,2-Dichloroethylene	156-60-5	0.054	30	
		2,4-Dichlorophenol	120-83-2	0.044	14	
		2,6-Dichlorophenol	87-65-0	0.044	14	
		1,2-Dichloropropane	78-87-5	0.85	18	
		cis-1,3-Dichloropropylene	10061-01-5	0.036	18	
		trans-1,3-Dichloropropylene	10061-02-6	0.036	18	
		Dieldrin	60-57-1	0.017	0.13	
		Diethyl phthalate	84-66-2	0.2	28	
		2-4-Dimethyl phenol	105-67-9	0.036	14	
		Dimethyl phthalate	131-11-3	0.047	28	
		Di-n-butyl phthalate	84-74-2	0.057	28	
		1,4-Dinitrobenzene	100-25-4	0.32	2.3	

	s Industrial Waste from			I 4 D: 1 T	
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	reatment
		(and Treatment Subcategories)	(and Treatment Subcategories)		Non aguagua
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)
		4,6-Dinitro-o-cresol	534-52-1	0.28	160
		2,4-Dinitrophenol	51-28-5	0.12	160
		2,4-Dinitrotoluene	121-14-2	0.32	140
		2,6-Dinitrotoluene	606-20-2	0.55	28
		Di-n-octyl phthalate	117-84-0	0.017	28
		Di-n-propylnitrosamine	621-64-7	0.4	14
		1,4-Dioxane	123-91-1	12	170
		Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	NA
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	NA
		1,2-Diphenylhydrazine	122-66-7	0.087	NA
		Disulfoton	298-04-4	0.017	6.2
		Endosulfan I	939-98-8	0.023	0.066
		Endosulfan II	33213-6-5	0.029	0.13
		Endosulfan sulfate	1031-07-8	0.029	0.13
		Endrin	72-20-8	0.0028	0.13
		Endrin aldehyde	7421-93-4	0.025	0.13
		Ethyl acetate	141-78-6	0.34	33
		Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
		Ethyl benzene	100-41-4	0.057	10
		Ethyl ether	60-29-7	0.12	160
		bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
		Ethyl methacrylate	97-63-2	0.14	160
		Ethylene oxide	75-21-8	0.12	NA
		Famphur	52-85-7	0.017	15
		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	0.059	3.4
		Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
		1,2,3,4,6,7,8-Heptachlorodibenzo-p- dioxin, (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035	0.0025
		1, 2,3,4,6,7,8- Heptachlorodibenzofuran, (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035	0.0025
		1,2,3,4,7,8,9-Heptachlorodibenzofuran, (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035	0.0025
		Hexachlorobenzene	118-74-1	0.055	10
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachlorocyclopentadiene	77-47-4	0.057	2.4
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		Hexachloroethane	67-72-1	0.055	30
		Hexachloropropylene	1888-71-7	0.035	30
		Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4

	s Industrial Waste from Industrial Waste	Regulated Constituents		Land Dienocal T	reatment	
Trazardous muusurar w aste		(and Treatment Subcategories ¹)	(and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
		(and Treatment Subcategories)			Non-aqueous	
				Aqueous Waste	Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)	
		Indomethane	74-88-4	0.019	65	
		Isobutyl alcohol	78-83-1	5.6	170	
		Isodrin	465-73-6	0.021	0.066	
		Isosafrole	120-58-1	0.081	2.6	
		Kepone	143-50-8	0.0011	0.13	
		Methacylonitrile	126-98-7	0.24	84	
		Methanol	67-56-1	5.6	NA	
		Methapyrilene	91-80-5	0.081	1.5	
		Methoxychlor	72-43-5	0.25	0.18	
		3-Methylcholanthrene	56-49-5	0.0055	15	
		4,4-Methylene bis(2-chloroaniline)	101-14-4	0.5	30	
		Methylene chloride	75-09-2	0.089	30	
		Methyl ethyl ketone	78-93-3	0.28	36	
		Methyl isobutyl ketone	108-10-1	0.14	33	
		Methyl methacrylate	80-62-6	0.14	160	
		Methyl methanesulfonate	66-27-3	0.018	NA	
		Methyl parathion	298-00-0	0.014	4.6	
		Naphthalene	91-20-3	0.059	5.6	
		2-Naphthylamine	91-59-8	0.52	NA	
		p-Nitroaniline	100-01-6	0.028	28	
		Nitrobenzene	98-95-3	0.068	14	
		5-Nitro-o-toluidine	99-55-8	0.32	28	
		p-Nitrophenol	100-02-7	0.12	29	
		N-Nitrosodiethylamine	55-18-5	0.4	28	
		N-Nitrosodimethylamine	62-75-9	0.4	NA	
		N-Nitroso-di-n-butylamine	924-16-3	0.4	17	
		N-Nitrosomethylethylamine	10595-95-6	0.4	2.3	
		N-Nitrosomorpholine	59-89-2	0.4	2.3	
		N-Nitrosopiperidine	100-75-4	0.013	35	
		N-Nitrosopyrrolidine	930-55-2	0.013	35	
		1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin, (OCDD)	3268-87-9	0.000063	0.005	
		1,2,3,4,6,7,8,9- Octachlorodibenzofuran, (OCDF)	39001-02-0	0.000063	0.005	
		Parathion	56-38-2	0.014	4.6	
		Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.1	10	
		Pentachlorobenzene	608-93-5	0.055	10	
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001	
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001	
		Pentachloronitrobenzene	82-68-8	0.055	4.8	
		Pentachlorophenol	87-86-5	0.089	7.4	
		Phenacetin	62-44-2	0.081	16	
		Phenanthrene	85-01-8	0.059	5.6	
		Phenol	108-95-2	0.039	6.2	

	s Industrial Waste from Industrial Waste	Regulated Constituents		Land Disposal T	reatment	
		(and Treatment Subcategories ¹)	(and Treatment Subcategories ¹)		Requirements	
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
		Phorate	298-02-2	0.021	4.6	
		Phthalic anhydride	85-44-9	0.055	NA	
		Pronamide	23950-58-5	0.093	1.5	
		Pyrene	129-00-0	0.067	8.2	
		Pyridine	110-86-1	0.014	16	
		Safrole	94-59-7	0.081	22	
		Silvex (2,4,5-TP)	93-72-1	0.72	7.9	
		2,4,5-T	93-76-5	0.72	7.9	
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14	
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001	
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001	
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0	
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0	
		Tetrachloroethylene	127-18-4	0.056	6.0	
		2,3,4,6-Tetrachlorophenol	58-90-2	0.03	7.4	
		Toluene	108-88-3	0.08	10	
		Toxaphene	8001-35-2	0.0095	2.6	
		Bromoform (Tribromomethane)	75-25-2	0.63	15	
		1,2,4-Trichlorobenzene	120-82-1	0.055	19	
		1,1,1-Trichloroethane	71-55-6	0.054	6.0	
		1,1,2-Trichloroethane	79-00-5	0.054	6.0	
		Trichloroethylene	79-01-6	0.054	6.0	
		Trichlorofluoromethane	75-69-4 95-95-4	0.02	30	
		2,4,5-Trichlorophenol		0.18	7.4	
		2,4,6-Trichlorophenol 1,2,3-Trichloropropane	88-06-2 96-18-4	0.035	7.4	
		1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30	
		tris(2,3-Dibromopropyl) phosphate	126-72-7	0.037	NA	
		Vinyl chloride	75-01-4	0.11	6.0	
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1	0.32	30	
		Antimony	7440-36-0	1.9	1.15 mg/L TCLP	
		Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
		Barium	7440-39-3	1.2	21 mg/L TCLP	
		Beryllium	7440-41-7	0.82	NA	
		Cadmium	7440-43-9	0.69	0.11 mg/L TCLP	
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	NA	
		Fluoride	16984-48-8	35	NA	
		Lead	7439-92-1	0.69	0.75 mg/L TCLP	
		Mercury	7439-97-6	0.15	0.25 mg/L TCLP	
		Nickel	7440-02-0	3.98	11 mg/L TCLP	
		Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
		Silver	7440-22-4	0.43	0.14 mg/L TCLP	
		Sulfide	8496-25-8	14	NA	
		Thallium	7440-28-0	1.4	NA	
		Vanadium	7440-62-2	4.3	NA	

Hazardou	s Industrial Waste from Speci	fic Sources				
	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
Wood pres						
K001	Bottom sediment sludge	Naphthalene	91-20-3	0.059	5.6	
	from the treatment of	Pentachlorophenol	87-86-5	0.089	7.4	
	wastewaters from wood	Phenanthrene	85-01-8	0.059	5.6	
	preserving processes that use	Pyrene	129-00-0	0.067	8.2	
	creosote and/or pentachlorophenol.	Toluene	108-88-3	0.08	10	
	pentacmorophenor.	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30	
		Lead	7439-92-1	0.69	0.75 mg/L TCLP	
Inorganic I		<u></u>	•	_		
K002	Wastewater treatment sludge	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
	from the production of chrome yellow and orange pigments.	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
K003	Wastewater treatment sludge	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
K003	from the production of	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
	molybdate orange pigments.	Lead	7439-92-1	0.09	0.75 mg/L TCLF	
K004	Wastewater treatment sludge	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
K004	from the production of zinc yellow pigments.	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
K005	Wastewater treatment sludge from the production of	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
		Lead	7439-92-1	0.69	0.75 mg/L TCLP	
	chrome green pigments.	Cyanides (Total) ⁷	57-12-5	1.2	590	
K006	Wastewater treatment sludge	Treatment Subcategory 1	10, 12	1	1	
	from the production of chrome oxide green	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous):				
	pigments (anhydrous and	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
	hydrated).	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
		Treatment Subcategory 2	1, 10, 12, 1		1 ***** ****	
		Wastewater treatment sludge from the production of chrome oxide green pigments (hydrated):				
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
		Lead	7439-92-1	0.69	NA	
K007	Wastewater treatment sludge	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
,	from the production of iron	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
	blue pigments.	Cyanides (Total) ⁷	57-12-5	1.2	590	
K008	Oven residue from the	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
K000	production of chrome oxide green pigments.	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
Organic ch					ı	
K009	Distillation bottoms from the production of acetaldehyde from ethylene.	Chloroform	67-66-3	0.046	6.0	
K010	Distillation side cuts from the production of acetaldehyde from ethylene.	Chloroform	67-66-3	0.046	6.0	
K011	Bottom stream from the	Acetonitrile	75-05-8	5.6	38	
	wastewater stripper in the	Acrylonitrile	107-13-1	0.24	84	
	production of acrylonitrile.	Acrylamide	79-06-1	19	23	
		Benzene	71-43-2	0.14	10	
		Cyanide (Total) ⁷	57-12-5	1.2	590	
	1	1 -) ()	1		1	

	s Industrial Waste from Speci			•	
Hazardous Industrial Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1 Haz. Waste Number ²	Column 2 Waste	Column 3 Generic Name or other description	CAS Number ³	Column 5 Treatment Code ⁴ or Concentration ⁵	Column 6 Treatment Code ⁴ or Concentration ⁶
				(mg/L)	(mg/kg, unless otherwise indicated)
K013	Bottom stream from the	Acetonitrile	75-05-8	5.6	38
	acetonitrile column in the	Acrylonitrile	107-13-1	0.24	84
	production of acrylonitrile.	Acrylamide	79-06-1	19	23
		Benzene	71-43-2	0.14	10
77.0.1.4	D C	Cyanide (Total) ⁷	57-12-5	1.2	590
K014	Bottoms from the acetonitrile purification	Acetonitrile	75-05-8 107-13-1	5.6	38 84
	column in the production of	Acrylonitrile Acrylamide	79-06-1	0.24	23
	acrylonitrile.	Benzene	71-43-2	0.14	10
		Cyanide (Total) ⁷	57-12-5	1.2	590
K015	Still bottoms from the	Anthracene	120-12-7	0.059	3.4
KUIJ	distillation of benzyl	Benzal chloride	98-87-3	0.055	6.0
	chloride.	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.033	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Phenanthrene	85-01-8	0.059	5.6
		Toluene	108-88-3	0.08	10
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
K016	Heavy ends or distillation residues from the production	Hexachlorobenzene	118-74-1	0.055	10
		Hexachlorobutadiene	87-68-3	0.055	5.6
	of carbon tetrachloride.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
		Hexachloroethane	67-72-1	0.055	30
17017	H 1 - (-1:11 1 - 11 - 11)	Tetrachloroethylene	127-18-4	0.056	6.0
K017	Heavy ends (still bottoms) from the purification column	bis(2-Chloroethyl)ether 1,2-Dichloropropane	111-44-4 78-87-5	0.033	6.0
	in the production of epichlorohydrin.	1,2,3-Trichloropropane	96-18-4	0.85 0.85	30
K018	Heavy ends from the	Chloroethane	75-00-3	0.27	6.0
	fractionation column in ethyl	Chloromethane	74-87-3	0.19	NA
	chloride production.	1,1-Dichloroethane	75-34-3	0.059	6.0
		1,2-Dichloroethane	107-06-2	0.21	6.0
		Hexachlorobenzene	118-74-1	0.055	10
		Hexachlorobutadiene	87-68-3	0.055	5.6
		Hexachloroethane	67-72-1	0.055	30
		Pentachloroethane 1,1,1-Trichloroethane	76-01-7 71-55-6	NA 0.054	6.0
K019	Heavy ends from the	bis(2-Chloroethyl)ether	111-44-4	0.034	6.0
K019	distillation of ethylene	Chlorobenzene	108-90-7	0.057	6.0
	dichloride in ethylene	Chloroform	67-66-3	0.037	6.0
	dichloride production.	p-Dichlorobenzene	106-46-7	0.09	NA
	P. Canada	1,2-Dichloroethane	107-06-2	0.21	6.0
		Fluorene	86-73-7	0.059	NA
		Hexachloroethane	67-72-1	0.055	30
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	NA
1		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		1,1,1-Trichloroethane	71-55-6	0.054	6.0

	s Industrial Waste from Speci Industrial Waste	Regulated Constituents		Land Disposal T	reatment
Tuzurdous muusurur vuse		(and Treatment Subcategories ¹)		Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K020	Heavy ends from the	1,2-Dichloroethane	107-06-2	0.21	6.0
	distillation of vinyl chloride	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
	in vinyl chloride monomer production.	Tetrachloroethylene	127-18-4	0.056	6.0
K021	Aqueous spent antimony	Carbon tetrachloride	56-23-5	0.057	6.0
	catalyst waste from	Chloroform	67-66-3	0.046	6.0
	fluoromethanes production.	Antimony	7440-36-0	1.9	1.15 mg/L TCLP
K022	Distillation bottom tars from	Toluene	108-88-3	0.08	10
	the production of	Acetophenone	96-86-2	0.01	9.7
	phenol/acetone from cumene.	Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
		Phenol	108-95-2	0.039	6.2
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
K023	Distillation light ends from the production of phthalic anhydride from naphthalene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85-44-9	0.055	28
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85-44-9	0.055	28
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene.	Distillation bottoms from the production of nitrobenzene by the nitration of benzene.	NA	LLEXT fb SSTRP fb CARBN; or CMBST	CMBST
K026	Stripping still tails from the production of methyl ethyl pyridines.	Stripping still tails from the production of methyl ethyl pyridines.	NA	CMBST	CMBST
K027	Centrifuge and distillation residues from toluene diisocyanate production.	Centrifuge and distillation residues from toluene diisocyanate production.	NA	CARBN; or CMBST	CMBST
K028	Spent catalyst from the	1,1-Dichloroethane	75-34-3	0.059	6.0
	hydrochlorinator reactor in	trans-1,2-Dichloroethylene	156-60-5	0.054	30
	the productions of	Hexachlorobutadiene	87-68-3	0.055	5.6
	1,1,1trichloroethane.	Hexachloroethane	67-72-1	0.055	30
		Pentachloroethane	76-01-7	NA	6.0
		1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Cadmium	7440-43-9	0.69	NA
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
		Lead	7439-92-1	0.69	0.75 mg/L TCLP
		Nickel	7440-02-0	3.98	11 mg/L TCLP
K029	Waste from the product	Chloroform	67-66-3	0.046	6.0
	stream stripper in the	1,2-Dichloroethane	107-06-2	0.21	6.0
	production of	1,1-Dichloroethylene	75-35-4	0.025	6.0
	1,1,1trichloroethane.	1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Vinyl chloride	75-01-4	0.27	6.0

Hazardous Industrial Waste from Spec Hazardous Industrial Waste		Regulated Constituents		Land Disposal Treatment	
Tiuzuidous	mastrar waste	(and Treatment Subcategories ¹)		Requirements	
		(Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration (mg/kg, unless otherwise indicated)
K030	Column bottoms or heavy	o-Dichlorobenzene	95-50-1	0.088	NA
	ends from the combined	p-Dichlorobenzene	106-46-7	0.09	NA
	production of	Hexachlorobutadiene	87-68-3	0.055	5.6
	trichloroethylene and perchloroethylene.	Hexachloroethane	67-72-1	0.055	30
	peremoroeury iene.	Hexachloropropylene	1888-71-7	NA	30
		Pentachlorobenzene	608-93-5	NA	10
		Pentachloroethane	76-01-7	NA	6.0
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		Tetrachloroethylene	127-18-4	0.056	6
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
K083	Distillation bottoms from	Aniline	62-53-3	0.81	14
	aniline production.	Benzene	71-43-2	0.14	10
		Cyclohexanone	108-94-1	0.36	NA
		Diphenylamine (difficult to distinguish from diphenylnitrosamine	122-39-4	0.92	13
		Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
		Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
		Nickel	7440-02-0	3.98	11 mg/L TCLP
K085	Distillation or fractionation	Benzene	71-43-2	0.14	10
	column bottoms from the production of	Chlorobenzene	108-90-7	0.057	6.0
	chlorobenzenes.	m-Dichlorobenzene	541-73-1	0.036	6.0
	emorobenzenes.	o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.09	6.0
		Hexachlorobenzene	118-74-1	0.055	10
		Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.1	10
		Pentachlorobenzene	608-93-5	0.055	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
17.002	D: (11 (1 1 1 1 1 1 C	1,2,4-Trichlorobenzene	120-82-1	0.055	19
K093	Distillation light ends from the production of phthalic anhydride from orthoxylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85-44-9	0.055	28
K094	Distillation bottoms from the production of phthalic anhydride from orthoxylene.	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85-44-9	0.055	28
K095	Distillation bottoms from the	Hexachloroethane	67-72-1	0.055	30
	production of	Pentachloroethane	76-01-7	0.055	6.0
	1,1,1trichloroethane.	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
		1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-1	0.054	6.0

	s Industrial Waste from Speci Industrial Waste	Regulated Constituents		Land Dienocal T	reatment
Trazardous midusurar w aste		(and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
		(und Frediment Subcategories)		Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K096	Heavy ends from the heavy	m-Dichlorobenzene	541-73-1	0.036	6.0
	ends column from the	Pentachloroethane	76-01-1	0.055	6.0
	production of	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
	1,1,1trichloroethane.	1,1,2,2-Tetrachloroethane	79-34-6	0.057	6.0
		Tetrachloroethylene	127-18-4	0.056	6.0
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
		1,1,2-Trichloroethane	79-00-5	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
K103	Process residues from	Aniline	62-53-3	0.81	14
	aniline extraction from the	Benzene	71-43-2	0.14	10
	production of aniline.	2,4-Dinitrophenol	51-28-5	0.12	160
		Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
K104	Combined wastewater	Aniline	62-53-3	0.81	14
	streams generated from	Benzene	71-43-2	0.14	10
	nitrobenzene/aniline	2,4-Dinitrophenol	51-28-5	0.12	160
	production.	Nitrobenzene	98-95-3	0.068	14
		Phenol	108-95-2	0.039	6.2
		Cyanides (Total) ⁷	57-12-5	1.2	590
K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.	Benzene	71-43-2	0.14	10
		Chlorobenzene	108-90-7	0.057	6.0
		2-Chlorophenol	95-57-8	0.044	5.7
		o-Dichlorobenzene	95-50-1	0.088	6.0
		p-Dichlorobenzene	106-46-7	0.09	6.0
		Phenol	108-95-2	0.039	6.2
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4
K107	Column bottoms from product separation from the production of 1,1-dimethylhydra-zine (UDMH) from carboxylic acid hydrazines.	Column bottoms from product separation from the production of 1,1-dimethyl-hydra-zine (UDMH) from carboxylic acid hydrazines.	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
K108	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1- dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	Condensed column overheads from product separation and condensed reactor vent gases from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
K109	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	Spent filter cartridges from product purification from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
K110	Condensed column overheads from intermediate separation from the production of 1,1- dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	Condensed column overheads from intermediate separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST

Hazardous	s Industrial Waste from Speci				
Hazardous Industrial Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K111	Product washwaters from	2.4-Dinitrotoluene	121-1-2	0.32	140
	the production of dinitrotoluene via nitration of toluene.	2,6-Dinitrotoluene	606-20-2	0.55	28
K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	CMBST; or CHOXD fb CARBN; or BIODG fb CARBN	CMBST
K113	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	Condensed liquid light ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	CARBN; or CMBST	CMBST
K114	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	Vicinals from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	CARBN; or CMBST	CMBST
K115	Heavy ends from the	Nickel	7440-02-0	3.98	11 mg/L TCLP
	purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	Heavy ends from the purification of toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.	NA	CARBN; or CMBST	CMBST
K116	Organic condensate from the solvent recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.	Organic condensate from the solvent recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.	NA	CARBN; or CMBST	CMBST
K117	Wastewater from the reactor	Methyl bromide (Bromomethane)	74-83-9	0.11	15
	vent gas scrubber in the	Chloroform	67-66-3	0.046	6.0
	production of ethylene dibromide via bromination of ethene.	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
K118	Spent adsorbent solids from	Methyl bromide (Bromomethane)	74-83-9	0.11	15
	purification of ethylene dibromide in the production of ethylene dibromide via bromination of ethene.	Chloroform Ethylene dibromide (1,2-Dibromoethane)	67-66-3 106-93-4	0.046	6.0
K136	Still bottoms from the	Methyl bromide (Bromomethane)	74-83-9	0.11	15
	purification of ethylene	Chloroform	67-66-3	0.46	6.0
	dibromide in the production of ethylene dibromide via bromination of ethene.	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15

	s Industrial Waste from Speci				
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K149	Distillation bottoms from the	Chlorobenzene	108-90-7	0.057	6.0
	production of alpha- (or	Chloroform	67-66-3	0.046	6.0
	methyl-) chlorinated	Chloromethane	74-87-3	0.19	30
	toluenes, ring-chlorinated toluenes, benzoyl chlorides,	p-Dichlorobenzene	106-46-7	0.09	6.0
	and compounds with	Hexachlorobenzene	118-74-1	0.055	10
	mixtures of these functional	Pentachlorobenzene	608-93-5	0.055	10
	groups. (This waste does not	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
	include still bottoms from the distillation of benzyl chloride.)	Toluene	108-88-3	0.08	10
K150	Organic residuals, excluding	Carbon tetrachloride	56-23-5	0.057	6.0
	spent carbon adsorbent, from	Chloroform	67-66-3	0.046	6.0
	the spent chlorine gas and	Chloromethane	74-87-3	0.019	30
	hydrochloric acid recovery processes associated with	p-Dichlorobenzene	106-46-7	0.09	6.0
	the production of alpha-(or	Hexachlorobenzene	118-74-1	0.055	10
	methyl-) chlorinated toluenes, ring-chlorinated toluenes, benzoyl chlorides,	Pentachlorobenzene	608-93-5	0.055	10
		1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
	and compounds with	Tetrachloroethylene	127-18-4	0.056	6.0
	mixtures of these functional groups.	1,2,4-Trichlorobenzene	120-82-1	0.055	19
K151	Wastewater treatment	Benzene	71-43-2	0.14	10
	sludges, excluding	Carbon tetrachloride	56-23-5	0.057	6.0
	neutralization and biological sludges, generated during	Chloroform	67-66-3	0.046	6.0
	the treatment of wastewaters	Hexachlorobenzene	118-74-1	0.055	10
	from the production of	Pentachlorobenzene	608-93-5	0.055	10
	alpha- (or methyl-)	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
	chlorinated toluenes, ring-	Tetrachloroethylene	127-18-4	0.056	6.0
	chlorinated toluenes, benzoyl chlorides, and compounds with mixtures of these functional groups.	Toluene	108-88-3	0.08	10
K156	Organic waste (including	Acetonitrile	75-05-8	5.6	1.8
	heavy ends, still bottoms,	Acetophenone	96-86-2	0.01	9.7
	light ends, spent solvents,	Aniline	62-53-3	0.81	14
	filtrates, and decantates) from the production of	Benomyl	17804-35-2	0.056	1.4
	carbamates and carbamoyl	Benzene	71-43-2	0.14	10
	oximes. (This listing does	Carbaryl	63-25-2	0.006	0.14
	not apply to wastes	Carbenzadim	10605-21-7	0.056	1.4
	generated from the	Carbofuran	1563-66-2	0.006	0.14
	manufacture of 3-iodo-2-	Carbosulfan	55285-14-8	0.028	1.4
	propynyl n- butylcarbamate.).	Chlorobenzene	108-90-7	0.057	6.0
	outy icardamate. j.	Chloroform	67-66-3	0.046	6.0
		o-Dichlorobenzene	95-50-1	0.088	6.0
		Methomyl	16752-77-5	0.028	0.14
		Methylene chloride	75-09-2	0.089	30
		Methyl ethyl ketone	78-93-3	0.28	36

	Industrial Waste from Speci			-	
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
		Naphthalene	91-20-3	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyridine	110-86-1	0.014	16
		Toluene	108-88-3	0.08	10
		Triethylamine	101-44-8	0.081	1.5
K157	Wastewaters (including	Carbon tetrachloride	56-23-5	0.057	6.0
	scrubber waters, condenser	Chloroform	67-66-3	0.046	6.0
	waters, washwaters, and	Chloromethane	74-87-3	0.19	30
	separation waters) from the	Methomyl	16752-77-5	0.028	0.14
	production of carbamates	Methylene chloride	75-09-2	0.089	30
	and carbamoyl oximes. (This listing does not apply to	Methyl ethyl ketone	78-93-3	0.28	36
	wastes generated from the	Pyridine	110-86-1	0.014	16
	manufacture of 3-iodo-2-	Triethylamine	121-44-8	0.081	1.5
	propynyl n-butylcarbamate.)		121	0.001	1.0
K158	Bag house dusts and	Benomyl	17804-35-2	0.056	1.4
11100	filter/separation solids from the production of carbamates and carbamoyl oximes. (This listing does not apply to wastes generated from the manufacture of 3-iodo-2- propynyl n- butylcarbamate.).	Benzene	71-43-2	0.14	10
		Carbenzadim	10605-21-7	0.056	1.4
		Carbofuran	1563-66-2	0.006	0.14
		Carbosulfan	55285-14-8	0.028	1.4
		Chloroform	67-66-3	0.046	6.0
		Methylene chloride	75-09-2	0.040	30
		Phenol	108-95-2	0.039	6.2
K159	Organics from the treatment	Benzene	71-43-2	0.14	10
K139	of thiocarbamate wastes.	Butylate	2008-41-5	0.042	1.4
	or infocurbantate wastes.	EPTC (Eptam)	759-94-4	0.042	1.4
		Molinate	2212-67-1	0.042	1.4
		Pebulate	1114-71-2	0.042	1.4
			1929-77-7	0.042	1.4
17.1.6.1	D = C = 4 : 1: 1 = C = -1 = 1:	Vernolate			
K161	Purification solids (including	Antimony	7440-36-0	1.9	1.15 mg/L TCLP
	filtration, evaporation, and centrifugation solids), bag	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
	house dust and floor	Carbon disulfide	75-15-0	3.8	4.8 mg/L TCLP
	sweepings from the	Dithiocarbamates (total)	NA	0.028	28
	production of	Lead	7439-92-1	0.69	0.75 mg/L TCLP
	dithiocarbamate acids and	Nickel	7440-02-0	3.98	11.0 mg/L TCLP
	their salts. (This listing does not include K125 or K126.)	Selenium	7782-49-2	0.82	5.7 mg/L TCLP
K174	Wastewater treatment sludges from the production	1,2,3,4,6,7,8-Heptachlorodibenzo-p- dioxin (1,2,3,4,6,7,8-HpCDD)	35822-46-9	0.000035 or CMBST ⁸	0.0025 or CMBST ⁸
	of ethylene dichloride or vinyl chloride monomer.	1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 or CMBST ⁸	0.0025 or CMBST ⁸
		1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 or CMBST ⁸	0.0025 or CMBST ⁸
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	34465-46-8	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
		HxCDFs (All Hexachlorodibenzofurans)	55684-94-1	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
		1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	3268-87-9	0.000063 or CMBST ⁸	0.005 or CMBST ⁸
		1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063 or CMBST ⁸	0.005 or CMBST ⁸

	s Industrial Waste from Speci						
Hazardous Industrial Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements			
				Aqueous Waste	Non-aqueous Waste		
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6		
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)		
		PeCDDs (All Pentachlorodibenzo-p-dioxins	36088-22-9	0.000063 or CMBST ⁸	0.001 or CMBST ⁸		
		PeCDFs (All Pentachlorodibenzofurans)	30402-15-4	0.000035 or CMBST ⁸	0.001 or CMBST ⁸		
		TCDDs (All tetachlorodibenzo-p-dioxins)	41903-57-5	0.000063 or CMBST ⁸	0.001 or CMBST ⁸		
		TCDFs (All tetrachlorodibenzofurans)	55722-27-5	0.000063 or CMBST ⁸	0.001 or CMBST ⁸		
		Arsenic	7440-36-0	1.4	5.0 mg/L TCLP		
K175	Wastewater treatment sludge from the production of vinyl	Mercury	7438-97-6	0.15	0.025 mg/L TCLP ¹⁰		
	chloride monomer using mercuric chloride catalyst in an acetylene-based process.	pH		NA	pH≤ 6.0 ¹⁰		
Inorganic c							
K071	Brine purification muds	Treatment Subcategory 1					
	from the mercury cell	Non-aqueous wastes that are residues fr	om RMERC:				
	process in chlorine	Mercury	7439-97-6	NA	0.20 mg/L TCLP		
	production, where separately prepurified brine is not used.	Treatment Subcategory 2					
		Non-aqueous wastes that are not residues from KWERC.					
		Mercury	7439-97-6	NA	0.025 mg/L TCLP		
		Treatment Subcategory 3					
		All K071 aqueous wastes:					
		Mercury	7439-97-6	0.15	NA		
K073	Chlorinated hydrocarbon	Carbon tetrachloride	56-23-5	0.057	6.0		
	waste from the purification	Chloroform	67-66-3	0.046	6.0		
	step of the diaphragm cell process using graphite	Hexachloroethane	67-72-1	0.055	30		
	anodes in chlorine	Tetrachloroethylene	127-18-4	0.056	6.0		
	production.	1,1,1-Trichloroethane	71-55-6	0.054	6.0		
K106	Wastewater treatment sludge	Treatment Subcategory 1 Non-aqueous wastes that contain greater than or equal to 260 mg/kg total mercury:					
	from the mercury cell process in chlorine	•					
	production.	Mercury Treatment Subsetsgam 2	7439-97-6	NA	RMERC		
		Treatment Subcategory 2 Non-aqueous wastes that contain less than 260 mg/kg total mercury that are residues from RMERC:					
		Mercury	7439-97-6	NA	0.20 mg/L TCLP		
		Treatment Subcategory 3	1 157-71-0	11/12	V.20 mg/L TCLI		
		Other K106 non-aqueous wastes that contain less than 260 mg/kg total mercury and are not residues from RMERC:					
		Mercury	7439-97-6	NA	0.025 mg/L TCLP		
		Treatment Subcategory 4					
		All K106 aqueous wastes:					
		Mercury	7439-97-6	0.15	NA		
K176	Baghouse filters from the	Antimony	7440-36-0	1.9	1.15 mg/L TCLP		
	production of antimony	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP		
	oxide, including filters from	Cadmium	7440-43-9	0.69	0.11 mg/L TCLP		
	the production of	Lead	7439-92-1	0.69	0.75 mg/L TCLP		
	intermediates (e.g., antimony metal or crude antimony oxide)	Mercury	7439-97-6	0.15	0.025 mg/L TCLP		

Hazardous	Industrial Waste from Speci	fic Sources			
	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment	
				Requirements	NT.
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz.	Waste	Generic Name or other description	CAS Number ³	Treatment	Treatment Code ⁴
Waste	, vaste	Control (wind of outer description		Code ⁴ or	or
Number ²				Concentration ⁵	Concentration ⁶
				(mg/L)	(mg/kg, unless
					otherwise indicated)
K177	Slag from the production of	Antimony	7440-36-0	1.9	1.15 mg/L TCLP
IX1//	antimony oxide that is	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
	speculatively accumulated or	Lead	7439-92-1	0.69	0.75 mg/L TCLP
	disposed, including slag	Lead	7437-72-1	0.07	0.75 mg/L TCLI
	from the production of				
	intermediates (e.g., antimony metal or crude				
	antimony oxide)				
K178	Residues from	1,2,3,4,6,7,8-Heptachlorodibenzo-p-	35822-46-9	0.000035 or	0.0025 or
	manufacturing and	dioxin (1,2,3,4,6,7,8-HpCDD)		CMBST ⁸	CMBST ⁸
	manufacturing-site storage	1,2,3,4,6,7,8-Heptachlorodibenzofuran	67562-39-4	0.000035 or	0.0025 or
	of ferric chloride from acids	(1,2,3,4,6,7,8-HpCDF)		CMBST ⁸	CMBST ⁸
	formed during the production of titanium	1,2,3,4,7,8,9-Heptachlorodibenzofuran	55673-89-7	0.000035 or	0.0025 or
	dioxide using the chloride-	(1,2,3,4,7,8,9-HpCDF)	24465.46.0	CMBST ⁸	CMBST ⁸
	ilmenite process.	HxCDDs (All Hexachlorodibenzo-p-dioxins)	34465-46-8	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
		HxCDFs (All	55684-94-1	0.000063 or	
		Hexachlorodibenzofurans)	33004-74-1	CMBST ⁸	0.001 or CMBST ⁸
		1,2,3,4,6,7,8,9-Octachlorodibenzo-p-	3268-87-9	0.000063 or	0.005 or
		dioxin (OCDD)		CMBST ⁸	CMBST ⁸
		1,2,3,4,6,7,8,9-Octachlorodibenzofuran	39001-02-0	0.000063 or	0.005 or
		(OCDF)		CMBST ⁸	CMBST ⁸
		PeCDDs (All Pentachlorodibenzo-p-	36088-22-9	0.000063 or CMBST ⁸	0.001 or CMBST ⁸
		dioxins PeCDFs (All	30402-15-4	0.000035 or	0.001 or
		Pentachlorodibenzofurans)	30402-13-4	CMBST ⁸	CMBST ⁸
		TCDDs (All tetachlorodibenzo-p-	41903-57-5	0.000063 or	0.001 or
		dioxins)		CMBST ⁸	CMBST ⁸
		TCDFs (All tetrachlorodibenzofurans)	55722-27-5	0.000063 or	0.001 or
				CMBST ⁸	CMBST ⁸
		Thallium	7440-28-0	1.4	0.20 mg/L TCLP
Pesticides:	D 1 (1)	· ·	7440 20 2	114	5.0 /L TOLD
K031	Byproduct salts generated in the production of MSMA	Arsenic	7440-38-2	14	5.0 mg/L TCLP
	and cacodylic acid.				
K032	Wastewater treatment sludge	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
	from the production of	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
	chlordane.	Heptachlor	76-44-8	0.0012	0.066
		Heptachlor epoxide	1024-57-3	0.016	0.066
K033	Wastewater and scrub water	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
	from the chlorination of				
	cyclopentadiene in the production of chlordane.				
K034	Filter solids from the	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
12034	filtration of	Tieraemorocycropentaurene	, ,,	0.037	۷.٦
	hexachlorocyclopentadiene				
	in the production of				
	chlordane.			1	
K035	Wastewater treatment	Acenaphthene	83-32-9	NA	3.4
	sludges generated in the production of creosote.	Anthracene	120-12-7	NA 0.050	3.4
	production of creosote.	Benz(a)anthracene	56-55-3	0.059	3.4
		Bemzo(a)pyrene	50-32-8	0.061	3.4
<u> </u>	<u> </u>	Chrysene	218-01-9	0.059	3.4

	s Industrial Waste from Speci				
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1 Haz.	Column 2 Waste	Column 3 Generic Name or other description	Column 4 CAS Number ³	Column 5 Treatment	Column 6 Treatment Code ⁴
Waste Number ²		one in the second and		Code ⁴ or Concentration ⁵ (mg/L)	or Concentration ⁶ (mg/kg, unless otherwise indicated)
		o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p- cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6
İ		Dibenz(a,h)anthracene	53-70-3	NA	8.2
İ		Fluoranthene	206-44-0	0.068	3.4
		Fluorene	86-73-7	NA	3.4
		Indeno(1,2,3-cd)pyrene	193-39-5	NA 0.050	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-1 108-95-2	0.059	5.6
		Phenol Pyrene	129-00-0	0.039	8.2
K036	Still bottoms from toluene	Disulfoton	298-04-4	0.067	6.2
K030	reclamation distillation in the production of disulphoton.	Distriction	298-04-4	0.017	0.2
K037	Wastewater treatment	Disulfoton	298-04-4	0.017	6.2
	sludges from the production of disulphoton.	Toluene	108-88-3	0.08	10
K038	Wastewater from the washing and stripping of phorate production.	Phorate	298-02-2	0.021	4.6
K039	Filter cake from the filtration of diethyl phosphorodithioic acid in the production of phorate.	Filter cake from the filtration of diethyl phosphorodithioic acid in the production of phorate.	NA	CARBN; or CMBST	CMBST
K040	Wastewater treatment sludge from the production of phorate.	Phorate	298-02-2	0.021	4.6
K041	Wastewater treatment sludge from the production of toxaphene.	Toxaphene	8001-35-2	0.0095	2.6
K042	Heavy ends or distillation	o-Dichlorobenzene	95-50-1	0.088	6.0
	residues from the distillation	p-Dichlorobenzene	106-46-7	0.09	6.0
	of tetrachlorobenzene in the	Pentachlorobenzene	608-93-5	0.055	10
	production of 2,4,5T.	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
		1,2,4-Trichlorobenzene	120-82-1	0.055	19
K043	2,6-Dichlorophenol waste	2,4-Dichlorophenol	120-83-2	0.044	14
	from the production of 2,4D.	2,6-Dichlorophenol	187-65-0	0.044	14
		2,4,5-Trichlorophenol	95-95-4	0.18	7.4
		2,4,6-Trichlorophenol	88-06-2	0.035	7.4 7.4
		2,3,4,6-Tetrachlorophenol Pentachlorophenol	58-90-2 87-86-5	0.03	7.4
		Tetrachloroethylene	127-18-4	0.089	6.0
		HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001

	s Industrial Waste from Speci Industrial Waste	Regulated Constituents		Land Disposal T	reatment
		(and Treatment Subcategories ¹)		Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration ⁶ (mg/kg, unless otherwise indicated)
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
K097	Vacuum stripper discharge	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
	from the chlordane	Heptachlor	76-44-8	0.0012	0.066
	chlorinator in the production	Heptachlor epoxide	1024-57-3	0.016	0.066
	of chlordane.	Hexachlorocyclopentadiene	77-47-4	0.057	2.4
K098	Untreated process wastewater from the production of toxaphene.	Toxaphene	8001-35-2	0.0095	2.6
K099	Untreated wastewater from	2,4-Dichlorophenoxyacetic acid	94-75-7	0.72	10
	the production of 2,4-D.	HxCDDs (All Hexachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		HxCDFs (All Hexachlorodibenzofurans)	NA	0.000063	0.001
		PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.000063	0.001
		PeCDFs (All Pentachlorodibenzofurans)	NA	0.000035	0.001
		TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001
	_	TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenebisdithiocarbamic acid and its salt.	Process wastewater (including supernates, filtrates, and washwaters) from the production of ethylenebisdithiocarbamic acid and its salt.	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
K124	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salts.	Reactor vent scrubber water from the production of ethylenebisdithiocarbamic acid and its salts.	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
K125	Filtration, evaporation, and centrifugation solids from the production of ethylenebisdithiocarbamic acid and its salts.	Filtration, evaporation, and centrifugation solids from the production of ethylenebisdithiocarbamic acid and its salts.	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
K126	Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenebisdithiocarbamic acid and its salts.	Baghouse dust and floor sweepings in milling and packaging operations from the production or formulation of ethylenebisdithiocarbamic acid and its salts.	NA	CMBST; or CHOXD fb (BIODG or CARBN)	CMBST
K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11	15
K132	Spent absorbent and wastewater separator solids from the production of methyl bromide.	Methyl bromide (Bromomethane)	74-83-9	0.11	15

Hazardou	s Industrial Waste from Spec	ific Sources			
	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
Explosives					
K044	Wastewater treatment sludges from the manufacturing and processing of explosives.	Wastewater treatment sludges from the manufacturing and processing of explosives.	NA	DEACT	DEACT
K045	Spent carbon from the treatment of wastewater containing explosives.	Spent carbon from the treatment of wastewater containing explosives.	NA	DEACT	DEACT
K046	Wastewater treatment sludges from the manufacturing formulation and loading of leadbased initiating compounds.	Lead	7439-92-1	0.69	0.75 mg/L TCLP
K047	Pink/red water from TNT operations.	Pink/red water from TNT operations.	NA	DEACT	DEACT
Petroleum			ā.	÷	
K048	Dissolved air flotation	Benzene	71-43-2	0.14	10
	(DAF) float from the petroleum refining industry.	Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl)phthalate	117-81-7	0.28	28
		Chrysene	218-01-9	0.059	3.4
		Di-n-butyl phthalate	84-74-2	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-33	0.08	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
170.40	01 1 1 1 1 1 1	Nickel	7440-02-0	NA 0.050	11 mg/L TCLP
K049	Slop oil emulsion solids from the petroleum refining	Anthracene	120-12-7	0.059	3.4
	industry.	Benzene Benzer(a)murana	71-43-2	0.14	10
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl)phthalate	117-81-7 75-15-0	0.28 3.8	
		Carbon disulfide Chrysene	/5-15-0 2218/01/09	0.059	NA 3.4
		2,4-Dimethylphenol	105-67-9	0.039	NA
		Ethylbenzene	100-41-4	0.036	10
		Naphthalene	91-20-3	0.057	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Pyrene	129-00-0	0.039	8.2
		Toluene	108-88-3	0.08	10
		Xylenes-mixed isomers (sum of o-, m-,	1330-20-7	0.32	30
		and p-xylene concentrations)	1550 20 7	3.52	

Hazardous Industrial Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration ⁶ (mg/kg, unless otherwise indicated)
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLI
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11 mg/L TCLP
K050	Heat exchanger bundle	Benzo(a)pyrene	50-32-8	0.061	3.4
	cleaning sludge from the	Phenol	108-95-2	0.039	6.2
	petroleum refining industry.	Cyanides (Total) ⁷	57-12-5	1.2	590
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCL
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11 mg/L TCLP
K051	API separator sludge from	Acenaphthene	83-32-9	0.059	NA
	the petroleum refining	Anthracene	120-12-7	0.059	3.4
	industry.	Benz(a)anthracene	56-55-3	0.059	3.4
		Benzene	71-43-2	0.14	10
		Benzo(a)pyrene	50-32-8	0.061	3.4
		bis(2-Ethylhexyl)phthalate	117-81-7	0.28	28
		Chrysene	2218/01/09	0.059	3.4
		Di-n-butyl phthalate	105-67-9	0.057	28
		Ethylbenzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	NA
		Naphthalene	91-20-3	0.059	5.6
		- 1	85-01-8	0.059	5.6
		Phenanthrene			6.2
		Phenol	108-95-2	0.039	
		Pyrene	129-00-0	0.067	8.2
		Toluene	108-88-3	0.08	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCL
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11 mg/L TCLP
K052	Tank bottoms (leaded) from	Benzene	71-43-2	0.14	10
	the petroleum refining	Benzo(a)pyrene	50-32-8	0.061	3.4
	industry.	o-Cresol	95-48-7	0.11	5.6
		m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
		p-Cresol (difficult to distinguish from m-cresol	106-44-5	0.77	5.6
		2,4-Dimethylphenol	105-67-9	0.036	NA
		Ethylbenzene	100-41-4	0.057	10
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Phenol	108-95-2	0.039	6.2
		Toluene	108-88-3	0.08	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCL
		Cyanides (Total) ⁷	57-12-5	1.2	590
		Lead	7439-92-1	0.69	NA
		Nickel	7440-02-0	NA	11 mg/L TCLP

	s Industrial Waste from Speci	fic Sources			
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K169	Crude oil storage tank	Benz(a)anthracene	56-55-3	0.059	3.4
	sediment from petroleum	Benzene	71-43-2	0.14	10
	refining operations.	Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
		Chrysene	218-01-9	0.059	3.4
		Ethyl benzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	81-05-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene (Methyl Benzene)	108-88-3	0.08	10
		Xylene(s) (Total)	1330-20-7	0.32	30
K170	Clarified slurry oil tank	Benz(a)anthracene	56-55-3	0.059	3.4
	sediment and/or in-line	Benzene	71-43-2	0.14	10
	filter/separation solids from	Benzo(g,h,i)perylene	191-24-2	0.0055	1.8
	petroleum refining	Chrysene	218-01-9	0.059	3.4
	operations.	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Ethyl benzene	100-41-4	0.057	10
		Fluorene	86-73-7	0.059	3.4
		Indeno(1,3,4-cd)pyrene	193-39-5	0.0055	3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	81-05-8	0.059	5.6
		Pyrene	129-00-0	0.067	8.2
		Toluene (Methyl Benzene)	108-88-3	0.08	10
		Xylene(s) (Total)	1330-20-7	0.32	30
K171	Spent Hydrotreating catalyst	Benz(a)anthracene	56-55-3	0.059	3.4
	from petroleum refining	Benzene	71-43-2	0.14	10
	operations, including guard	Chrysene	218-01-9	0.059	3.4
	beds used to desulfurize	Ethyl benzene	100-41-4	0.057	10
	feeds to other catalytic	Naphthalene	91-20-3	0.059	5.6
	reactors (this listing does not include inert support media).	Phenanthrene	81-05-8	0.059	5.6
	metade mert support media).	Pyrene	129-00-0	0.67	8.2
		Toluene (Methyl Benzene)	108-88-3	0.08	10
		Xylene(s) (Total)	1330-20-7	0.32	30
		Arsenic	7740-38-2	1.4	5 mg/L TCLP
		Nickel	7440-02-0	3.98	11.0 mg/L TCLP
		Vanadium	7440-62-2	4.3	1.6 mg/L TCLP
		Reactive sulfides	NA	DEACT	DEACT
K172	Spent Hydrorefining catalyst	Benzene	71-43-2	0.14	10
	from petroleum refining	Ethyl benzene	100-41-4	0.57	10
	operations, including guard	Toluene (Methyl Benzene)	108-88-3	0.08	10
	beds used to desulfurize	Xylene(s) (Total)	1330-20-7	0.32	30
	feeds to other catalytic	Antimony	7740-36-0	1.9	1.15 mg/L TCLP
	reactors (this listing does not include inert support media).	Arsenic	7740-38-2	1.4	5 mg/L TCLP
	include mert support media).	Nickel	7440-02-0	3.98	11.0 mg/L TCLP
		Vanadium	7440-62-2	4.3	1.6 mg/L TCLP
					DEACT

	s Industrial Waste from Speci				
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1 Haz. Waste Number ²	Column 2 Waste	Column 3 Generic Name or other description	Column 4 CAS Number ³	Column 5 Treatment Code ⁴ or Concentration ⁵ (mg/L)	Column 6 Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
Iron and ste	eel:				marcutcu)
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	Antimony Arsenic Barium Beryllium Cadmium Chromium (Total) Lead Mercury	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-43-9 7440-47-3 7439-92-1 7439-97-6	NA NA NA NA 0.69 2.77 0.69 NA	1.15 mg/L TCLP 5.0 mg/L TCLP 21 mg/L TCLP 1.22 mg/L TCLP 0.11 mg/L TCLP 0.60 mg/L TCLP 0.75 mg/L TCLP 0.025 mg/L
		Nickel Selenium Silver Thallium Zinc	7440-02-0 7782-49-2 7440-22-4 7440-28-0 7440-66-6	3.98 NA NA NA NA	TCLP 11 mg/L TCLP 5.7 mg/L TCLP 0.14 mg/L TCLP 0.20 mg/L TCLP 4.3 mg/L TCLP
K062	Spent pickle liquor generated by steel finishing operations within the iron and steel industry at steel works, blast furnaces (including coke ovens), rolling mills, iron and steel foundries, gray and ductile iron foundries, malleable iron foundries, steel investment foundries or other miscellaneous steel foundries or at facilities in the electrometallurgical products (except steel) industry, steel wiredrawing and steel nails and spikes industry, cold-rolled steel sheet, strip and bars industry, or steel pipe and tubes industry.	Chromium (Total) Lead Nickel	7440-47-3 7439-92-1 7440-02-0	2.77 0.69 3.98	0.60 mg/L TCLP 0.75 mg/L TCLP NA
Primary alu	<u>, </u>				
K088	Spent potliners from primary aluminum reduction.	Acenaphthene Anthracene Bemz(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(g,h,i)perylene Chrysene Dibenz(a,h)anthracene Fluoranthene Indeno(1,2,3,-c,d)pyrene Phenanthrene Pyrene Antimony Arsenic	83-32-9 120-12-7 56-55-3 50-32-8 205-99-2 207-08-9 191-24-2 218-01-9 53-70-3 206-44-0 193-39-5 85-01-8 129-00-0 7440-36-0 7440-38-2	0.059 0.059 0.059 0.061 0.11 0.11 0.0055 0.059 0.055 0.068 0.0055 0.059 0.067 1.9	3.4 3.4 3.4 6.8 6.8 1.8 3.4 8.2 3.4 3.4 5.6 8.2 1.15 mg/L TCLP

Hazardou	s Industrial Waste from Speci	fic Sources				
Hazardous Industrial Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
		Beryllium	7440-41-7	0.82	1.22 mg/L TCLP	
		Cadmium	7440-43-9	0.69	0.11 mg/L TCLP	
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
		Lead	7439-92-1	0.69	0.75 mg/L TCLP	
		Mercury	7439-97-6	0.15	0.025 mg/L TCLP	
		Nickel	7440-02-0	3.98	11 mg/L TCLP	
		Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
		Silver	7440-22-4	0.43	0.14 mg/L TCLP	
		Cyanides (Total) ⁷	57-12-5	1.2	590	
		Cyanides (Amenable) ⁷	57-12-5	0.86	30	
		Fluoride	16984-48-8	35	NA	
Secondary						
K069	Emission control dust/sludge	Treatment Subcategory 1				
	from secondary lead	Calcium Sulfate (Low Lead)				
	smelting, not including sludge generated from secondary acid scrubber systems.	Cadmium	7440-43-9	0.69	0.11 mg/L TCLP	
		Lead	7439-92-1	0.69	0.75 mg/L TCLP	
		Treatment Subcategory 2				
		Non- Calcium Sulfate (High Lead)	<u> </u>	+	<u> </u>	
		Non- Calcium Sulfate (High Lead)	NA	NA	RLEAD	
K100	Waste leaching solution	Cadmium	7440-43-9	0.69	0.11 mg/L TCLP	
	from acid leaching of emission control dust/sludge	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
	from secondary lead smelting.	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
Veterinary	pharmaceuticals:		•	•	•	
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organoarsenic compounds.	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
K101	Distillation tar residues from	o-Nitroaniline	88-74-4	0.27	14	
	the distillation of	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
	anilinebased compounds in the production of veterinary	Cadmium	7440-43-9	0.69	NA	
	pharmaceuticals from	Lead	7439-92-1	0.69	NA	
	arsenic or organoarsenic compounds.	Mercury	7439-97-6	0.15	NA	
K102	Residue from the use of	o-Nitrophenol	88-75-5	0.028	13	
	activated carbon for	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
	decolourization in the	Cadmium	7440-43-9	0.69	NA	
	production of veterinary	Lead	7439-92-1	0.69	NA	
	pharmaceuticals from arsenic or organoarsenic compounds.	Mercury	7439-97-6	0.15	NA	

Hazardous Industrial Waste		ific Sources Regulated Constituents		Land Disposal Treatment	
		(and Treatment Subcategories ¹)		Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code or Concentration ⁶ (mg/kg, unless otherwise indicated)
Ink formul		T .	T	T	T
K086	Solvent washes and sludges,	Acetone	67-64-1	0.28	160
	caustic washes and sludges,	Acetophenone	96-86-2	0.01	9.7
	or water washes and sludges from cleaning tubs and	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
	equipment used in the	n-Butyl alcohol	71-36-3	5.6	2.6
	formulation of ink from	Butylbenzyl phthalate	85-68-7	0.017	28
	pigments, driers, soaps, and	Cyclohexanone	108-94-1	0.36	NA
	stabilizers containing	o-Dichlorobenzene	95-50-1	0.088	6.0
	chromium and lead.	Diethyl phthalate	84-66-2	0.2	28
		Dimethyl phthalate	131-11-3	0.047	28
		Di-n-butyl phthalate	84-74-2	0.057	28
		Di-n-octyl phthalate	117-84-0	0.017	28
		Ethyl acetate	141-78-6	0.34	33
		Ethylbenzene	100-41-4	0.057	10
		Methanol	67-56-1	5.6	NA
		Methyl ethyl ketone	78-93-3	0.28	36
		Methyl isobutyl ketone	108-10-1	0.14	33
		Methylene chloride	75-09-2	0.089	30
		Naphthalene	91-20-3	0.059	5.6
		Nitrobenzene	98-95-3	0.068	14
		Toluene	108-88-3	0.08	10
		1,1,1-Trichloroethane	71-55-6	0.054	6.0
		Trichloroethylene	79-01-6	0.054	6.0
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCL
		Cyanides (Total) ⁷	57-12-5	1.2	590
C 1:		Lead	7439-92-1	0.69	0.75 mg/L TCL
Coking:		I p	71 42 2	0.14	1.0
K060	Ammonia still lime sludge from coking operations.	Benzene	71-43-2	0.14	10
	from coking operations.	Benzo(a)pyrene	50-32-8 91-20-3	0.061	3.4
		Naphthalene		0.059	5.6
		Phenol	108-95-2 57-12-5	0.039	6.2
K087	Decanter tank tar sludge	Cyanides (Total) ⁷		1.2	590
KU8/	from coking operations.	Acenaphthylene	208-96-8	0.059	3.4
	from coking operations.	Benzene	71-43-2	0.14	10
		Chrysene	218-01-9	0.059	3.4
		Fluoranthene	206-44-0 193-39-5	0.068 0.0055	3.4
		Indeno(1,2,3-cd)pyrene			3.4
		Naphthalene	91-20-3	0.059	5.6
		Phenanthrene	85-01-8	0.059	5.6
		Toluene	108-88-3	0.08	10
		Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
		Lead	7439-92-1	0.69	0.75 mg/L TCL

Hazardous Industrial Waste		Regulated Constituents		Land Disposal Treatment	
		(and Treatment Subcategories ¹)		Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
K141	Process residues from the	Benzene	71-43-2	0.14	10
	recovery of coal tar,	Benz(a)anthracene	56-55-3	0.059	3.4
	including, but not limited to,	Benzo(a)pyrene	50-2-8	0.061	3.4
	collecting sump residues from the production of coke	Benzo(b)fluoranthene (difficult to	205-99-2	0.11	6.8
	from coal or the recovery of coke by-products produced	distinguish from benzo(k)fluoranthene) Benzo(k)fluoranthene (difficult to	207-08-9	0.11	6.8
	from coal. This listing does	distinguish from benzo(b)fluoranthene)	210.01.0	0.050	2.4
	not include K087 (decanter	Chrysene	218-01-9	0.059	3.4
	tank tar sludges from coking	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
17.1.40	operations).	Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
K142	Tar storage tank residues from the production of coke	Benzene	71-43-2	0.14	10
	from coal or from the	Benz(a)anthracene	56-55-3	0.059	3.4
	recovery of coke by-	Benzo(a)pyrene	50-32-8 205-99-2	0.061	3.4
	products produced from coal.	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)		0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene Dibenz(a,h)anthracene	218-01-9 53-70-3	0.059 0.055	3.4 8.2
			193-39-5		3.4
K143	Draggag regidues from the	Indeno(1,2,3-cd)pyrene Benzene	71-43-2	0.0055 0.14	10
K143	Process residues from the recovery of light oil, including, but not limited to,	Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene	50-32-8	0.061	3.4
	those generated in stills, decanters, and wash oil	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
	recovery units from the recovery of coke by-	Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
	products produced from coal.	Chrysene	218-01-9	0.059	3.4
K144	Wastewater sump residues	Benzene	71-43-2	0.14	10
	from light oil refining,	Benz(a)pyrene	56-55-3	0.059	3.4
	including, but not limited to,	Benzo(a)anthracene	50-32-8	0.061	3.4
	intercepting or contamination sump sludges from the recovery of coke	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
	by-products produced from coal.	Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
774.45		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
K145	Residues from naphthalene	Benzene	71-43-2	0.14	10
	collection and recovery operations from the recovery	Benz(a)anthracene	56-55-3	0.059	3.4
	of coke by-products	Benzo(a)pyrene	50-32-8	0.061	3.4
	produced from coal.	Chrysene	218-01-9	0.059	3.4
	_	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
V147	Townstown or towns and a second	Naphthalene	91-20-3	0.059	5.6
K147	Tar storage tank residues from coal tar refining.	Benzene Benze(a)anthresene	71-43-2	0.14	10
	Hom coar tar remning.	Benz(a)anthracene	56-55-3	0.059	3.4
		Benzo(a)pyrene Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	50-32-8 205-99-2	0.061	3.4 6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Cinysone	210-01-J	0.007	J.T

Hazardous	Industrial Waste from Speci	fic Sources			
Hazardous	Industrial Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal T Requirements	reatment
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4
K148	Residues from coal tar	Benz(a)anthracene	56-55-3	0.059	3.4
	distillation, including but not	Benzo(a)pyrene	50-32-8	0.061	3.4
	limited to, still bottoms.	Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8
		Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8
		Chrysene	218-01-9	0.059	3.4
		Dibenz(a,h)anthracene	53-70-3	0.055	8.2
		Indeno(1,2,3-cd)pyrene	193-39-5	0.0055	3.4

Notes to Schedule 1:

- (1) A hazardous waste monofill containing only K175 wastes that meet all applicable Schedule 1 treatment standards; or
- (2) A dedicated hazardous waste landfill cell in which all other wastes being co-disposed are at pH \leq 6.0.

¹ Treatment subcategories are shown for some wastes. In these cases, it is necessary to identify the treatment subcategory that most closely describes the particular waste for which treatment is required. The land disposal treatment requirements for that waste are those shown for that treatment subcategory.

² Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

³ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

⁴ See Schedule 7 for a description of the treatment methods and treatment standards associated with each treatment code. In some cases, the entries in this Schedule may set out more than one treatment code for a regulated constituent. An entry may permit a choice of treatment methods. For example, the entry "CHOXD; BIODG; or CMBST" means that the waste may be treated using any of the treatment methods that are set out for those treatment codes in Schedule 7. An entry may require treatment methods to be applied in a particular sequence. For this purpose, the abbreviation "fb" means "followed by". For example, the entry "CHOXD fb CARBN" means that the waste must first be treated using the treatment method that is set out for CHOXD in Schedule 7 and, following that treatment, it must be treated using the treatment method that is set out for CARBN in Schedule 7. An entry may combine a choice of treatment methods and a requirement to apply treatment methods in a particular sequence (for example, "(WETOX or CHOXD) fb CARBN; or CMBST").

⁵ Concentration requirements for aqueous wastes are based on analysis of composite samples.

⁶ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

⁷ Both Cyanides (Total) and Cyanides (Amenable) for non-aqueous wastes are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods", United States Environmental Protection Agency Publication SW–846, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

⁸ For these wastes, the treatment method described by the CMBST treatment code must be carried out at a facility that is authorized through a Certificate of Approval to treat these types of waste.

⁹ Resource Conservation and Recovery Act (RCRA), United States Congress, 42 U.S.C. s/s 6901 et seq. (1976), Subtitle C, Code of Federal Regulations, 40CFR, Chapter I - Environmental Protection Agency, Subchapter I - Solid Wastes, Part 261 - Identification and Listing of Hazardous Waste.

¹⁰ K175 non-aqueous wastes that have been treated in compliance with Schedule 1 land disposal treatment requirements must also be macroencapsulated in accordance with Schedule 8 (Alternative Treatment for Hazardous Debris), unless the waste is placed in:

23. Schedule 1.1 to the Regulation is revoked and the following substituted:

SCHEDULE 1.1 EXEMPT HAZARDOUS INDUSTRIAL WASTES

Industry and Site	Waste
ICI Canada Inc., Cornwall	Brine purification muds (K071), saturator and clarifier sludges only, without mixing with other wastes or materials) generated from mercury cells at the chloralkali chlorine plant.
Iron and steel industry, any site	Sludge generated by lime stabilization of spent pickle liquor (K062) generated by steel finishing operations within the iron and steel industry at steel works, blast furnaces (including coke ovens), rolling mills, iron and steel foundries, gray and ductile iron foundries, malleable iron foundries, steel investment foundries or other miscellaneous steel foundries or at facilities in the electrometallurgical products (except steel) industry, steel wiredrawing and steel nails and spikes industry, cold-rolled steel sheet, strip and bars industry, or steel pipe and tubes industry.
Iron and steel industry, any site	Nonwastewater residues, such as slag, resulting from high temperature metals recovery (HTMR) processing of K061 or K062 waste, in units identified as rotary kilns, flame reactors, electric furnaces, plasma arc furnaces, slag reactors, rotary hearth furnace/electric furnace combinations or industrial furnaces.
Electroplating industry, any site	Nonwastewater residues, such as slag, resulting from high temperature metals recovery (HTMR) processing of F006 waste, in units identified as rotary kilns, flame reactors, electric furnaces, plasma are furnaces, slag reactors, rotary hearth furnace/electric furnace combinations or industrial furnaces.
Organic chemical industry, any site	Biological treatment sludge from the treatment of organic waste (K156) and wastewaters (K157) from the production of carbamates and carbamoyl oximes.
Petroleum refining industry, any site	Catalyst inert support media separated from spent hydrotreating catalyst (K171) or spent hydrorefining catalyst (K172).

24. Schedule 2 to the Regulation is revoked and the following substituted:

SCHEDULE 2 — PART A ACUTE HAZARDOUS WASTE CHEMICAL

Acute Hazardous Waste Chemical			Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P026	5344-82-1	1-(o- Chlorophenyl)thiourea	1-(o- Chlorophenyl)thiourea	5344-82-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P081	55-63-0	1,2,3-Propanetriol, trinitrate	Nitroglycerin	55-63-0	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P042	51-43-4	1,2-Benzenediol,4-[1-hydroxy-2-(methylamino)ethyl]-	Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P067	75-55-8	1,2-Propylenimine	2-Methyl-aziridine	75-55-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P185	26419-73-8	1,3-Dithiolane-2- carboxaldehyde, 2,4- dimethyl-, O- [(methylamino)- carbonyl]oxime	Tirpate	26419-73-8	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 0.28
P004	309-00-2	1,4,5,8- Dimethanonaphthalene ,1,2,3,4,10,10-hexa- chloro-1,4,4a,5,8,8a,- hexahydro-, (1alpha,4alpha, 4abeta, 5alpha,8alpha,8abeta)	Aldrin	309-00-2	0.021	0.066

Acute Haz	ardous Waste Ch	nemical	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P060	465-73-6	1,4,5,8- Dimethanonaphthalene ,1,2,3,4,10,10-hexa- chloro-1,4,4a,5,8,8a- hexahydro-, (1alpha,4alpha, 4abeta, 5beta, 8beta, 8abeta)-	Isodrin	465-73-6	0.021	0.066
P002	591-08-2	1-Acetyl-2-thiourea	1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P048	51-28-5	2,4-Dinitrophenol	2,4-Dinitrophenol	51-28-5	0.12	160
P051	72-20-8	2,7:3,6-	Endrin	72-20-8	0.0028	0.13
		Dimethanonaphth [2,3-b]oxirene, 3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-,(1aalpha,2beta,2abeta,3alpha,6alpha,6abeta,7beta, 7aalpha)-,& metabolites	Endrin aldehyde	7421-93-4	0.025	0.13
P037	60-57-1	2,7:3,6- Dimethanonaphth[2,3- b]oxirene,3,4,5,6,9,9- hexachloro- 1a,2,2a,3,6,6a,7,7a- octahydro-, (1aalpha,2beta,2aalpha ,3beta,6beta,6a alpha,7beta, 7aalpha)- [b]oxirene, 3,4,5,6,9,9- hexachloro-	Dieldrin	60-57-1	0.017	0.13
P045	39196-18-4	2-Butanone,3,3- dimethyl-1- methylthio)-,O- [methylamino)carbony 1] oxime	Thiofanox	39196-18-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P034	131-89-5	2-Cyclohexyl-4,6- dinitrophenol	2-Cyclohexyl-4,6- dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P001	81-81-2	2H-1-Benzopyran-2- one, 4-hydroxy-3-(3- oxo-1-phenylbutyl)-, & salts, when present at concentrations greater than 0.3%	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P069	75-86-5	2-Methyllactonitrile	2-Methyllactonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P017	598-31-2	2-Propanone, 1-bromo-	Bromoacetone	598-31-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P005	107-18-6	2-Propen-1-ol	Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Acute Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
	· ·				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P003	107-02-8	2-Propenal	Acrolein	107-02-8	0.29	CMBST
P102	107-19-7	2-Propyn-1-ol	Propargyl alcohol	107-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P007	2763-96-4	3(2H)-Isoxazolone, 5- (aminomethyl)-	5-Aminomethyl 3- isoxazolol	2763-96-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P027	542-76-7	3-Chloropropionitrile	3-Chloropropionitrile	542-76-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P202	64-00-6	3-Isopropylphenyl N- methylcarbamate	m-Cumenyl methylcarbamate	64-00-6	0.056	1.4
P047	534-52-1	4,6-Dinitro-o-cresol, &	Treatment Subcategor	y 1		
		salts	4,6-Dinitro-o-cresol:			
			4,6-Dinitro-o-cresol	543-52-1	0.28	160
			Treatment Subcategor			
			4,6-Dinitro-o-cresol salt		T	T
		4,6-Dinitro-o-cresol salts	NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P059	76-44-8	4,7-Methano-1H-	Heptachlor	76-44-8	0.0012	0.066
		indene, 1,4,5,6,7,8,8- heptachloro-3a,4,7,7a- tetrahydro-	Heptachlor epoxide	1024-57-3	0.016	0.066
P008	504-24-5	4-Aminopyridine	4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P008	504-24-5	4-Pyridinamine	4-Aminopyridine	504-24-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P007	2763-96-4	5-(Aminomethyl)-3- isoxazolol	5-Aminomethyl 3- isoxazolol	2763-96-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P050	115-29-7	6,9-Methano-2,4,3-	Endosulfan I	939-98-8	0.023	0.066
		benzodioxathiepin,	Endosulfan II	33213-6-5	0.029	0.13
		6,7,8,9, 10,10- hexachloro- 1,5,5a,6,9,9a-	Endosulfan sulfate	1031-07-8	0.029	0.13
		hexahydro-, 3-oxide				
P127	1563-66-2	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-, methylcarbamate	Carbofuran	1563-66-2	0.006	0.14
P088	145-73-3	7- Oxabicyclo[2.2.1]hept ane-2,3-dicarboxylic acid	Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P023	107-20-0	Acetaldehyde, chloro-	Chloroacetaldehyde	107-20-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Acute Haz	ardous Waste C	hemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P057	640-19-7	Acetamide, 2-fluoro-	Fluoroacetamide	640-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P002	591-08-2	Acetamide, N- (aminothioxomethyl)-	1-Acetyl-2-thiourea	591-08-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P058	62-74-8	Acetic acid, fluoro-, sodium salt	Fluoroacetic acid, sodium salt	62-74-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P003	107-02-8	Acrolein	Acrolein	107-02-8	0.29	CMBST
P070	116-06-3	Aldicarb	Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P203	1646-88-4	Aldicarb sulfone	Aldicarb sulfone	1646-88-4	0.056	0.28
P004	309-00-2	Aldrin	Aldrin	309-00-2	0.021	0.066
P005	107-18-6	Allyl alcohol	Allyl alcohol	107-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P046	122-09-8	alpha,alpha- Dimethylphenethylami ne	alpha, alpha- Dimethylphenethylami ne	122-09-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P072	86-88-4	alpha- Naphthylthiourea	1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P006	20859-73-8	Aluminum phosphide	Aluminum phosphide	20859-73-8	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P009	131-74-8	Ammonium picrate	Ammonium picrate	131-74-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P119	7803-55-6	Ammonium vanadate	Vanadium (measured in aqueous wastes only)	7440-62-2	4.3	STABL
P099	506-61-6	Argentate(1-),	Cyanides (Total) ⁷	57-12-5	1.2	590
		bis(cyano-C)-,	Cyanides (Amenable) ⁷	57-12-5	0.86	30
		potassium	Silver	7440-22-4	0.43	0.14 mg/L TCLP
P010	7778-39-4	Arsenic acid H ₃ AsO ₄	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P012	1327-53-3	Arsenic oxide As ₂ O ₃	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P011	1303-28-2	Arsenic oxide As ₂ O ₅	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P011	1303-28-2	Arsenic pentoxide	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P012	1327-53-3	Arsenic trioxide	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P038	692-42-2	Arsine, diethyl-	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P036	696-28-6	Arsonous dichloride, phenyl-	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P054	151-56-4	Aziridine	Aziridine	151-56-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P067	75-55-8	Aziridine, 2-methyl-	2-Methyl-aziridine	75-55-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Acute Hazardous Waste Chemical		hemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
P013	542-62-1	Barium cyanide	Barium	7440-39-3	NA	21 mg/L TCLP	
			Cyanides (Total) ⁷	57-12-5	1.2	590	
			Cyanides (Amenable) ⁷	57-12-5	0.86	30	
P024	106-47-8	Benzenamine, 4- chloro-	p-Chloroaniline	106-47-8	0.46	16	
P077	100-01-6	Benzenamine, 4-nitro-	p-Nitroaniline	100-01-6	0.028	28	
P028	100-44-7	Benzene, (chloromethyl)-	Benzyl chloride	100-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P046	122-09-8	Benzeneethanamine, alpha,alpha-dimethyl-	alpha, alpha- Dimethylphenethylami ne	122-09-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P014	108-98-5	Benzenethiol	Thiophenol (Benzene thiol)	108-98-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P188	57-64-7	Benzoic acid, 2-hydroxy-, compd. With (3aS-cis)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo[2,3-b]indol-5-yl methylcarbamate ester (1:1)	Physostigmine salicylate	57-64-7	0.056	1.4	
P028	100-44-7	Benzyl chloride	Benzyl chloride	100-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P015	7440-41-7	Beryllium powder	Beryllium	7440-41-7	RMETL; or RTHRM	RMETL; or RTHRM	
P017	598-31-2	Bromoacetone	Bromoacetone	598-31-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P018	357-57-3	Brucine	Brucine	357-57-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P021	592-01-8	Calcium cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590	
			Cyanides (Amenable) ⁷	57-12-5	0.86	30	
P021	592-01-8	Calcium cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590	
		Ca(CN) ₂	Cyanides (Amenable) ⁷	57-12-5	0.86	30	
P189	55285-14-8	Carbamic acid, [(dibutylamino)- thio]methyl-, 2,3- dihydro-2,2-dimethyl- 7-benzofuranyl ester	Carbosulfan	55285-14-8	0.028	1.4	
P191	644-64-4	Carbamic acid, dimethyl-, 1- [(dimethyl- amino)carbonyl]- 5- methyl-1H- pyrazol-3- yl este	Dimetilan	644-64-4	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4	
P190	1129-41-5	Carbamic acid, methyl-, 3- methylphenyl ester	Metolcarb	1129-41-5	0.056	1.4	

Acute Hazardous Waste Chemical		nemical	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
Column 1	Column 2	Column 3	Column 4	Column 5	Aqueous Waste Column 6	Non-aqueous Waste Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P192	119-38-0	Carbamic acid,dimethyl-,3- methyl-1- (1methylethyl)-1H- pyrazol-5-yl ester	Isolan	119-38-0	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
P127	1563-66-2	Carbofuran	Carbofuran	1563-66-2	0.006	0.14
P022	75-15-0	Carbon disulfide	Carbon disulfide	75-15-0	3.8	CMBST or 4.8 mg/L TCLP
P095	75-44-5	Carbonic dichloride	Phosgene	75-44-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P189	55285-14-8	Carbosulfan	Carbosulfan	55285-14-8	0.028	1.4
P023	107-20-0	Chloroacetaldehyde	Chloroacetaldehyde	107-20-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P029	544-92-3	Copper cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
P029	544-92-3	Copper cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
		Cu(CN)	Cyanides (Amenable) ⁷	57-12-5	0.86	30
P030	N/A	Cyanides (soluble	Cyanides (Total) ⁷	57-12-5	1.2	590
		cyanide salts), not	Cyanides (Amenable) ⁷	57-12-5	0.86	30
		otherwise specified				
P031	460-19-5	Cyanogen	Cyanogen	460-19-5	CHOXD: WETOX; or CMBST	CHOXD: WETOX; or CMBST
P033	506-77-4	Cyanogen chloride	Cyanogen chloride	506-77-4	CHOXD: WETOX; or CMBST	CHOXD: WETOX; or CMBST
P033	506-77-4	Cyanogen chloride (CN)Cl	Cyanogen chloride	506-77-4	CHOXD: WETOX; or CMBST	CHOXD: WETOX; or CMBST
P016	542-88-1	Dichloromethyl ether	Dichloromethyl ether	542-88-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P036	696-28-6	Dichlorophenylarsine	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P037	60-57-1	Dieldrin	Dieldrin	60-57-1	0.017	0.13
P038	692-42-2	Diethylarsine	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
P041	311-45-5	Diethyl-p-nitrophenyl phosphate	Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or CMBST	CMBST
P043	55-91-4	Diisopropylfluorophos phate (DFP)	Diisopropylfluorophos phate (DFP)	55-91-4	CARBN; or CMBST	CMBST
P044	60-51-5	Dimethoate	Dimethoate	60-51-5	CARBN; or CMBST	CMBST
P191	644-64-4	Dimetilan	Dimetilan	644-64-4	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
P020	88-85-7	Dinoseb	2-sec-Butyl-4,6- dinitrophenol (Dinoseb)	88-85-7	0.066	2.5
P085	152-16-9	Diphosphoramide, octamethyl-	Octamethylpyrophosp horamide	152-16-9	CARBN; or CMBST	CMBST
P111	107-49-3	Diphosphoric acid, tetraethyl ester	Tetraethylpyrophospha te	107-49-3	CARBN; or CMBST	CMBST
P039	298-04-4	Disulfoton	Disulfoton	298-04-4	0.017	6.2

Acute Haz	Acute Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P049	541-53-7	Dithiobiuret	Dithiobiuret	541-53-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P050	115-29-7	Endosulfan	Endosulfan I	939-98-8	0.023	0.066
			Endosulfan II	33213-6-5	0.029	0.13
			Endosulfan sulfate	1031-07-8	0.029	0.13
P088	145-73-3	Endothall	Endothall	145-73-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P051	72-20-8	Endrin	Endrin	72-20-8	0.0028	0.13
			Endrin aldehyde	7421-93-4	0.025	0.13
P051	72-20-8	Endrin, & metabolites	Endrin	72-20-8	0.0028	0.13
			Endrin aldehyde	7421-93-4	0.025	0.13
P042	51-43-4	Epinephrine	Epinephrine	51-43-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P031	460-19-5	Ethanedinitrile	Cyanogen	460-19-5	CHOXD: WETOX; or CMBST	CHOXD: WETOX; or CMBST
P194	23135-22-0	Ethanimidothioc acid, 2-(dimethylamino)-N- [[(methylamino)carbon yl]oxy]-2-oxo-, methyl ester	Oxamyl	23135-22-0	0.056	0.28
P066	16752-77-5	Ethanimidothioic acid, N- [[(methylamino)carbon yl]oxy]-,methyl ester	Methomyl	16752-77-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P101	107-12-0	Ethyl cyanide	Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
P054	151-56-4	Ethyleneimine	Aziridine	151-56-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P097	52-85-7	Famphur	Famphur	52-85-7	0.017	15
P056	7782-41-4	Fluorine	Fluoride (measured in aqueous wastes only)	16984-48-8	35	ADGAS fb NEUTR
P057	640-19-7	Fluoroacetamide	Fluoroacetamide	640-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P058	62-74-8	Fluoroacetic acid, sodium salt	Fluoroacetic acid, sodium salt	62-74-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P198	23422-53-9	Formetanate hydrochloride	Formetanate hydrochloride	23422-53-9	0.056	1.4
P197	17702-57-7	Formparanate	Formparante	17702-57-7	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4

Acute Haz	ardous Waste Cl	nemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Trea	tment Requirements
			`	,	Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description		Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P065	628-86-4	Fulminic acid,	Treatment Subcategor	y 1		
		mercury(2+) salt	Mercury fulminate non-			
			that are not incinerator i			
			Mercury	7439-97-6	NA	IMERC
			Treatment Subcategor			
			Mercury fulminate non- residues from RMERC; mercury:	aqueous wastes t and contain grea	hat are either incinerate ter than or equal to 26	or residues or are 0 mg/kg total
			Mercury	7439-97-6	NA	RMERC
			Treatment Subcategor		1	
			Mercury fulminate non-	aqueous wastes t	hat are residues from I	RMERC and contain
			less than 260 mg/kg tota	al mercury:		
			Mercury	7439-97-6	NA	0.20 mg/L TCLP
			Treatment Subcategor Mercury fulminate non- than 260 mg/kg total me	aqueous wastes t	hat are incinerator resi	dues and contain less
			Mercury	7439-97-6	NA	0.025 mg/L TCLP
			Treatment Subcategor	y 5	.	J
			All mercury fulminate a			
			Mercury	7439-97-6	0.15	NA
P059	76-44-8	Heptachlor	Heptachlor	76-44-8	0.0012	0.066
			Heptachlor epoxide	1024-57-3	0.016	0.066
P062	757-58-4	Hexaethyl tetraphosphate	Hexaethyl tetraphosphate	757-58-4	CARBN; or CMBST	CMBST
P068	60-34-4	Hydrazine, methyl-	Methyl hydrazine	60-34-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P116	79-19-6	Hydrazinecarbothioam ide	Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P063	74-90-8	Hydrocyanic acid	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
P063	74-90-8	Hydrogen cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
P096	7803-51-2	Hydrogen phosphide	Phosphine	7803-51-2	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P060	465-73-6	Isodrin	Isodrin	465-73-6	0.021	0.066
P192	119-38-0	Isolan	Isolan	119-38-0	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
P196	15339-36-3	Manganese dimethyl dithiocarbamate	Dithiocarbamates (total)	NA	BIODG; CARBN; CHOXD; CMBST or 0.028	CMBST or 28
P196	15339-36-3	Manganese,bis(dimeth ylcarbamodithioato-S,S')-	Dithiocarbamates (total)	NA	BIODG; CARBN; CHOXD; CMBST or 0.028	CMBST or 28
P202	64-00-6	M-Cumenyl methylcarbamate	m-Cumenyl methylcarbamate	64-00-6	0.056	1.4
P065	628-86-4	Mercury fulminate	See Fulminic acid, merc	cury(2+) salt		

Acute Haz	ardous Waste Cl	hemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P092	62-38-4	Mercury, (acetato-	Treatment Subcategor		1	,
		O)phenyl-	Phenyl mercuric acetate	non-aqueous was	stes, regardless of their	r total mercury
			content, that are not inc			
			Mercury Treatment Subcategor	7439-97-6	NA	IMERC; or RMERC
			Phenyl mercuric acetate are residues from RME mercury:	non-aqueous was		
			Mercury	7439-97-6	NA	RMERC
			Treatment Subcategor			n n en e
			Phenyl mercuric acetate contain less than 260 m			rom RMERC and
			Mercury	7439-97-6	NA	0.20 mg/L TCLP
			Treatment Subcategor		1111	0.20 mg/E 1 CE1
			Phenyl mercuric acetate	non-aqueous was	stes that are incinerato	r residues and
			contain less than 260 m			,
			Mercury	7439-97-6	NA	0.025 mg/L TCLP
			Treatment Subcategor			
			All phenyl mercuric ace Mercury	7439-97-6	0.15	NIA
P082	62-75-9	Methanamine, N-	N-	62-75-9	0.13	NA 2.3
1 002	02-73-7	methyl-N-nitroso-	Nitrosodimethylamine	02-73-7	0.4	2.3
P064	624-83-9	Methane, isocyanato-	Isocyanic acid, ethyl ester	624-83-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P016	542-88-1	Methane, oxybis[chloro-	Dichloromethyl ether	542-88-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P112	509-14-8	Methane, tetranitro-	Tetranitromethane	509-14-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P118	75-70-7	Methanethiol, trichloro-	Trichloromethanethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P197	17702-57-7	Methanimidamide,N,N -dimethyl-N'-[2-methyl-4- [[(methylamino)carbon yl]oxy]phenyl]-	Formparante	17702-57-7	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
P198	23422-53-9	Methanimidamide,N,N -dimethyl-N'-[3- [[(methylamino)- carbonyl]oxy]phenyl]-, monohydrochloride	Formetanate hydrochloride	23422-53-9	0.056	1.4
P199	2032-65-7	Methiocarb	Methiocarb	2032-65-7	0.056	1.4
P066	16752-77-5	Methomyl	Methomyl	16752-77-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P068	60-34-4	Methyl hydrazine	Methyl hydrazine	60-34-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST

Acute Hazardous Waste Chemical		hemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste	
Column 1		Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
P064	624-83-9	Methyl isocyanate	Isocyanic acid, ethyl ester	624-83-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P071	298-00-0	Methyl parathion	Methyl parathion	298-00-0	0.014	4.6	
P190	1129-41-5	Metolcarb	Metolcarb	1129-41-5	0.056	1.4	
P128	315-18-4	Mexacarbate	Mexacarbate	315-18-4	0.056	1.4	
P073	13463-39-3	Nickel carbonyl	Nickel	7440-02-0	3.98	11 mg/L TCLP	
P073	13463-39-3	Nickel carbonyl Ni(CO) ₄ ,(T-4)-	Nickel	7440-02-0	3.98	11 mg/L TCLP	
P074	557-19-7	Nickel cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590	
			Cyanides (Amenable) ⁷	57-12-5	0.86	30	
			Nickel	7440-02-0	3.98	11 mg/L TCLP	
P074	557-19-7	Nickel cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590	
		$Ni(CN)_2$	Cyanides (Amenable) ⁷	57-12-5	0.86	30	
			Nickel	7440-02-0	3.98	11 mg/L TCLP	
P075	54-11-5	Nicotine, & salts	Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P076	10102-43-9	Nitric oxide	Nitric oxide	10102-43-9	ADGAS	ADGAS	
P078	10102-44-0	Nitrogen dioxide	Nitrogen dioxide	10102-44-0	ADGAS	ADGAS	
P076	10102-43-9	Nitrogen oxide NO	Nitric oxide	10102-43-9	ADGAS	ADGAS	
P078	10102-44-0	Nitrogen oxide NO ₂	Nitrogen dioxide	10102-44-0	ADGAS	ADGAS	
P081	55-63-0	Nitroglycerine	Nitroglycerin	55-63-0	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
P082	62-75-9	N- Nitrosodimethylamine	N- Nitrosodimethylamine	62-75-9	0.4	2.3	
P084	4549-40-0	N- Nitrosomethylvinylami ne	N- Nitrosomethylvinylami ne	4549-40-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P040	297-97-2	O,O-Diethyl O- pyrazinyl phosphorothioate	0,0-Diethyl O- pyrazinyl phosphorothioate	297-97-2	CARBN; or CMBST	CMBST	
P085	152-16-9	Octamethylpyrophosp horamide	Octamethylpyrophosp horamide	152-16-9	CARBN; or CMBST	CMBST	
P087	20816-12-0	Osmium oxide OsO ₄ ,(T-4)-	Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM	
P087	20816-12-0	Osmium tetroxide	Osmium tetroxide	20816-12-0	RMETL; or RTHRM	RMETL; or RTHRM	
P194	23135-22-0	Oxamyl	Oxamyl	23135-22-0	0.056	0.28	
P089	56-38-2	Parathion	Parathion	56-38-2	0.014	4.6	
P024	106-47-8	p-Chloroaniline	p-Chloroaniline	106-47-8	0.46	16	
P020	88-85-7	Phenol, 2-(1- methylpropyl)-4,6- dinitro-	2-sec-Butyl-4,6- dinitrophenol (Dinoseb)	88-85-7	0.066	2.5	
P009	131-74-8	Phenol, 2,4,6-trinitro-, ammonium salt	Ammonium picrate	131-74-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
P048	51-28-5	Phenol, 2,4-dinitro-	2,4-Dinitrophenol	51-28-5	0.12	160	
P034	131-89-5	Phenol, 2-cyclohexyl-4,6-dinitro-	2-Cyclohexyl-4,6-dinitrophenol	131-89-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P047	534-52-1	Phenol, 2-methyl-4,6-dinitro-, & salts	See 4,6-Dinitro-o-cresol	l, & salts			

Acute Haz	ardous Waste Cl	nemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P202	64-00-6	Phenol, 3-(1- methylethyl)-, methyl carbamate	m-Cumenyl methylcarbamate	64-00-6	0.056	1.4
P201	2631-37-0	Phenol, 3-methyl-5-(1-methylethyl)-,methyl carbamate	Promecarb	2631-37-0	0.056	1.4
P199	2032-65-7	Phenol,(3,5-dimethyl-4-(methylthio)-,methylcarbamate	Methiocarb	2032-65-7	0.056	1.4
P128	315-18-4	Phenol,4- (dimethylamino)-3,5- dimethyl-, methylcarbamate (ester)	Mexacarbate	315-18-4	0.056	1.4
P092	62-38-4	Phenylmercury acetate	See Mercury, (acetato-0			
P093	103-85-5	Phenylthiourea	Phenylthiourea	103-85-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P094	298-02-2	Phorate	Phorate	298-02-2	0.021	4.6
P095	75-44-5	Phosgene	Phosgene	75-44-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P096	7803-51-2	Phosphine	Phosphine	7803-51-2	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P041	311-45-5	Phosphoric acid, diethyl 4-nitrophenyl ester	Diethyl-p-nitrophenyl phosphate	311-45-5	CARBN; or CMBST	CMBST
P094	298-02-2	Phosphorodithioic acid, O,O-diethyl S- [(ethylthio)methyl] ester	Phorate	298-02-2	0.021	4.6
P039	298-04-4	Phosphorodithioic acid, O,O-diethyl S-[2- (ethylthio)ethyl] ester	Disulfoton	298-04-4	0.017	6.2
P044	60-51-5	Phosphorodithioic acid,O,O-dimethylS- [2-(methylamino)-2- oxoethyl] ester	Dimethoate	60-51-5	CARBN; or CMBST	CMBST
P043	55-91-4	Phosphorofluoridic acid, bis(1-methylethyl) ester	Diisopropylfluorophos phate (DFP)	55-91-4	CARBN; or CMBST	CMBST
P071	298-00-0	Phosphorothioic acid, O,O,-dimethyl O-(4- nitrophenyl) ester	Methyl parathion	298-00-0	0.014	4.6
P089	56-38-2	Phosphorothioic acid, O,O-diethyl O-(4- nitrophenyl) ester	Parathion	56-38-2	0.014	4.6
P040	297-97-2	Phosphorothioic acid, O,O-diethyl O- pyrazinyl ester	0,0-Diethyl O- pyrazinyl phosphorothioate	297-97-2	CARBN; or CMBST	CMBST
P097	52-85-7	Phosphorothioic acid, O-[4- [(dimethylamino)sulfo nyl]phenyl] O,O-r dimethyl ester	Famphur	52-85-7	0.017	15
P188	57-64-7	Physostigmine salicylate.	Physostigmine salicylate	57-64-7	0.056	1.4

Acute Hazardous Waste Chemical		nemical	Regulated Constituents (and Treatment Subcate	gories ¹)	Land Disposal Treatment Requirements	
	T	1		1	Aqueous Waste	Non-aqueous Waste
	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P204	57-47-6	Physostigmine.	Physostigmine	57-47-6	0.056	1.4
P110	78-00-2	Plumbane, tetraethyl-	Lead	7439-92-1	0.69	0.75 mg/L TCLP
P077	100-01-6	p-Nitroaniline	p-Nitroaniline	100-01-6	0.028	28
P098	151-50-8	Potassium cyanide	Cyanides (Total) ⁷ Cyanides (Amenable) ⁷	57-12-5 57-12-5	1.2 0.86	590 30
P098	151-50-8	Potassium cyanide	Cyanides (Amenable) Cyanides (Total) ⁷	57-12-5	1.2	590
F U 9 0	131-30-6	K(CN)	Cyanides (Amenable) ⁷	57-12-5	0.86	30
P099	506-61-6	Potassium silver	Cyanides (Total) ⁷	57-12-5	1.2	590
10//	300-01-0	cyanide	Cyanides (Amenable) ⁷	57-12-5	0.86	30
			Silver	7440-22-4	0.43	0.14 mg/L TCLP
P201	2631-37-0	Promecarb	Promecarb	2631-37-0	0.056	1.4
P203	1646-88-4	Propanal,2-methyl-2-	Aldicarb sulfone	1646-88-4	0.056	0.28
		(methyl-sulfonyl)-,O- [(methylamino)carbon yl] oxime		1040-00-4		
P070	116-06-3	Propanal,2-methyl-2- (methylthio)-,O- [(methylamino)carbon yl]oxime	Aldicarb	116-06-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P101	107-12-0	Propanenitrile	Ethyl cyanide (Propanenitrile)	107-12-0	0.24	360
P069	75-86-5	Propanenitrile, 2- hydroxy-2-methyl-	2-Methyllactonitrile	75-86-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P027	542-76-7	Propanenitrile, 3- chloro-	3-Chloropropionitrile	542-76-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P102	107-19-7	Propargyl alcohol	Propargyl alcohol	107-19-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P075	54-11-5	Pyridine, 3-(1-methyl-2-pyrrolidinyl)-, (S)-, & salts	Nicotine and salts	54-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P204	57-47-6	Pyrrolo[2,3-b]indol-5- ol,1,2,3,3a,8,8a- hexahydro-1,3a,8- trimethyl- ,methylcarbamate (ester),(3aS-cis)-	Physostigmine	57-47-6	0.056	1.4
P114	12039-52-0	Selenious acid, dithallium(1+) salt	Selenium	7782-49-2	0.82	5.7 mg/L TCLP
P103	630-10-4	Selenourea	Selenium	7782-49-2	0.82	5.7 mg/L TCLP
P104	506-64-9	Silver cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
			Silver	7440-22-4	0.43	0.14 mg/L TCLP
P104	506-64-9	Silver cyanide Ag(CN)	Cyanides (Total) ⁷	57-12-5	1.2	590
	-	J 3(321)	Cyanides (Amenable) ⁷	57-12-5	0.86	30
			Silver	7440-22-4	0.43	0.14 mg/L TCLP
P105	26628-22-8	Sodium azide	Sodium azide	26628-22-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
P106	143-33-9	Sodium cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
		1	Cyanides (Amenable) ⁷	57-12-5	0.86	30

Acute Hazardous Waste Chemical		hemical	Regulated Constituents (and Treatment Subcategories 1)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste	
	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
P106	143-33-9	Sodium cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590	
		Na(CN)	Cyanides (Amenable) ⁷	57-12-5	0.86	30	
P108	57-24-9	Strychnidin-10-one, & salts	Strychnine and salts	57-24-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P018	357-57-3	Strychnidin-10-one, 2,3-dimethoxy-	Brucine	357-57-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P108	57-24-9	Strychnine, & salts	Strychnine and salts	57-24-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P115	7446-18-6	Sulfuric acid, dithallium(1+) salt	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
P110	78-00-2	Tetraethyl lead	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
P111	107-49-3	Tetraethyl pyrophosphate	Tetraethylpyrophospha te	107-49-3	CARBN; or CMBST	CMBST	
P109	3689-24-5	Tetraethyldithiopyroph osphate	Tetraethyldithiopyroph osphate	3689-24-5	CARBN; or CMBST	CMBST	
P112	509-14-8	Tetranitromethane	Tetranitromethane	509-14-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
P062	757-58-4	Tetraphosphoric acid, hexaethyl ester	Hexaethyl tetraphosphate	757-58-4	CARBN; or CMBST	CMBST	
P113	1314-32-5	Thallic oxide	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
P113	1314-32-5	Thallium oxide Tl ₂ O ₃	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
P114	12039-52-0	Thallium(I) selenite	Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
P115	7446-18-6	Thallium(I) sulfate	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
P109	3689-24-5	Thiodiphosphoric acid, tetraethyl ester	Tetraethyldithiopyroph osphate	3689-24-5	CARBN; or CMBST	CMBST	
P045	39196-18-4	Thiofanox	Thiofanox	39196-18-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P049	541-53-7	Thioimidodicarbonic diamide [(H ₂ N)C(S)] ₂ NH	Dithiobiuret	541-53-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P014	108-98-5	Thiophenol	Thiophenol (Benzene thiol)	108-98-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P116	79-19-6	Thiosemicarbazide	Thiosemicarbazide	79-19-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P026	5344-82-1	Thiourea, (2-chlorophenyl)-	1-(o- Chlorophenyl)thiourea	5344-82-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
P072	86-88-4	Thiourea, 1- naphthalenyl-	1-Naphthyl-2-thiourea	86-88-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	

Acute Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
P093	103-85-5	Thiourea, phenyl-	Phenylthiourea	103-85-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P185	26419-73-8	Tirpate	Tirpate	26419-73-8	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 0.28
P123	8001-35-2	Toxaphene	Toxaphene	8001-35-2	0.0095	2.6
P118	75-70-7	Trichloromethanethiol	Trichloromethanethiol	75-70-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P119	7803-55-6	Vanadic acid, ammonium salt	Vanadium (measured in aqueous wastes only))	7440-62-2	4.3	STABL
P120	1314-62-1	Vanadium oxide, V ₂ O ₅	Vanadium (measured in aqueous wastes only)	7440-62-2	4.3	STABL
P120	1314-62-1	Vanadium pentoxide	Vanadium (measured in aqueous wastes only)	7440-62-2	4.3	STABL
P084	4549-40-0	Vinylamine, N- methyl-N-nitroso-	N- Nitrosomethylvinylami ne	4549-40-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P001	81-81-2	Warfarin, & salts, when present at concentrations greater than 0.3%	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
P121	557-21-1	Zinc cyanide	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
P121	557-21-1	Zinc cyanide Zn(CN) ₂	Cyanides (Total) ⁷	57-12-5	1.2	590
			Cyanides (Amenable) ⁷	57-12-5	0.86	30
P122	1314-84-7	Zinc phosphide Zn ₃ P ₂ , when present at concentrations greater than 10%	Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST
P205	137-30-4	Zinc, bis(dimethylcarbamodi thioato-S,S')-		NA	0.028	28
P205	137-30-4	Ziram	Dithiocarbamates (total)	NA	0.028	28

Notes to Part A of Schedule 2:

¹ Treatment subcategories are shown for some wastes. In these cases, it is necessary to identify the treatment subcategory that most closely describes the particular waste for which treatment is required. The land disposal treatment requirements for that waste are those shown for that treatment subcategory.

² Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

³ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

⁴ See Schedule 7 for a description of the treatment methods and treatment standards associated with each treatment code. In some cases, the entries in this Schedule may set out more than one treatment code for a regulated constituent. An entry may

permit a choice of treatment methods. For example, the entry "CHOXD; BIODG; or CMBST" means that the waste may be treated using any of the treatment methods that are set out for those treatment codes in Schedule 7. An entry may require treatment methods to be applied in a particular sequence. For this purpose, the abbreviation "fb" means "followed by". For example, the entry "CHOXD fb CARBN" means that the waste must first be treated using the treatment method that is set out for CHOXD in Schedule 7 and, following that treatment, it must be treated using the treatment method that is set out for CARBN in Schedule 7. An entry may combine a choice of treatment methods and a requirement to apply treatment methods in a particular sequence (for example, "(WETOX or CHOXD) fb CARBN; or CMBST").

SCHEDULE 2 — PART B HAZARDOUS WASTE CHEMICAL

Hazardous Waste Chemical			Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste	
Column 1		Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
U021	92-87-5	[1,1-Biphenyl]-4,4- diamine	Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U073	91-94-1	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dichloro-	3,3'-Dichlorobenzidine	91-94-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U091	119-90-4	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethoxy-	3,3'- Dimethoxybenzidine	119-90-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U095	119-93-7	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethyl-	3,3'-Dimethylbenzidine	119-93-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U208	630-20-6	1,1,1,2- Tetrachloroethane	1,1,1,2- Tetrachloroethane	630-20-6	0.057	6.0	
U209	79-34-5	1,1,2,2- Tetrachloroethane	1,1,2,2- Tetrachloroethane	79-34-5	0.057	6.0	
U227	79-00-5	1,1,2-Trichloroethane	1,1,2-Trichloroethane	79-00-5	0.054	6.0	
U078	75-35-4	1,1-Dichloroethylene	1,1-Dichloroethylene	75-35-4	0.025	6.0	
U098	57-14-7	1,1-Dimethylhydrazine	1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U207	95-94-3	1,2,4,5- Tetrachlorobenzene	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14	
U085	1464-53-5	1,2:3,4-Diepoxybutane	1,2:3,4-Diepoxybutane	1464-53-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U069	84-74-2	1,2- Benzenedicarboxylic acid, dibutyl ester	Di-n-butyl phthalate	84-74-2	0.057	28	
U088	84-66-2	1,2- Benzenedicarboxylic acid, diethyl ester	Diethyl phthalate	84-66-2	0.20	28	

⁵ Concentration requirements for aqueous wastes are based on analysis of composite samples.

⁶ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

⁷ Both Cyanides (Total) and Cyanides (Amenable) for non-aqueous wastes are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods", United States Environmental Protection Agency Publication SW–846, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

Hazardous	Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
Column 1	Column 2	Column 3	Column 4	Column 5	Aqueous Waste Column 6	Non-aqueous Waste Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U102	131-11-3	1,2- Benzenedicarboxylic acid, dimethyl ester	Dimethyl phthalate	131-11-3	0.047	28
U107	117-84-0	1,2- Benzenedicarboxylic acid, dioctyl ester	Di-n-octyl phthalate	117-84-0	0.017	28
U028	117-81-7	1,2- Benzenedicarboxylic acid,bis(2-ethylhexyl) ester	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
U202	81-07-2	1,2-Benzisothiazol- 3(2H)-one, 1,1- dioxide, & salts	Saccharin	81-07-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U066	96-12-8	1,2-Dibromo-3- chloropropane	1,2-Dibromo-3- chloropropane	96-12-8	0.11	15
U079	156-60-5	1,2-Dichloroethylene	trans-1,2- Dichloroethylene	156-60-5	0.054	30
U099	540-73-8	1,2-Dimethylhydrazine	1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U109	122-66-7	1,2-Diphenylhydrazine	1,2-Diphenylhydrazine	122-66-7	CHOXD; CHRED; CARBN; BIODG; CMBST or 0.087	CHOXD; CHRED; or CMBST
U155	91-80-5	1,2- Ethanediamine,N,N- dimethyl-N'-2- pyridinyl-N'-(2- thienylmethyl)-	Methapyrilene	91-80-5	0.081	1.5
U193	1120-71-4	1,2-Oxathiolane, 2,2-dioxide	1,3-Propane sultone	1120-71-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U142	143-50-0	1,3,4-Metheno-2H-cyclobuta[cd]pentalen-2-one, 1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro-	Kepone	143-50-0	0.0011	0.13
U234	99-35-4	1,3,5-Trinitrobenzene	1,3,5-Trinitrobenzene	99-35-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U182	123-63-7	1,3,5-Trioxane, 2,4,6-trimethyl-	Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U201	108-46-3	1,3-Benzenediol	Resorcinol	108-46-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U364	22961-82-6	1,3-Benzodioxol-4-ol, 2,2-dimethyl-,	Bendiocarb phenol	22961-82-6	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4

Hazardous Waste Chemical		1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U278	22781-23-3	1,3-Benzodioxol-4-ol, 2,2-dimethyl-,methyl carbamate	Bendiocarb	22781-23-3	0.056	1.4
U141	120-58-1	1,3-Benzodioxole, 5- (1-propenyl)-	Isosafrole	120-58-1	0.081	2.6
U203	94-59-7	1,3-Benzodioxole, 5- (2-propenyl)-	Safrole	94-59-7	0.081	22
U090	94-58-6	1,3-Benzodioxole, 5- propyl-	Dihydrosafrole	94-58-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U128	87-68-3	1,3-Butadiene, 1,1,2,3,4,4- hexachloro-	Hexachlorobutadiene	87-68-3	0.055	5.6
U130	77-47-4	1,3-Cyclopentadiene, 1,2,3,4,5,5- hexachloro-	Hexachlorocyclopentadi ene	77-47-4	0.057	2.4
U084	542-75-6	1,3-Dichloropropene	cis-1,3- Dichloropropylene	10061-01-5	0.036	18
			trans-1,3- Dichloropropylene	10061-02-6	0.036	18
U190	85-44-9	1,3- Isobenzofurandione	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85- 44-9	0.055	28
U186	504-60-9	1,3-Pentadiene	1,3-Pentadiene	504-60-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U193	1120-71-4	1,3-Propane sultone	1,3-Propane sultone	1120-71-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U074	764-41-0	1,4-Dichloro-2-butene	cis,1,4-Dichloro-2- butene	1476-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
			trans-1,4-Dichloro-2- butene	764-41-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U108	123-91-1	1,4-Diethyleneoxide	1,4-Dioxane	123-91-1	(WETOX or CHOXD) fb CARBN; or CMBST or 12	CMBST or 170
U108	123-91-1	1,4-Dioxane	1,4-Dioxane	123-91-1	(WETOX or CHOXD) fb CARBN; or CMBST or 12	CMBST or 170
U166	130-15-4	1,4-Naphthalenedione	1,4-Naphthoquinone	130-15-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U166	130-15-4	1,4-Naphthoquinone	1,4-Naphthoquinone	130-15-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U172	924-16-3	1-Butanamine, N- butyl-N-nitroso-	N-Nitrosodi-n- butylamine	924-16-3	0.04	17

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U031	71-36-3	1-Butanol	n-Butyl alcohol	71-36-3	5.6	2.6
U011	61-82-5	1H-1,2,4-Triazol-3- amine	Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U186	504-60-9	1-Methylbutadiene	1,3-Pentadiene	504-60-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U167	134-32-7	1-Naphthalenamine	1-Naphthylamine	134-32-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U279	63-25-2	1-Naphthalenol, methylcarbamate	Carbaryl	63-25-2	0.006	0.14
U194	107-10-8	1-Propanamine	n-Propylamine	107-10-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U111	621-64-7	1-Propanamine, N- nitroso-N-propyl-	Di-n-propylnitrosamine	621-64-7	0.40	14
U110	142-84-7	1-Propanamine, N- propyl-	Dipropylamine	142-84-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U235	126-72-7	1-Propanol, 2,3- dibromo-, phosphate (3:1)	tris-(2,3- Dibromopropyl)- phosphate	126-72-7	0.11	0.10
U140	78-83-1	1-Propanol, 2-methyl-	Isobutyl alcohol	78-83-1	5.6	170
U243	1888-71-7	1-Propene, 1,1,2,3,3,3-hexachloro-	Hexachloropropylene	1888-71-7	0.035	30
U084	542-75-6	1-Propene, 1,3- dichloro-	cis-1,3- Dichloropropylene	10061-01-5	0.036	18
			trans-1,3- Dichloropropylene	10061-02-6	0.036	18
U085	1464-53-5	2,2-Bioxirane	1,2:3,4-Diepoxybutane	1464-53-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
See F027	58-90-2	2,3,4,6- Tetrachlorophenol	See F027 in Schedule 1		•	•
U237	66-75-1	2,4-(1H,3H)- Pyrimidinedione, 5- [bis(2- chloroethyl)amino]-	Uracil mustard	66-75-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
See F027	93-76-5	2,4,5-T	See F027 in Schedule 1		<u> </u>	
	95-95-4	2,4,5-Trichlorophenol	See F027 in Schedule 1			
See F027	88-06-2	2,4,6-Trichlorophenol	See F027 in Schedule 1			
U240	94-75-7	2,4-D, salts & esters	Treatment Subcategory	1		
0210	71/5/	2, 1 12, 54113 & 051015	2,4-D (2,4-Dichlorophene			
			2,4-D(2,4-Dichlorophenoxyacetic acid)	94-75-7	0.72	10
	I.	l .	1	1	I	1

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcateg	ories ¹)	Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
			Treatment Subcategory 2,4-D (2,4-Dichlorophen		ilts and actors:	
			2,4-D (2,4-Dichlorophenoxyacetic acid) salts and esters	NA	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U081	120-83-2	2,4-Dichlorophenol	2,4-Dichlorophenol	120-83-2	0.044	14
U101	105-67-9	2,4-Dimethylphenol	2,4-Dimethylphenol	105-67-9	0.036	14
U105	121-14-2	2,4-Dinitrotoluene	2,4-Dinitrotoluene	121-14-2	0.32	140
U197	106-51-4	2,5-Cyclohexadiene- 1,4-dione	p-Benzoquinone	106-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U147	108-31-6	2,5-Furandione	Maleic anhydride	108-31-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U082	87-65-0	2,6-Dichlorophenol	2,6-Dichlorophenol	87-65-0	0.044	14
U106	606-20-2	2,6-Dinitrotoluene	2,6-Dinitrotoluene	606-20-2	0.55	28
U236	72-57-1	2,7- Naphthalenedisulfonic acid, 3,3'-[(3,3'- dimethyl[1,1'- biphenyl]-4,4'- diyl)bis(azo)bis[5- amino-4-hydroxy]- ,tetrasodium salt	Trypan Blue	72-57-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U005	53-96-3	2-Acetylaminofluorene	2-Acetylaminofluorene	53-96-3	0.059	140
U159	78-93-3	2-Butanone	Methyl ethyl ketone	78-93-3	0.28	36
U160	1338-23-4	2-Butanone, peroxide	Methyl ethyl ketone peroxide	1338-23-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U053	4170-30-3	2-Butenal	Crotonaldehyde	4170-30-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U074	764-41-0	2-Butene, 1,4- dichloro-	cis,1,4-Dichloro-2- butene	1476-11-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
			trans-1,4-Dichloro-2- butene	764-41-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U143	303-34-4	2-Butenoic acid, 2-methyl-, 7-[[2,3-dihydroxy-2-(1-methoxyethyl)-3-methyl-1-oxobutoxy]methyl]-2,3,5,7a-tetrahydro-1H-pyrrolizin-1-yl ester,[1S-[1alpha(Z),7(2S*,3R*),7aalpha]]-	Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U042	110-75-8	2-Chloroethyl vinyl ether	2-Chloroethyl vinyl ether	110-75-8	0.062	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories 1)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U125	98-01-1	2- Furancarboxaldehyde	Furfural	98-01-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U058	50-18-0	2H-1,3,2- Oxazaphosphorin-2- amine,N,N-bis(2- chloroethyl)tetrahydro- , 2-oxide	Cyclophosphamide	50-18-0	CARBN; or CMBST	CMBST
U248	81-81-2	2H-1-Benzopyran-2- one,4-hydroxy-3-(3- oxo-1-phenyl-butyl)-, & salts, when present at concentrations of 0.3% or less	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U116	96-45-7	2-Imidazolidinethione	Ethylene thiourea	96-45-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U168	91-59-8	2-Naphthalenamine	2-Naphthylamine	91-59-8	0.52	CMBST
U171	79-46-9	2-Nitropropane	2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U191	109-06-8	2-Picoline	2-Picoline	109-06-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U002	67-64-1	2-Propanone	Acetone	67-64-1	0.28	160
U007	79-06-1	2-Propenamide	Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U009	107-13-1	2-Propenenitrile	Acrylonitrile	107-13-1	0.24	84
U152	126-98-7	2-Propenenitrile, 2-methyl-	Methacrylonitrile	126-98-7	0.24	84
U008	79-10-7	2-Propenoic acid	Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U118	97-63-2	2-Propenoic acid, 2- methyl-, ethyl ester	Ethyl methacrylate	97-63-2	0.14	160
U162	80-62-6	2-Propenoic acid, 2- methyl-, methyl ester	Methyl methacrylate	80-62-6	0.14	160
U113	140-88-5	2-Propenoic acid, ethyl ester	Ethyl acrylate	140-88-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U073	91-94-1	3,3'-Dichlorobenzidine	3,3'-Dichlorobenzidine	91-94-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U091	119-90-4	3,3'- Dimethoxybenzidine	3,3'- Dimethoxybenzidine	119-90-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcateg	ories ¹)	Land Disposal Treatment Requirements		
Column 1	Column 2	Column 3	Column 4	Column 5	Aqueous Waste Column 6	Non-aqueous Waste Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U095	119-93-7	3,3'- Dimethylbenzidine	3,3'-Dimethylbenzidine	119-93-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U148	123-33-1	3,6-Pyridazinedione, 1,2-dihydro-	Maleic hydrazide	123-33-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U157	56-49-5	3-Methylcholanthrene	3-Methylcholanthrene	56-49-5	0.0055	15
U164	56-04-2	4(1H)-Pyrimidinone, 2,3-dihydro-6-methyl- 2-thioxo-	Methylthiouracil	56-04-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U158	101-14-4	4,4'-Methylenebis(2-chloroaniline)	4,4'-Methylene bis(2-chloroaniline)	101-14-4	0.50	30
U036	57-74-9	4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8-octachloro-2,3,3a,4,7,7a-hexahydro-	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
U030	101-55-3	4-Bromophenyl phenyl ether	4-Bromophenyl phenyl ether	101-55-3	0.055	15
U049	3165-93-3	4-Chloro-o-toluidine, hydrochloride	4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U161	108-10-1	4-Methyl-2-pentanone	Methyl isobutyl ketone	108-10-1	0.14	33
U059	20830-81-3	5,12- Naphthacenedione,8- acetyl-10-[(3-amino- 2,3,6-trideoxy)-alpha- L-lyxo- hexopyranosyl)oxy]- 7,8,9,10-tetrahydro- 6,8,11-trihydroxy-1- methoxy-, (8S-cis)-	Daunomycin	20830-81-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U181	99-55-8	5-Nitro-o-toluidine	5-Nitro-o-toluidine	99-55-8	0.32	28
U094	57-97-6	7,12- Dimethylbenz[a]anthra cene	7,12- Dimethylbenz(a)anthrac ene	57-97-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U367	1563-38-8	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-	Carbofuran phenol	1563-38-8	0.056	1.4
U394	30558-43-1	A2213	A2213	30558-43-1	BIODG; CARBN; CHOXD; CMBST or 0.042	CMBST or 1.4
U001	75-07-0	Acetaldehyde	Acetaldehyde	75-07-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U034	75-87-6	Acetaldehyde, trichloro-	Trichloroacetaldehyde (Chloral)	75-87-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U187	62-44-2	Acetamide, N-(4- ethoxyphenyl)-	Phenacetin	62-44-2	0.081	16
U005	53-96-3	Acetamide, N-9H-	2-Acetylaminofluorene	53-96-3	0.059	140

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories 1)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U112	141-78-6	Acetic acid ethyl ester	Ethyl acetate	141-78-6	0.34	33
See F027	93-76-5	Acetic acid, (2,4,5-trichlorophenoxy)-	See F027 in Schedule 1			
U240	94-75-7	Acetic acid, (2,4-dichlorophenoxy)-,salts & esters	See 2,4-D, salts & esters			
U144	301-04-2	Acetic acid, lead(2+) salt	Lead	7439-92-1	0.69	0.75 mg/L TCLP
U214	563-68-8	Acetic acid, thallium(1+) salt	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL
U002	67-64-1	Acetone	Acetone	67-64-1	0.28	160
U003	75-05-8	Acetonitrile	Acetonitrile	75-05-8	5.6	CMBST or 38
U004	98-86-2	Acetophenone	Acetophenone	98-86-2	0.010	9.7
U006	75-36-5	Acetyl chloride	Acetyl Chloride	75-36-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U007	79-06-1	Acrylamide	Acrylamide	79-06-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U008	79-10-7	Acrylic acid	Acrylic acid	79-10-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U009	107-13-1	Acrylonitrile	Acrylonitrile	107-13-1	0.24	84
U096	80-15-9	alpha,alpha- Dimethylbenzylhydrop eroxide	alpha, alpha-Dimethyl benzyl hydroperoxide	80-15-9	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U167	134-32-7	alpha-Naphthylamine	1-Naphthylamine	134-32-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U011	61-82-5	Amitrole	Amitrole	61-82-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U012	62-53-3	Aniline	Aniline	62-53-3	0.81	14
U136	75-60-5	Arsinic acid, dimethyl-	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
U014	492-80-8	Auramine	Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U015	115-02-6	Azaserine	Azaserine	115-02-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U010	50-07-7	Azirino[2,3_3,4]pyrrol o[1,2-a]indole-4,7-dione,6-amino-8-[[(aminocarbonyl)oxy] methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-, [1aS-(1aalpha,8beta,8aalpha,8balpha)]-	Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U280	101-27-9	Barban.	Barban	101-27-9	0.056	1.4
U364	22961-82-6	Bendiocarb phenol	Bendiocarb phenol	22961-82-6	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
U278	22781-23-3	Bendiocarb.	Bendiocarb	22781-23-3	0.056	1.4
U271	17804-35-2	Benomyl.	Benomyl	17804-35-2	0.056	1.4
U018	56-55-3	Benz[a]anthracene	Benz(a)anthracene	56-55-3	0.059	3.4
U094	57-97-6	Benz[a]anthracene, 7,12-dimethyl-	7,12- Dimethylbenz(a)anthrac ene	57-97-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U016	225-51-4	Benz[c]acridine	Benz(c)acridine	225-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U157	56-49-5	Benz[j]aceanthrylene, 1,2-dihydro-3-methyl-	3-Methylcholanthrene	56-49-5	0.0055	15
U017	98-87-3	Benzal chloride	Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U192	23950-58-5	Benzamide,3,5- dichloro-N-(1,1- dimethyl-2-propynyl)-	Pronamide	23950-58-5	0.093	1.5
U012	62-53-3	Benzenamine	Aniline	62-53-3	0.81	14
U328	95-53-4	Benzenamine, 2- methyl-	o-Toluidine	95-53-4	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST
U222	636-21-5	Benzenamine, 2- methyl-, hydrochloride	o-Toluidine hydrochloride	636-21-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U181	99-55-8	Benzenamine, 2- methyl-5-nitro-	5-Nitro-o-toluidine	99-55-8	0.32	28
U014	492-80-8	Benzenamine, 4,4- carbonimidoylbis[N,N -dimethyl-	Auramine	492-80-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U158	101-14-4	Benzenamine, 4,4- methylenebis[2- chloro-	4,4'-Methylene bis(2-chloroaniline)	101-14-4	0.50	30

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
				1	Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U049	3165-93-3	Benzenamine, 4- chloro-2-methyl- ,hydrochloride	4-Chloro-o-toluidine hydrochloride	3165-93-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U353	106-49-0	Benzenamine, 4-methyl-	p-Toluidine	106-49-0	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST
U093	60-11-7	Benzenamine, N,N-dimethyl-4-(phenylazo)-	p- Dimethylaminoazobenze ne	60-11-7	0.13	CMBST
U019	71-43-2	Benzene	Benzene	71-43-2	0.14	10
U055	98-82-8	Benzene, (1- methylethyl)-	Cumene	98-82-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U017	98-87-3	Benzene, (dichloromethyl)-	Benzal chloride	98-87-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U023	98-07-7	Benzene, (trichloromethyl)-	Benzotrichloride	98-07-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U247	72-43-5	Benzene, 1,1-(2,2,2-trichloroethylidene)bis [4- methoxy-	Methoxychlor	72-43-5	0.25	0.18
U207	95-94-3	Benzene, 1,2,4,5- tetrachloro-	1,2,4,5- Tetrachlorobenzene	95-94-3	0.055	14
U070	95-50-1	Benzene, 1,2-dichloro-	o-Dichlorobenzene	95-50-1	0.088	6.0
U234	99-35-4	Benzene, 1,3,5- trinitro-	1,3,5-Trinitrobenzene	99-35-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U071	541-73-1	Benzene, 1,3-dichloro-	m-Dichlorobenzene	541-73-1	0.036	6.0
U223	26471-62-5	Benzene, 1,3- diisocyanatomethyl-	Toluene diisocyanate	26471-62-5	CARBN; or CMBST	CMBST
U072	106-46-7	Benzene, 1,4-dichloro-	p-Dichlorobenzene	106-46-7	0.09	6.0
U030	101-55-3	Benzene, 1-bromo-4- phenoxy-	4-Bromophenyl phenyl ether	101-55-3	0.055	15
U105	121-14-2	Benzene, 1-methyl- 2,4-dinitro-	2,4-Dinitrotoluene	121-14-2	0.32	140
U106	606-20-2	Benzene, 2-methyl- 1,3-dinitro-	2,6-Dinitrotoluene	606-20-2	0.55	28
U037	108-90-7	Benzene, chloro-	Chlorobenzene	108-90-7	0.057	60
U239	1330-20-7	Benzene, dimethyl-	Xylenes-mixed isomers (sum of o-, m-, and p- xylene concentrations)	1330-20-7	0.32	30
U127	118-74-1	Benzene, hexachloro-	Hexachlorobenzene	118-74-1	0.055	10
U056	110-82-7	Benzene, hexahydro-	Cyclohexane	110-82-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U220	108-88-3	Benzene, methyl-	Toluene	108-88-3	0.08	10
U169	98-95-3	Benzene, nitro-	Nitrobenzene	98-95-3	0.068	14

Hazardous Waste Chemical			Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
		_			Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U183	608-93-5	Benzene, pentachloro-	Pentachlorobenzene	608-93-5	0.055	10
U185	82-68-8	Benzene, pentachloronitro-	Pentachloronitrobenzene	82-68-8	0.055	4.8
U061	50-29-3	Benzene,1,1-(2,2,2- trichloroethylidene)bis [4-chloro-	o-p'-DDT	789-02-6	0.0039	0.087
			p,p'-DDT	50-29-3	0.0039	0.087
			o,p'-DDD	53-19-0	0.023	0.087
			p,p'-DDD	72-54-8	0.023	0.087
			o,p'-DDE	3424-82-6	0.031	0.087
			p,p'-DDE	72-55-9	0.031	0.087
U060	72-54-8	Benzene,1,1-(2,2-dichloroethylidene)bis[4-chloro-	o,p'-DDD	53-19-0	0.023	0.087
			p,p'-DDD	72-54-8	0.023	0.087
U038	510-15-6	Benzeneacetic acid,4- chloro-alpha- (4- chlorophenyl)-alpha- hydroxy-, ethyl ester	Chlorobenzilate	510-15-6	0.10	CMBST
U035	305-03-3	Benzenebutanoic acid, 4-[bis(2- chloroethyl)amino]-	Chlorambucil	305-03-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U221	25376-45-8	Benzenediamine, armethyl-	Toluenediamine	25376-45-8	CARBN; or CMBST	CMBST
U020	98-09-9	Benzenesulfonic acid chloride	Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U020	98-09-9	Benzenesulfonyl chloride	Benzenesulfonyl chloride	98-09-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U021	92-87-5	Benzidine	Benzidine	92-87-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U022	50-32-8	Benzo[a]pyrene	Benzo(a)pyrene	50-32-8	0.061	3.4
U064	189-55-9	Benzo[rst]pentaphene	Dibenz(a,i)pyrene	189-55-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U023	98-07-7	Benzotrichloride	Benzotrichloride	98-07-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U047	91-58-7	beta- Chloronaphthalene	2-Chloronaphthalene	91-58-7	0.055	5.6
U168	91-59-8	beta-Naphthylamine	2-Naphthylamine	91-59-8	0.52	CMBST
U225	75-25-2	Bromoform	Bromoform (Tribromomethane)	75-25-2	0.63	15
U136	75-60-5	Cacodylic acid	Arsenic	7440-38-2	1.4	5.0 mg/L TCLP
U032	13765-19-0	Calcium chromate	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
U280	101-27-9	Carbamic acid, (3- chlorophenyl)-, 4- chloro-2-butynyl ester	Barban	101-27-9	0.056	1.4
U409	23564-05-8	Carbamic acid, [1,2- phenylenebis (iminocarbonothioyl)] bis-, dimethyl ester	Thiophanate-methyl	23564-05-8	0.056	1.4

Hazardous Waste Chemical		.1	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
		· ·		,	Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U271	17804-35-2	Carbamic acid, [1- [(butylamino)carbonyl]-1H-benzimidazol-2- yl]-, methyl ester	Benomyl	17804-35-2	0.056	1.4
U372	10605-21-7	Carbamic acid, 1H- benzimidazol-2- yl,methyl ester	Carbendazim	10605-21-7	0.056	1.4
U238	51-79-6	Carbamic acid, ethyl ester	Urethane (Ethyl carbamate)	51-79-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U178	615-53-2	Carbamic acid, methylnitroso-, ethyl ester	N-Nitroso-N- methylurethane	615-53-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U373	122-42-9	Carbamic acid, phenyl-, 1-methylethyl ester	Propham	122-42-9	0.056	1.4
U097	79-44-7	Carbamic chloride, dimethyl-	Dimethylcarbamoyl chloride	79-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U114	111-54-6	Carbamodithioic acid, 1,2-ethanediylbis-,salts & esters	ic acid	111-54-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U389	2303-17-5	Carbamothioic acid, bis(1-methylethyl)-, S- (2,3,3-trichloro-2- propenyl)ester	Triallate	2303-17-5	0.042	1.4
U062	2303-16-4	Carbamothioic acid, bis(1-methylethyl)-S- (2,3-dichloro-2- propenyl) ester	Diallate	2303-16-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U387	52888-80-9	Carbamothioic acid, dipropyl-, S- (phenylmethyl) ester	Prosulfocarb	52888-80-9	0.042	1.4
U279	63-25-2	Carbaryl.	Carbaryl	63-25-2	0.006	0.14
U372	10605-21-7	Carbendazim	Carbendazim	10605-21-7	0.056	1.4
U367	1563-38-8	Carbofuran phenol	Carbofuran phenol	1563-38-8	0.056	1.4
U033	353-50-4	Carbon oxyfluoride	Carbon oxyfluoride	353-50-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U211	56-23-5	Carbon tetrachloride	Carbon tetrachloride	56-23-5	0.057	6.0
U215	6533-73-9	Carbonic acid, dithallium(1+) salt	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL
U033	353-50-4	Carbonic difluoride	Carbon oxyfluoride	353-50-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U156	79-22-1	Carbonochloridic acid, methyl ester	Methyl chlorocarbonate	79-22-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U034	75-87-6	Chloral	Trichloroacetaldehyde (Chloral)	75-87-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
	•				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U035	305-03-3	Chlorambucil	Chlorambucil	305-03-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U036	57-74-9	Chlordane, alpha & gamma isomers	Chlordane (alpha and gamma isomers)	57-74-9	0.0033	0.26
U026	494-03-1	Chlornaphazin	Chlornaphazine	494-03-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U037	108-90-7	Chlorobenzene	Chlorobenzene	108-90-7	0.057	60
U038	510-15-6	Chlorobenzilate	Chlorobenzilate	510-15-6	0.10	CMBST
U044	67-66-3	Chloroform	Chloroform	67-66-3	0.046	6.0
U046	107-30-2	Chloromethyl methyl ether	Chloromethyl methyl ether	107-30-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U032	13765-19-0	Chromic acid H ₂ CrO ₄ , calcium salt	Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP
U050	218-01-9	Chrysene	Chrysene	218-01-9	0.059	3.4
U051	N/A	Creosote	Naphthalene	91-20-3	0.059	5.6
			Pentachlorophenol	87-86-5	0.089	7.4
			Phenanthrene	85-01-8	0.059	5.6
			Pyrene	129-00-0	0.067	8.2
			Toluene	108-88-3	0.08	10
			Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30
			Lead	7439-92-1	0.69	0.75 mg/L TCLP
U052	1319-77-3	Cresol (Cresylic acid)	o-Cresol	95-48-7	0.11	5.6
			m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
			p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6
			Cresol-mixed isomers (Cresylic acid) (sum of o- m-, and p-cresol concentrations)	1319-77-3	0.88	11.2
U053	4170-30-3	Crotonaldehyde	Crotonaldehyde	4170-30-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U055	98-82-8	Cumene	Cumene	98-82-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U246	506-68-3	Cyanogen bromide (CN)Br	Cyanogen bromide	506-68-3	CHOXD; WETOX; or CMBST	CHOXD; WETOX; or CMBST
U056	110-82-7	Cyclohexane	Cyclohexane	110-82-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements	
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U129	58-89-9	Cyclohexane,	alpha-BHC	319-84-6	0.00014	0.066
		1,2,3,4,5,6-	beta-BHC	319-85-7	0.00014	0.066
		hexachloro-	delta-BHC	319-86-8	0.023	0.066
		,(1alpha,2alpha,3beta,4 alpha,5alpha,6 beta)-	gamma-BHC (Lindane)	58-89-9	0.0017	0.066
U057	108-94-1	Cyclohexanone	Cyclohexanone	108-94-1	0.36	CMBST or 0.75 mg/L TCLP
U058	50-18-0	Cyclophosphamide	Cyclophosphamide	50-18-0	CARBN; or CMBST	CMBST
U059	20830-81-3	Daunomycin	Daunomycin	20830-81-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U060	72-54-8	DDD	o,p'-DDD	53-19-0	0.023	0.087
			p,p'-DDD	72-54-8	0.023	0.087
U061	50-29-3	DDT	o-p'-DDT	789-02-6	0.0039	0.087
			p,p'-DDT	50-29-3	0.0039	0.087
			o,p'-DDD	53-19-0	0.023	0.087
			p,p'-DDD	72-54-8	0.023	0.087
			o,p'-DDE	3424-82-6	0.031	0.087
			p,p'-DDE	72-55-9	0.031	0.087
U206	18883-66-4	D-Glucose,2-deoxy-2- [[(methylnitrosoamino)-carbonyl]amino]-	Streptozotocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U062	2303-16-4	Diallate	Diallate	2303-16-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U063	53-70-3	Dibenz[a,h]anthracene	Dibenz(a,h)anthracene	53-70-3	0.055	8.2
U064	189-55-9	Dibenzo[a,i]pyrene	Dibenz(a,i)pyrene	189-55-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U069	84-74-2	Dibutyl phthalate	Di-n-butyl phthalate	84-74-2	0.057	28
U075	75-71-8	Dichlorodifluorometha ne	Dichlorodifluoromethan e	75-71-8	0.23	7.2
U025	111-44-4	Dichloroethyl ether	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
U027	108-60-1	Dichloroisopropyl ether	bis(2- Chloroisopropyl)ether	39638-32-9	0.055	7.2
U024	111-91-1	Dichloromethoxy ethane	bis(2)Chloroethoxy)met hane	111-91-1	0.036	7.2
U088	84-66-2	Diethyl phthalate	Diethyl phthalate	84-66-2	0.20	28
U395	5952-26-1	Diethylene glycol, dicarbamate	Diethylene glycol, dicarbamate	5952-26-1	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
U028	117-81-7	Diethylhexyl phthalate	bis(2-Ethylhexyl) phthalate	117-81-7	0.28	28
U089	56-53-1	Diethyl stilbesterol	Diethyl stilbestrol	56-53-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U090	94-58-6	Dihydrosafrole	Dihydrosafrole	94-58-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U102	131-11-3	Dimethyl phthalate	Dimethyl phthalate	131-11-3	0.047	28

Hazardous Waste Chemical		1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements	
			T	Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U103	77-78-1	Dimethyl sulfate	Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U092	124-40-3	Dimethylamine	Dimethylamine	124-40-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U097	79-44-7	Dimethylcarbamoyl chloride	Dimethylcarbamoyl chloride	79-44-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U107	117-84-0	Di-n-octyl phthalate	Di-n-octyl phthalate	117-84-0	0.017	28
U111	621-64-7	Di-n- propylnitrosamine	Di-n-propylnitrosamine	621-64-7	0.40	14
U110	142-84-7	Dipropylamine	Dipropylamine	142-84-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U041	106-89-8	Epichlorohydrin	Epichlorohydrin (1- Chloro-2,3- epoxypropane)	106-89-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U001	75-07-0	Ethanal	Acetaldehyde	75-07-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U404	121-44-8	Ethanamine, N,N-diethyl-	Triethylamine	121-44-8	0.081	1.5
U174	55-18-5	Ethanamine, N-ethyl- N-nitroso-	N-Nitrosodiethylamine	55-18-5	0.40	28
U208	630-20-6	Ethane, 1,1,1,2- tetrachloro-	1,1,1,2- Tetrachloroethane	630-20-6	0.057	6.0
U226	71-55-6	Ethane, 1,1,1- trichloro-	1,1,1-Trichloroethane	71-55-6	0.054	6.0
U209	79-34-5	Ethane, 1,1,2,2- tetrachloro-	1,1,2,2- Tetrachloroethane	79-34-5	0.057	6.0
U227	79-00-5	Ethane, 1,1,2- trichloro-	1,1,2-Trichloroethane	79-00-5	0.054	6.0
U024	111-91-1	Ethane, 1,1'- [methylenebis(oxy)]bis [2-chloro-	bis(2)Chloroethoxy)met hane	111-91-1	0.036	7.2
U076	75-34-3	Ethane, 1,1-dichloro-	1,1-Dichloroethane	75-34-3	0.059	6.0
U117	60-29-7	Ethane, 1,1'-oxybis-	Ethyl ether	60-29-7	0.12	160
U025	111-44-4	Ethane, 1,1'-oxybis[2-chloro-	bis(2-Chloroethyl)ether	111-44-4	0.033	6.0
U067	106-93-4	Ethane, 1,2-dibromo-	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
U077	107-06-2	Ethane, 1,2-dichloro-	1,2-Dichloroethane	107-06-2	0.21	6.0
U131	67-72-1	Ethane, hexachloro-	Hexachloroethane	67-72-1	0.055	30
U184	76-01-7	Ethane, pentachloro-	Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or CMBST or 0.055	CMBST or 6.0
U218	62-55-5	Ethanethioamide	Thioacetamide	62-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U394	30558-43-1	Ethanimidothioic acid, 2-(dimethylamino)-N- hydroxy-2-oxo- ,methyl ester	A2213	30558-43-1	BIODG; CARBN; CHOXD; CMBST or 0.042	CMBST or 1.4
U410	59669-26-0	Ethanimidothioic acid, N,N'- [thiobis[(methylimino) carbonyloxy]]bi s-, dimethyl ester	Thiodicarb	59669-26-0	0.019	1.4
U173	1116-54-7	Ethanol, 2,2'- (nitrosoimino)bis-	N- Nitrosodiethanolamine	1116-54-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U395	5952-26-1	Ethanol, 2,2'-oxybis-, dicarbamate	Diethylene glycol, dicarbamate	5952-26-1	BIODG; CARBN; CHOXD; CMBST or 0.056	CMBST or 1.4
U359	110-80-5	Ethanol, 2-ethoxy-	2-Ethoxyethanol	110-80-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST
U004	98-86-2	Ethanone, 1-phenyl-	Acetophenone	98-86-2	0.010	9.7
U042	110-75-8	Ethene, (2-chloroethoxy)-	2-Chloroethyl vinyl ether	110-75-8	0.062	CMBST
U078	75-35-4	Ethene, 1,1-dichloro-	1,1-Dichloroethylene	75-35-4	0.025	6.0
U079	156-60-5	Ethene, 1,2-dichloro-, (E)-	trans-1,2- Dichloroethylene	156-60-5	0.054	30
U043	75-01-4	Ethene, chloro-	Vinyl chloride	75-01-4	0.27	6.0
U210	127-18-4	Ethene, tetrachloro-	Tetrachloroethylene	127-18-4	0.056	6.0
U228	79-01-6	Ethene, trichloro-	Trichloroethylene	79-01-6	0.054	6.0
U112	141-78-6	Ethyl acetate	Ethyl acetate	141-78-6	0.34	33
U113	140-88-5	Ethyl acrylate	Ethyl acrylate	140-88-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U238	51-79-6	Ethyl carbamate (urethane)	Urethane (Ethyl carbamate)	51-79-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U117	60-29-7	Ethyl ether	Ethyl ether	60-29-7	0.12	160
U118	97-63-2	Ethyl methacrylate	Ethyl methacrylate	97-63-2	0.14	160
U119	62-50-0	Ethyl methanesulfonate	Ethyl methane sulfonate	62-50-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U067	106-93-4	Ethylene dibromide	Ethylene dibromide (1,2-Dibromoethane)	106-93-4	0.028	15
U077	107-06-2	Ethylene dichloride	1,2-Dichloroethane	107-06-2	0.21	6.0
U359	110-80-5	Ethylene glycol monoethyl ether	2-Ethoxyethanol	110-80-5	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
Column 1 Column 2 Column 3				Aqueous Waste	Non-aqueous Waste	
Haz. Waste Number ²	CAS Number ³	Column 3 Generic Name	Column 4 Generic Name or other description	CAS Number ³	Column 6 Treatment Code ⁴ or Concentration ⁵ (mg/L)	Column 7 Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U115	75-21-8	Ethylene oxide	Ethylene oxide	75-21-8	(WETOX or CHOXD) fb CARBN; or CMBST or 0.12	CHOXD; or CMBST
U114	111-54-6	Ethylenebisdithiocarba mic acid, salts & esters	Ethylenebisdithiocarbam ic acid	111-54-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U116	96-45-7	Ethylenethiourea	Ethylene thiourea	96-45-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U076	75-34-3	Ethylidene dichloride	1,1-Dichloroethane	75-34-3	0.059	6.0
U120	206-44-0	Fluoranthene	Fluoranthene	206-44-0	0.068	3.4
U122	50-00-0	Formaldehyde	Formaldehyde	50-00-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U123	64-18-6	Formic acid	Formic acid	64-18-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U124	110-00-9	Furan	Furan	110-00-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U213	109-99-9	Furan, tetrahydro-	Tetrahydrofuran	109-99-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U125	98-01-1	Furfural	Furfural	98-01-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U124	110-00-9	Furfuran	Furan	110-00-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U206	18883-66-4	Glucopyranose,2- deoxy-2-(3-methyl-3- nitrosoureido)-, D-	Streptozotocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U126	765-34-4	Glycidylaldehyde	Glycidyaldehyde	765-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U163	70-25-7	Guanidine, N-methyl- N'-nitro-N-nitroso-	N-Methyl N'-nitro N- nitrosoguanidine	70-25-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U127	118-74-1	Hexachlorobenzene	Hexachlorobenzene	118-74-1	0.055	10
U128 U130	87-68-3 77-47-4	Hexachlorobutadiene Hexachlorocyclopenta	Hexachlorobutadiene Hexachlorocyclopentadi	87-68-3 77-47-4	0.055 0.057	5.6 2.4
		diene	ene			
U131 U132	67-72-1 70-30-4	Hexachlorophene Hexachlorophene	Hexachloroethane Hexachlorophene	67-72-1 70-30-4	0.055 (WETOX or CHOXD) fb CARBN; or CMBST	30 CMBST

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Tre	Land Disposal Treatment Requirements	
			(,	Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
U243	1888-71-7	Hexachloropropene	Hexachloropropylene	1888-71-7	0.035	30	
U133	302-01-2	Hydrazine	Hydrazine	302-01-2	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U098	57-14-7	Hydrazine, 1,1- dimethyl-	1,1-Dimethylhydrazine	57-14-7	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U086	1615-80-1	Hydrazine, 1,2- diethyl-	N,N'-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U099	540-73-8	Hydrazine, 1,2- dimethyl-	1,2-Dimethylhydrazine	540-73-8	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U109	122-66-7	Hydrazine, 1,2- diphenyl-	1,2-Diphenylhydrazine	122-66-7	CHOXD; CHRED; CARBN; BIODG; CMBST or 0.087	CHOXD; CHRED; or CMBST	
U134	7664-39-3	Hydrofluoric acid	Fluoride (measured in aqueous wastes only)	16984-48-8	35	ADGAS fb NEUTR; or NEUTR	
U134	7664-39-3	Hydrogen fluoride	Fluoride (measured in aqueous wastes only)	16984-48-8	35	ADGAS fb NEUTR; or NEUTR	
U135	7783-06-4	Hydrogen sulfide	Hydrogen Sulfide	7783-06-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST	
U135	7783-06-4	Hydrogen sulfide H ₂ S	Hydrogen Sulfide	7783-06-4	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST	
U096	80-15-9	Hydroperoxide, 1- methyl-1-phenylethyl-	alpha, alpha-Dimethyl benzyl hydroperoxide	80-15-9	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U137	193-39-5	Indeno[1,2,3-cd]pyrene	Indeno(1,2,3-c,d)pyrene	193-39-5	0.0055	3.4	
U140	78-83-1	Isobutyl alcohol	Isobutyl alcohol	78-83-1	5.6	170	
U141	120-58-1	Isosafrole	Isosafrole	120-58-1	0.081	2.6	
U142	143-50-0	Kepone	Kepone	143-50-0	0.0011	0.13	
U143	303-34-4	Lasiocarpine	Lasiocarpine	303-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U144	301-04-2	Lead acetate	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
U145	7446-27-7	Lead phosphate	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
U146	1335-32-6	Lead subacetate	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
U146	1335-32-6	Lead, bis(acetato- O)tetrahydroxytri-	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
U129	58-89-9	Lindane	alpha-BHC	319-84-6	0.00014	0.066	
			beta-BHC	319-85-7	0.00014	0.066	
			delta-BHC	319-86-8	0.023	0.066	

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcateg)	ories ¹)	Land Disposal Treatment Requirements	
			(and Treatment Subcatego	ories)		
<u> </u>					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵	Treatment Code ⁴ or Concentration ⁶
Number ²			description		(mg/L)	(mg/kg, unless
rvanioci					(IIIg/L)	otherwise indicated)
			gamma-BHC (Lindane)	58-89-9	0.0017	0.066
U150	148-82-3	L-Phenylalanine, 4-	Melphalan	148-82-3	(WETOX or	CMBST
		[bis(2-			CHOXD)	
		chloroethyl)amino]-			fb CARBN; or	
		, , ,			CMBST	
U015	115-02-6	L-Serine, diazoacetate	Azaserine	115-02-6	(WETOX or	CMBST
		(ester)			CHOXD)	
					fb CARBN; or	
T 1 4 7	100.21.6	361: 1 1:1	261: 1:1:1	100.21.6	CMBST	C) FDCT
U147	108-31-6	Maleic anhydride	Maleic anhydride	108-31-6	(WETOX or	CMBST
					CHOXD) fb CARBN; or	
					CMBST	
U148	123-33-1	Maleic hydrazide	Maleic hydrazide	123-33-1	(WETOX or	CMBST
0110	123 33-1	Trialolo fly didzide	1. Taroto iry arazido	123 33-1	CHOXD)	
					fb CARBN; or	
					CMBST	
U149	109-77-3	Malononitrile	Malononitrile	109-77-3	(WETOX or	CMBST
					CHOXD)	
					fb CARBN; or	
					CMBST	
U071	541-73-1	m-Dichlorobenzene	m-Dichlorobenzene	541-73-1	0.036	6.0
U150	148-82-3	Melphalan	Melphalan	148-82-3	(WETOX or	CMBST
					CHOXD)	
					fb CARBN; or CMBST	
U151	7439-97-6	Mercury	Treatment Subcategory	1	CMDS1	
0131	7437-77-0	Wicicury	U151 (mercury) non-aque		contain greater than	or equal to 260 mg/
			kg total mercury:	cous wastes s that	contain greater than	r or equal to 200 mg/
			Mercury	7439-97-6	NA	RMERC
			Treatment Subcategory		1112	TUILLIE
			U151 (mercury) non-aque		contain less than 260	mg/kg total mercury
			and that are residues from		200	mg ng total moreal
			Mercury	7439-97-6	NA	0.20 mg/L TCLP
			Treatment Subcategory	3		
			U151 (mercury) non-aque	eous wastes that c	contain less than 260	mg/kg total mercury
			and that are not residues			
			Mercury	7439-97-6	NA	0.025 mg/L TCLP
			Treatment Subcategory			
			All U151 (mercury) aque		1	T:
			Mercury	7439-97-6	0.15	NA
			Treatment Subcategory			
			Elemental Mercury Conta			LANGE CO.
T 11 70	10 (00 7	3.6 d 4 5 5 5	Mercury	7439-97-6	NA	AMLGM
U152	126-98-7	Methacrylonitrile	Methacrylonitrile	126-98-7	0.24	84
U092	124-40-3	Methanamine, N-	Dimethylamine	124-40-3	(WETOX or	CMBST
l		methyl-			CHOXD)	
					fb CARBN; or CMBST	
U029	74-83-9	Methane, bromo-	Methyl bromide	74-83-9	0.11	15
0023	17-03-3	iviculane, oromo-	(Bromomethane)	17-03-7	0.11	1.5
U045	74-87-3	Methane, chloro-	Chloromethane (Methyl	74-87-3	0.19	30
50.15	1,10,5		chloride)	, ,	V.17	
U046	107-30-2	Methane,	Chloromethyl methyl	107-30-2	(WETOX or	CMBST
		chloromethoxy-	ether		CHOXD)	
		j			fb CARBN; or	
					CMBST	
U068	74-95-3	Methane, dibromo-	Dibromomethane	74-95-3	0.11	15

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1		Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U080	75-09-2	Methane, dichloro-	Methylene chloride	75-09-2	0.089	30
U075	75-71-8	Methane, dichlorodifluoro-	Dichlorodifluoromethan e	75-71-8	0.23	7.2
U138	74-88-4	Methane, iodo-	Iodomethane	74-88-4	0.19	65
U211	56-23-5	Methane, tetrachloro-	Carbon tetrachloride	56-23-5	0.057	6.0
U225	75-25-2	Methane, tribromo-	Bromoform (Tribromomethane)	75-25-2	0.63	15
U044	67-66-3	Methane, trichloro-	Chloroform	67-66-3	0.046	6.0
U121	75-69-4	Methane, trichlorofluoro-	Trichlorofluoromethane	75-69-4	0.02	30
U119	62-50-0	Methanesulfonic acid, ethyl ester	Ethyl methane sulfonate	62-50-0	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U153	74-93-1	Methanethiol	Methanethiol	74-93-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U154	67-56-1	Methanol	Methanol	67-56-1	(WETOX or CHOXD) fb CARBN; or CMBST or 5.6	CMBST or 0.75 mg/L TCLP
U155	91-80-5	Methapyrilene	Methapyrilene	91-80-5	0.081	1.5
U247	72-43-5	Methoxychlor	Methoxychlor	72-43-5	0.25	0.18
U154	67-56-1	Methyl alcohol	Methanol	67-56-1	(WETOX or CHOXD) fb CARBN; or CMBST or 5.6	CMBST or 0.75 mg/L TCLP
U029	74-83-9	Methyl bromide	Methyl bromide (Bromomethane)	74-83-9	0.11	15
U045	74-87-3	Methyl chloride	Chloromethane (Methyl chloride)	74-87-3	0.19	30
U156	79-22-1	Methyl chlorocarbonate	Methyl chlorocarbonate	79-22-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U226	71-55-6	Methyl chloroform	1,1,1-Trichloroethane	71-55-6	0.054	6.0
U159	78-93-3	Methyl ethyl ketone (MEK)	Methyl ethyl ketone	78-93-3	0.28	36
U160	1338-23-4	Methyl ethyl ketone peroxide	Methyl ethyl ketone peroxide	1338-23-4	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U138	74-88-4	Methyl iodide	Iodomethane	74-88-4	0.19	65
U161	108-10-1	Methyl isobutyl ketone	Methyl isobutyl ketone	108-10-1	0.14	33
U162	80-62-6	Methyl methacrylate	Methyl methacrylate	80-62-6	0.14	160
U068	74-95-3	Methylene bromide	Dibromomethane	74-95-3	0.11	15
U080	75-09-2	Methylene chloride	Methylene chloride	75-09-2	0.089	30
U164	56-04-2	Methylthiouracil	Methylthiouracil	56-04-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U010	50-07-7	Mitomycin C	Mitomycin C	50-07-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Treatment Requirements		
0.1. 1					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U163	70-25-7	MNNG	N-Methyl N'-nitro N- nitrosoguanidine	70-25-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U086	1615-80-1	N,N'-Diethylhydrazine	N,N'-Diethylhydrazine	1615-80-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST
U026	494-03-1	Naphthalenamine, N,N'-bis(2- chloroethyl)-	Chlornaphazine	494-03-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U165	91-20-3	Naphthalene	Naphthalene	91-20-3	0.059	5.6
U047	91-58-7	Naphthalene, 2-chloro-	2-Chloronaphthalene	91-58-7	0.055	5.6
U031	71-36-3	n-Butyl alcohol	n-Butyl alcohol	71-36-3	5.6	2.6
U217	10102-45-1	Nitric acid, thallium(1+) salt	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL
U169	98-95-3	Nitrobenzene	Nitrobenzene	98-95-3	0.068	14
U173	1116-54-7	N- Nitrosodiethanolamine	N- Nitrosodiethanolamine	1116-54-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U174	55-18-5	N-Nitrosodiethylamine	N-Nitrosodiethylamine	55-18-5	0.40	28
U172	924-16-3	N-Nitrosodi-n- butylamine	N-Nitrosodi-n- butylamine	924-16-3	0.04	17
U176	759-73-9	N-Nitroso-N-ethylurea	N-Nitroso-N-ethylurea	759-73-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U177	684-93-5	N-Nitroso-N- methylurea	N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U178	615-53-2	N-Nitroso-N- methylurethane	N-Nitroso-N- methylurethane	615-53-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U179	100-75-4	N-Nitrosopiperidine	N-Nitrosopiperidine	100-75-4	0.013	35
U180	930-55-2	N-Nitrosopyrrolidine	N-Nitrosopyrrolidine	930-55-2	0.013	35
U194	107-10-8	n-Propylamine	n-Propylamine	107-10-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U087	3288-58-2	O,O-Diethyl S-methyl dithiophosphate	O,O-Diethyl S- methyldithiophosphate	3288-58-2	CARBN; or CMBST	CMBST
U048	95-57-8	o-Chlorophenol	2-Chlorophenol	95-57-8	0.044	5.7
U070	95-50-1	o-Dichlorobenzene	o-Dichlorobenzene	95-50-1	0.088	6.0
U328	95-53-4	o-Toluidine	o-Toluidine	95-53-4	CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb CARBN.	CMBST
U222	636-21-5	o-Toluidine hydrochloride	o-Toluidine hydrochloride	636-21-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U115	75-21-8	Oxirane	Ethylene oxide	75-21-8	(WETOX or CHOXD) fb CARBN; or CMBST or 0.12	CHOXD; or CMBST
U041	106-89-8	Oxirane, (chloromethyl)-	Epichlorohydrin (1- Chloro-2,3- epoxypropane)	106-89-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U126	765-34-4	Oxiranecarboxyaldehy de	Glycidyaldehyde	765-34-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U182	123-63-7	Paraldehyde	Paraldehyde	123-63-7	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U197	106-51-4	p-Benzoquinone	p-Benzoquinone	106-51-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U039	59-50-7	p-Chloro-m-cresol	p-Chloro-m-cresol	59-50-7	0.018	14
U072	106-46-7	p-Dichlorobenzene	p-Dichlorobenzene	106-46-7	0.09	6.0
U093	60-11-7	p- Dimethylaminoazoben zene	p- Dimethylaminoazobenze ne	60-11-7	0.13	CMBST
U183	608-93-5	Pentachlorobenzene	Pentachlorobenzene	608-93-5	0.055	10
U184	76-01-7	Pentachloroethane	Pentachloroethane	76-01-7	(WETOX or CHOXD) fb CARBN; or CMBST or 0.055	CMBST or 6.0
U185	82-68-8	Pentachloronitrobenze ne (PCNB)	Pentachloronitrobenzene	82-68-8	0.055	4.8
See F027	87-86-5	Pentachlorophenol	See F027 in Schedule 1			
U161	108-10-1	Pentanol, 4-methyl-	Methyl isobutyl ketone	108-10-1	0.14	33
U187	62-44-2	Phenacetin	Phenacetin	62-44-2	0.081	16
U188	108-95-2	Phenol	Phenol	108-95-2	0.039	6.2
U411	114-26-1	Phenol, 2-(1- methylethoxy)- ,methylcarbamate	Propoxur	114-26-1	0.056	1.4
See F027	58-90-2	Phenol, 2,3,4,6-tetrachloro-	See F027 in Schedule 1			
See F027	95-95-4	Phenol, 2,4,5- trichloro-	See F027 in Schedule 1			
See F027	88-06-2	Phenol, 2,4,6- trichloro-	See F027 in Schedule 1			
U081	120-83-2	Phenol, 2,4-dichloro-	2,4-Dichlorophenol	120-83-2	0.044	14
U101	105-67-9	Phenol, 2,4-dimethyl-	2,4-Dimethylphenol	105-67-9	0.036	14
U082	87-65-0	Phenol, 2,6-dichloro-	2,6-Dichlorophenol	87-65-0	0.044	14
U048	95-57-8	Phenol, 2-chloro-	2-Chlorophenol	95-57-8	0.044	5.7
U089	56-53-1	Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)-	Diethyl stilbestrol	56-53-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U039	59-50-7	Phenol, 4-chloro-3- methyl-	p-Chloro-m-cresol	59-50-7	0.018	14
U170	100-02-7	Phenol, 4-nitro-	p-Nitrophenol	100-02-7	0.12	29

Hazardous Waste Chemical		1	Regulated Constituents (and Treatment Subcateg	ories ¹)	Land Disposal Treatment Requirements		
Column 1	Column 2	Column 3	Column 4	Column 5	Aqueous Waste Column 6	Non-aqueous Waste	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
U052	1319-77-3	Phenol, methyl-	o-Cresol	95-48-7	0.11	5.6	
			m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6	
			p-Cresol (difficult to distinguish from m- cresol)	106-44-5	0.77	5.6	
			Cresol-mixed isomers (Cresylic acid) (sum of o- m-, and p-cresol concentrations)	1319-77-3	0.88	11.2	
See F027	87-86-5	Phenol, pentachloro-	See F027 in Schedule 1				
U132	70-30-4	Phenol,2,2'- methylenebis[3,4,6- trichloro-	Hexachlorophene	70-30-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U145	7446-27-7	Phosphoric acid, lead(2+) salt (2:3)	Lead	7439-92-1	0.69	0.75 mg/L TCLP	
U087	3288-58-2	Phosphorodithioic acid, O,O-diethyl S- methyl ester	O,O-Diethyl S- methyldithiophosphate	3288-58-2	CARBN; or CMBST	CMBST	
U189	1314-80-3	Phosphorus sulfide	Phosphorus sulfide	1314-80-3	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST	
U190	85-44-9	Phthalic anhydride	Phthalic anhydride (measured as Phthalic acid or Terephthalic acid)	100-21-0; 85- 44-9	0.055	28	
U179	100-75-4	Piperidine, 1-nitroso-	N-Nitrosopiperidine	100-75-4	0.013	35	
U170	100-02-7	p-Nitrophenol	p-Nitrophenol	100-02-7	0.12	29	
U192	23950-58-5	Pronamide	Pronamide	23950-58-5	0.093	1.5	
U066	96-12-8	Propane, 1,2-dibromo- 3-chloro-	1,2-Dibromo-3- chloropropane	96-12-8	0.11	15	
U083	78-87-5	Propane, 1,2-dichloro-	1,2-Dichloropropane	78-87-5	0.85	18	
U027	108-60-1	Propane, 2,2'- oxybis[2-chloro-	bis(2- Chloroisopropyl)ether	39638-32-9	0.055	7.2	
U171	79-46-9	Propane, 2-nitro-	2-Nitropropane	79-46-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U149	109-77-3	Propanedinitrile	Malononitrile	109-77-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
See F027	93-72-1	Propanoic acid, 2- (2,4,5-0 trichlorophenoxy)-	See F027 in Schedule 1				
U373	122-42-9	Propham	Propham	122-42-9	0.056	1.4	
U411	114-26-1	Propoxur	Propoxur	114-26-1	0.056	1.4	
U083	78-87-5	Propylene dichloride	1,2-Dichloropropane	78-87-5	0.85	18	
U387 U353	52888-80-9 106-49-0	Prosulfocarb p-Toluidine	p-Toluidine	52888-80-9 106-49-0	0.042 CMBST; or CHOXD fb (BIODG or CARBN); or BIODG fb	1.4 CMBST	
	110-86-1	Pyridine	Pyridine	110-86-1	CARBN. 0.014	16	

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Tre	atment Requirements	
					Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
U191	109-06-8	Pyridine, 2-methyl-	2-Picoline	109-06-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U180	930-55-2	Pyrrolidine, 1-nitroso-	N-Nitrosopyrrolidine	930-55-2	0.013	35	
U200	50-55-5	Reserpine	Reserpine	50-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U201	108-46-3	Resorcinol	Resorcinol	108-46-3	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U202	81-07-2	Saccharin, & salts	Saccharin	81-07-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U203	94-59-7	Safrole	Safrole	94-59-7	0.081	22	
U204	7783-00-8	Selenious acid	Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
U204	7783-00-8	Selenium dioxide	Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
U205	7488-56-4	Selenium sulfide	Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
U205	7488-56-4	Selenium sulfide SeS ₂	Selenium	7782-49-2	0.82	5.7 mg/L TCLP	
See F027	93-72-1	Silvex (2,4,5-TP)	See F027 in Schedule 1		•	T	
U206	18883-66-4	Streptozotocin	Streptozotocin	18883-66-4	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U189	1314-80-3	Sulfur phosphide	Phosphorus sulfide	1314-80-3	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST	
U103	77-78-1	Sulfuric acid, dimethyl ester	Dimethyl sulfate	77-78-1	CHOXD; CHRED; CARBN; BIODG; or CMBST	CHOXD; CHRED; or CMBST	
U210	127-18-4	Tetrachloroethylene	Tetrachloroethylene	127-18-4	0.056	6.0	
U213	109-99-9	Tetrahydrofuran	Tetrahydrofuran	109-99-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U216	7791-12-0	Thallium chloride TlCl	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
U214	563-68-8	Thallium(I) acetate	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
U215	6533-73-9	Thallium(I) carbonate	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
U216	7791-12-0	Thallium(I) chloride	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
U217	10102-45-1	Thallium(I) nitrate	Thallium (measured in aqueous wastes only)	7440-28-0	1.4	RTHRM; or STABL	
U218	62-55-5	Thioacetamide	Thioacetamide	62-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST	
U410	59669-26-0	Thiodicarb	Thiodicarb	59669-26-0	0.019	1.4	

Hazardous	Waste Chemica	1	Regulated Constituents (and Treatment Subcatego	ories ¹)	Land Disposal Tre	atment Requirements
Column 1	Column 2	Column 3	Column 4	Column 5	Aqueous Waste Column 6	Non-aqueous Waste Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U153	74-93-1	Thiomethanol	Methanethiol	74-93-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U244	137-26-8	Thioperoxydicarbonic diamide[(H ₂ N)C(S)] ₂ S ₂ , tetramethyl-	Thiram	137-26-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U409	23564-05-8	Thiophanate-methyl	Thiophanate-methyl	23564-05-8	0.056	1.4
U219	62-56-6	Thiourea	Thiourea	62-56-6	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U244	137-26-8	Thiram	Thiram	137-26-8	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U220	108-88-3	Toluene	Toluene	108-88-3	0.08	10
U223	26471-62-5	Toluene diisocyanate	Toluene diisocyanate	26471-62-5	CARBN; or CMBST	CMBST
U221	25376-45-8	Toluenediamine	Toluenediamine	25376-45-8	CARBN; or CMBST	CMBST
U389	2303-17-5	Triallate	Triallate	2303-17-5	0.042	1.4
U228	79-01-6	Trichloroethylene	Trichloroethylene	79-01-6	0.054	6.0
U121	75-69-4	Trichloromonofluorom ethane	Trichlorofluoromethane	75-69-4	0.02	30
U404	121-44-8	Triethylamine	Triethylamine	121-44-8	0.081	1.5
U235	126-72-7	Tris(2,3-dibromopropyl) phosphate	tris-(2,3- Dibromopropyl)- phosphate	126-72-7	0.11	0.10
U236	72-57-1	Trypan blue	Trypan Blue	72-57-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U237	66-75-1	Uracil mustard	Uracil mustard	66-75-1	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U176	759-73-9	Urea, N-ethyl-N- nitroso-	N-Nitroso-N-ethylurea	759-73-9	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U177	684-93-5	Urea, N-methyl-N- nitroso-	N-Nitroso-N-methylurea	684-93-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U043	75-01-4	Vinyl chloride	Vinyl chloride	75-01-4	0.27	6.0
U248	81-81-2	Warfarin, & salts, when present at concentrations of 0.3% or less	Warfarin	81-81-2	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U239	1330-20-7	Xylene	Xylenes-mixed isomers (sum of o-, m-, and p-xylene concentrations)	1330-20-7	0.32	30

Hazardous Waste Chemical		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ²	CAS Number ³	Generic Name	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
U200	50-55-5	Yohimban-16- carboxylic acid,11,17- dimethoxy-18-[(3,4,5- trimethoxybenzoyl)ox y]-,methyl ester,(3beta,16beta,17a lpha, 18beta,20alpha)-	Reserpine	50-55-5	(WETOX or CHOXD) fb CARBN; or CMBST	CMBST
U249	1314-84-7	Zinc phosphide Zn ₃ P ₂ , when present at concentrations of 10% or less	Zinc Phosphide	1314-84-7	CHOXD; CHRED; or CMBST	CHOXD; CHRED; or CMBST

Notes to Part B of Schedule 2:

25. Schedules 3 and 4 to the Regulation are revoked and the following substituted:

SCHEDULE 3 SEVERELY TOXIC CONTAMINANTS

Severely Toxic Contaminants		Regulated Constituent		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ¹	CAS Number ²	Contaminant	Generic Name or other description	CAS Number ²	Concentration ³ (mg/L)	Concentration ⁴ (mg/kg)
S001	1402-68-2	Aflatoxin	NA	NA	NA	NA
S002	1746-01-6	2,3,7,8- Tetrachlorodibenzo-p- dioxin	TCDDs (All Tetrachlorodibenzo-p-dioxins)	41903-57-5	0.000063	0.001
S003	40321-76-4	1,2,3,7,8- Pentachlorodibenzo-p- dioxin	PeCDDs (All Pentachlorodibenzo-p-dioxins)	36088-22-9	0.000063	0.001

¹ Treatment subcategories are shown for some wastes. In these cases, it is necessary to identify the treatment subcategory that most closely describes the particular waste for which treatment is required. The land disposal treatment requirements for that waste are those shown for that treatment subcategory.

² Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

³ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

⁴ See Schedule 7 for a description of the treatment methods and treatment standards associated with each treatment code. In some cases, the entries in this Schedule may set out more than one treatment code for a regulated constituent. An entry may permit a choice of treatment methods. For example, the entry "CHOXD; BIODG; or CMBST" means that the waste may be treated using any of the treatment methods that are set out for those treatment codes in Schedule 7. An entry may require treatment methods to be applied in a particular sequence. For this purpose, the abbreviation "fb" means "followed by". For example, the entry "CHOXD fb CARBN" means that the waste must first be treated using the treatment method that is set out for CHOXD in Schedule 7 and, following that treatment, it must be treated using the treatment method that is set out for CARBN in Schedule 7. An entry may combine a choice of treatment methods and a requirement to apply treatment methods in a particular sequence (for example, "(WETOX or CHOXD) fb CARBN; or CMBST").

⁵ Concentration requirements for aqueous wastes are based on analysis of composite samples.

⁶ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

Severely Toxic Contaminants		Regulated Constituent		Land Disposal Treatment Requirements		
					Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Haz. Waste Number ¹	CAS Number ²	Contaminant	Generic Name or other description	CAS Number ²	Concentration ³ (mg/L)	Concentration ⁴ (mg/kg)
S004	39227-28-6	1,2,3,4,7,8- Hexachlorodibenzo-p- dioxin	HxCDDs (All Hexachlorodibenzo-p-dioxins)	34465-46-8	0.000063	0.001
S005	57653-85-7	1,2,3,6,7,8- Hexachlorodibenzo-p- dioxin	HxCDDs (All Hexachlorodibenzo-p-dioxins)	34465-46-8	0.000063	0.001
S006	19408-74-3	1,2,3,7,8,9- Hexachlorodibenzo-p- dioxin	HxCDDs (All Hexachlorodibenzo-p-dioxins)	34465-46-8	0.000063	0.001
S007	51207-31-9	2,3,7,8- Tetrachlorodibenzo furan	TCDFs (All Tetrachlorodibenzofurans)	55722-27-5	0.000063	0.001

Notes to Schedule 3:

SCHEDULE 4 LEACHATE QUALITY CRITERIA

Contaminant	CAS Number ¹	Haz. Waste	Concentration
		Number ²	(mg/L TCLP)
Aldicarb	116-06-3	E101	0.9
Aldrin + Dieldrin	309-00-2, 60-57-1	E001	0.07
Arsenic	7440-38-2	D004	2.5
Atrazine + N-dealkylated metabolites (Weedex)	1912-24-9	E102	0.5
Azinphos-methyl	86-50-0	E103	2
Barium	7440-39-3	D005	100
Bendiocarb	22781-23-3	E002	4
Benzene	71-43-2	D018	0.5
Benzo(a)pyrene	50-32-8	E003	0.001
Boron	7440-42-8	E104	500
Bromoxynil	1689-84-5	E105	0.5
Cadmium	7440-43-9	D006	0.5
Carbaryl/Sevin/1-Naphthyl-N methyl carbamate	63-25-2	E004	9
Carbofuran	1563-66-2	E005	9
Carbon tetrachloride (Tetrachloromethane)	56-23-5	D019	0.5
Chlordane	57-74-9	D020	0.7
Chlorobenzene (Monochlorobenzene)	108-90-7	D021	8
Chloroform	67-66-3	D022	10
Chlorpyrifos	2921-88-2	E106	9
Chromium	7440-47-3	D007	5
Cresol (Mixture - total of all isomers, when isomers cannot be		D026	200
differentiated)			
m-Cresol	108-39-4	D024	200
o-Cresol	95-48-7	D023	200
p-Cresol	106-44-5	D025	200
Cyanazine	21725-46-2	E107	1
Cyanide		E006	20
2,4-D / (2,4-dichlorophenoxy)acetic acid	94-75-7	D016	10
2,4-DCP (2,4-Dichlorophenol)	120-83-2	E007	90

¹ Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

² CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

³ Concentration requirements for aqueous wastes are based on analysis of composite samples.

⁴ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

O and a series and	CACN	TT. 337	I C
Contaminant	CAS Number ¹	Haz. Waste Number ²	Concentration (mg/L TCLP)
DDT (total igamorg)		E008	
DDT (total isomers)	222 41 5		3
Diazinon/Phosphordithioic acid, o,o-diethyl o-(2-isopropyl 6-methyl-4-pyrimidinyl) ester	333-41-5	E108	2
Dicamba	1918-00-9	E109	12
1,2-Dichlorobenzene (o-Dichlorobenzene)	95-50-1	E009	20
1,4-Dichlorobenzene (p-Dichlorobenzene)	106-46-7	D027	0.5
1,2-Dichloroethane (Ethylene dichloride)	107-06-2	D028	0.5
1,1-Dichloroethylene (Vinylidene chloride)	75-35-4	D029	1.4
Dichloromethane (also see - methylene chloride)	75-09-02	E010	5
Diclofop-methyl	51338-27-3	E110	0.9
Dimethoate	60-51-5	E111	2
2.4-Dinitrotoluene	121-14-2	D030	0.13
Dinoseb	88-85-7	E012	1
Dioxin & Furan		E013	0.0000015^3
Diquat	231-36-7	E112	7
Diuron	330-54-1	E113	15
Endrin	72-20-8	D012	0.02
Fluoride	12-20-0	E014	150
Glyphosate	1071-83-6	E114	28
Heptachlor + Heptachlor epoxide	76-44-8, 1024-57-3	D031	0.3
Hexachlorobenzene	118-74-1	D032	0.13
Hexachlorobutadiene	87-68-3	D033	0.5
Hexachloroethane	67-72-1	D034	3
Lead	7439-92-1	D008	5
Lindane	58-89-9	D013	0.4
Malathion	121-75-5	E115	19
Mercury	7439-97-6	D009	0.1
Methoxychlor/1,1,1-Trichloro-2,2-bis(p-methoxyphenyl) ethane	72-43-5	D014	90
Methyl ethyl ketone / Ethyl methyl ketone	78-93-3	D035	200
Methyl Parathion	298-00-0	E015	0.7
Methylene chloride / Dichloromethane	75-09-02	E011	5
Metolachlor	51218-45-2	E116	5
Metribuzin	21087-64-9	E117	8
NDMA	62-75-9	E016	0.0009
Nitrate + Nitrite (as Nitrogen)		E118	1000
Nitrilotriacetic acid (NTA)	139-13-9	E119	40
Nitrobenzene	98-95-3	D036	2
Paraquat	4685-14-7	E120	1
Parathion	56-38-2	E017	5
PCBs	30 30 2	E018	0.3
Pentachlorophenol	87-86-5	D037	6
Phorate	298-02-2	E019	0.2
Picloram	1918-02-1	E121	19
Pyridine	110-86-1	D038	5
Selenium	7782-49-2	D038	1
			5
Silver	7440-22-4	D011	
Simazine	122-34-9	E122	1
2,4,5-T (2,4,5-Trichlorophenoxyacetic acid)	93-76-5	E020	28
2,4,5-TP/ Silvex/ 2-(2,4,5-Trichlorophenoxy)propionic acid	93-72-1	D017	1
Temephos	3383-96-8	E123	28
Terbufos	13071-79-9	E124	0.1
Tetrachloroethylene	127-18-4	D039	3
2,3,4,6-Tetrachlorophenol /(2,3,4,6-TeCP)	58-90-2	E021	10
Toxaphene	8001-35-2	D015	0.5
Triallate	2303-17-5	E022	23
Trichloroethylene	79-01-6	D040	5
2,4,5-Trichlorophenol (2,4,5-TCP)	95-95-4	D041	400
2,4,6-Trichlorophenol (2,4,6-TCP)	88-06-2	D042	0.5
Trifluralin	1582-09-8	E125	4.5
Uranium	7440-61-1	E126	10
Vinyl chloride	75-01-4	D043	0.2
, mj. emoride	10 U1 T	DUTJ	J.2

Notes to Schedule 4:

26. Schedule 5 to the Regulation is renumbered as Schedule 9.

27. The Regulation is amended by adding the following Schedules:

SCHEDULE 5 LAND DISPOSAL REQUIREMENTS FOR CHARACTERISTIC WASTES

Characteristic Waste		Regulated Constituents (and Treatment Subcategorie	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
			,	Aqueous Waste	Non-aqueous Waste		
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6		
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)		
D001	Ignitable Characteristic	Treatment Subcategory 1					
	Wastes.	Ignitable Characteristic Wast Subcategory.	tes, except for Hig	gh TOC Ignitable Cha	racteristic Liquids		
		Ignitable Characteristic Wastes, except for wastes meeting (a) of the definition of ignitable waste AND greater than or equal to 10% total organic carbon.	NA	DEACT and meet Schedule 6 standards; or RORGS; or CMBST	DEACT and meet Schedule 6 standards; or RORGS; or CMBST		
		Treatment Subcategory 2	I		•		
		High TOC Ignitable Characte wastes only.)					
		High TOC Ignitable Characteristic Liquids Subcategory based on (a) of definition of ignitable waste containing greater than or equal to 10% total organic carbon.	NA	NA	RORGS; CMBST; or POLYM		
D002	Corrosive Characteristic Wastes.	Corrosive Characteristic Wastes.	NA	DEACT and meet Schedule 6 standards	DEACT and meet Schedule 6 standards		
D003	Reactive Characteristic	Treatment Subcategory 1					
	Wastes.	Reactive Sulphides Subcategory					
		Reactive Sulphides Subcategory based on (e) of the definition of reactive waste	NA	DEACT	DEACT		
		Treatment Subcategory 2					
		Explosives Subcategory					
		Explosives Subcategory based on (f)(g)(h) of the definition of reactive waste	NA	DEACT and meet Schedule 6 standards	DEACT and meet Schedule 6 standards		
		Treatment Subcategory 3					
		Unexploded ordnance and ot emergency response.	her explosive dev	rices which have been	the subject of an		
		Unexploded ordnance and other explosive devices which have been the subject of an emergency response.	NA	DEACT	DEACT		

¹ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

² Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

³ Toxic Equivalent (TEQ)

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
		Treatment Subcategory 4				
		Other Reactives Subcategory	7			
		Other Reactives Subcategory based on (a) of the definition of reactive waste	NA	DEACT and meet Schedule 6 standards	DEACT and meet Schedule 6 standards	
		Treatment Subcategory 5				
1		Water Reactive Subcategory	T			
		Water Reactive Subcategory based on (b)(c)(d) of the definition of reactive waste. (Note: This subcategory consists of non-aqueous wastes only.)	NA	NA	DEACT and meet Schedule 6 standards	
		Treatment Subcategory 6	1 1 () (.•	
		Reactive Cyanides Subcatego				
		Cyanides (Total) ⁷	57-12-5	NA	590	
D004	337 (1 1 1 1 1	Cyanides (Amenable) ⁷	57-12-5	0.86	30	
D004	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on the Toxicity Characteristic Leaching Procedure.	Arsenic	7440-38-2	1.4 and meet Schedule 6 standards	5.0 mg/L TCLP and meet Schedule 6 standards	
D005	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on the Toxicity Characteristic Leaching Procedure.	Barium	7440-39-3	1.2 and meet Schedule 6 standards	21 mg/L TCLP and meet Schedule 6 standards	
D006	Wastes that exhibit, or are	Treatment Subcategory 1	•	•	1	
	expected to exhibit, the characteristic of toxicity for	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium other than wastes in Treatment Subcategories 2 and 3.				
	cadmium based on the Toxicity Characteristic Leaching Procedure.	Cadmium	7440-43-9	0.69 and meet Schedule 6 standards	0.11 mg/L TCLP and meet Schedule 6 standards	
		Treatment Subcategory 2 Cadmium containing batterie (Note: This subcategory cons	sists of non-aqueou	is wastes only.)		
		Cadmium	7440-43-9	NA	RTHRM	
		Treatment Subcategory 3 Radioactively contaminated of non-aqueous wastes only.)		ng batteries. (Note: T	his subcategory consists	
		Cadmium	7440-43-9	NA	Macroencapsulation in accordance with Schedule 8 (Alternative Treatment for Hazardous Debris)	
D007	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on the Toxicity Characteristic Leaching Procedure.	Chromium (Total)	7440-47-3	2.77 and meet Schedule 6 standards	0.60 mg/L TCLP and meet Schedule 6 standards	

	stic Waste	Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Trea	atment Requirements
		(,	Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
D008	Wastes that exhibit, or are	Treatment Subcategory	1		
	expected to exhibit, the characteristic of toxicity for	Wastes that exhibit, or are than wastes in Treatment S	Subcategories 2 and	3.	
	lead based on the Toxicity Characteristic Leaching Procedure.	Lead	7439-92-1	0.69 and meet Schedule 6 standards	0.75 mg/L TCLP and meet Schedule 6 standards
		Treatment Subcategory 2		. 1 1 1 1 1	1 1 111 0 1 1
		Lead acid batteries Subcate are identified as hazardous	wastes and that are	not excluded elsewhe	ere from regulation unde
		Regulation 347 or through Lead	7439-92-1	NA	RLEAD
		Treatment Subcategory 3		NA	KLEAD
		Radioactive Lead Solids S to, all forms of lead shield include treatment residuals or incinerator ashes that ca include organo-lead materi consists of non-aqueous w	ing and other eleme s such as hydroxide in undergo conventitials that can be incir	ental forms of lead. The sludges, other wastew onal pozzolanic stabil	ese lead solids do not vater treatment residuals, ization, nor do they
		Lead	7439-92-1	NA	MACRO
D009	Wastes that exhibit, or are	Treatment Subcategory 1		IVA	WACKO
- ***	expected to exhibit, the characteristic of toxicity for mercury based on the Toxicity Characteristic Leaching Procedure.	(High Mercury-Organic Su Non-aqueous wastes that e mercury; and contain great organics and are not incine	nbcategory) exhibit, or are expecter than or equal to		
		Mercury Treatment Subcategory 2	7439-97-6	NA	IMERC; OR RMERC
		(High Mercury-Inorganic S Non-aqueous wastes that e mercury; and contain great including incinerator resid Mercury	xhibit, or are expecter than or equal to	260 mg/kg total mercu	
		Treatment Subcategory 3			
		(Low Mercury Subcategor Non-aqueous wastes that e mercury; and contain less only.	y) xhibit, or are expec		
		Mercury	7439-97-6	NA	0.20 mg/L TCLP and meet Schedule 6 standards
		Treatment Subcategory			
		(Low Mercury Subcategor All other non-aqueous was toxicity for mercury; and c from RMERC.	stes that exhibit, or a		
		Mercury	5420.05.6	NA	
		,	7439-97-6	IVA	0.025 mg/L TCLP and meet Schedule 6 standards
		Treatment Subcategory 5 All aqueous wastes that ex mercury.	5 hibit or are expecte	d to exhibit the charac	meet Schedule 6 standards
		Treatment Subcategory 5 All aqueous wastes that ex mercury. Mercury	5 hibit or are expecte		meet Schedule 6 standards steristic of toxicity for
		Treatment Subcategory 5 All aqueous wastes that ex mercury.	hibit or are expecte 7439-97-6 erials Subcategory) hinated with radioac	d to exhibit the character of the desired of the de	meet Schedule 6 standards steristic of toxicity for

Characteri	stic Waste	Regulated Constituents (and Treatment Subcategorie	es ¹)	Land Disposal Trea	tment Requirements		
				Aqueous Waste	Non-aqueous Waste		
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6		
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)		
		Treatment Subcategory 7 Hydraulic oil contaminated subcategory consists of non-	with Mercury Radi	ioactive Materials Sub	ocategory. (Note: This		
		Mercury	7439-97-6	NA	IMERC		
		Treatment Subcategory 8 Radioactively contaminated non-aqueous wastes only.)	mercury containin	ng batteries. (Note: Th	is subcategory consists		
		Mercury	7439-97-6	NA	Macroencapsulation in accordance with Schedule 8 (Alternative Treatment for Hazardous Debris)		
D010	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on the Toxicity Characteristic Leaching Procedure.	Selenium	7782-49-2	0.82 and meet Schedule 6 standards	5.7 mg/L TCLP and meet Schedule 6 standards		
D011	Wastes that exhibit, or are	Treatment Subcategory 1	•	•	1		
	expected to exhibit, the characteristic of toxicity for	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver other					
	silver based on the Toxicity	than wastes in Treatment Su		0.42 1	0.14 /I TOLD 1		
	Characteristic Leaching Procedure.	Silver	7440-22-4	0.43 and meet Schedule 6 standards	0.14 mg/L TCLP and meet Schedule 6 standards		
		Treatment Subcategory 2 Radioactively contaminated silver containing batteries Subcategory. (Note: This subcategory consists of non-aqueous wastes only.)					
		Silver	7440-22-4	NA	Macroencapsulation in accordance with Schedule 8 (Alternative Treatment for Hazardous Debris)		
D012	Wastes that are leachate toxic for Endrin based on the	Endrin	72-20-8	BIODG; or CMBST	0.13 and meet Schedule 6 standards		
D.012	Toxicity Characteristic Leaching Procedure.	Endrin aldehyde	7421-93-4	BIODG; or CMBST	0.13 and meet Schedule 6 standards		
D013	Wastes that are leachate toxic for Lindane based on the Toxicity Characteristic	alpha-BHC	319-84-6	CARBN; or CMBST	0.066 and meet Schedule 6 standards		
	Leaching Procedure.	beta-BHC	319-85-7	CARBN; or CMBST	0.066 and meet Schedule 6 standards		
		delta-BHC	319-86-8	CARBN; or CMBST	0.066 and meet Schedule 6 standards		
		gamma-BHC (Lindane)	58-89-9	CARBN; or CMBST	0.066 and meet Schedule 6 standards		
D014	Wastes that are leachate toxic for Methoxychlor based on the Toxicity Characteristic Leaching Procedure.	Methoxychlor	72-43-5	WETOX; or CMBST	0.18 and meet Schedule 6 standards		
D015	Wastes that are leachate toxic for Toxaphene based on the Toxicity Characteristic Leaching Procedure.	Toxaphene	8001-35-2	BIODG; or CMBST	2.6 and meet Schedule 6 standards		
D016	Wastes that are leachate toxic for 2,4-D (2,4-Dichlorophenoxyacetic acid) based on the Toxicity Characteristic Leaching Procedure.	2,4,-D (2,4- Dichlorophenoxyacetic acid)	94-75-7	CHOXD; BIODG; or CMBST	10 and meet Schedule 6 standards		

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
D017	Wastes that are leachate toxic for 2,4,5-TP (Silvex) based on the Toxicity Characteristic Leaching Procedure.	2,4,5-TP (Silvex)	93-72-1	CHOXD; or CMBST	7.9 and meet Schedule 6 standards	
D018	Wastes that are leachate toxic for Benzene based on the Toxicity Characteristic Leaching Procedure.	Benzene	71-43-2	0.14 and meet Schedule 6 standards	10 and meet Schedule 6 standards	
D019	Wastes that are leachate toxic for Carbon tetrachloride based on the Toxicity Characteristic Leaching Procedure.	Carbon tetrachloride	56-23-5	0.057 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D020	Wastes that are leachate toxic for Chlordane based on the Toxicity Characteristic Leaching Procedure.	Chlordane (alpha and gamma isomers)	57-74-9	0.0033 and meet Schedule 6 standards	0.26 and meet Schedule 6 standards	
D021	Wastes that are leachate toxic for Chlorobenzene based on the Toxicity Characteristic Leaching Procedure.	Chlorobenzene	108-90-7	0.057 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D022	Wastes that are leachate toxic for Chloroform based on the Toxicity Characteristic Leaching Procedure.	Chloroform	67-66-3	0.046 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D023	Wastes that are leachate toxic for o-Cresol based on the Toxicity Characteristic Leaching Procedure.	o-Cresol	95-48-7	0.11 and meet Schedule 6 standards	5.6 and meet Schedule 6 standards	
D024	Wastes that are leachate toxic for m-Cresol based on the Toxicity Characteristic Leaching Procedure.	m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77 and meet Schedule 6 standards	5.6 and meet Schedule 6 standards	
D025	Wastes that are leachate toxic for p-Cresol based on the Toxicity Characteristic Leaching Procedure.	p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77 and meet Schedule 6 standards	5.6 and meet Schedule 6 standards	
D026	Wastes that are leachate toxic for Cresols (Total) based on the Toxicity Characteristic Leaching Procedure.	Cresol-mixed isomers (Cresylic acid) (sum of o-, m-, and p-cresol concentrations)	1319-77-3	0.88 and meet Schedule 6 standards	11.2 and meet Schedule 6 standards	
D027	Wastes that are leachate toxic for p-Dichlorobenzene based on the Toxicity Characteristic Leaching Procedure.	p-Dichlorobenzene (1,4- Dichlorobenzene)	106-46-7	0.090 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D028	Wastes that are leachate toxic for 1,2-Dichloroethane based on the Toxicity Characteristic Leaching Procedure.	1,2-Dichloroethane	107-06-2	0.21 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D029	Wastes that are leachate toxic for 1,1-Dichloroethylene based on the Toxicity Characteristic Leaching Procedure.	1,1-Dichloroethylene	75-35-4	0.25 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards	
D030	Wastes that are leachate toxic for 2,4-Dinitrotoluene based on the Toxicity Characteristic Leaching Procedure.	2,4-Dinitrotoluene	121-14-2	0.32 and meet Schedule 6 standards	140 and meet Schedule 6 standards	

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
D031	Wastes that are leachate toxic for Heptachlor based on the Toxicity Characteristic	Heptachlor	76-44-8	0.0012 and meet Schedule 6 standards	0.066 and meet Schedule 6 standards
	Leaching Procedure.	Heptachlor epoxide	1024-57-3	0.016 and meet Schedule 6 standards	0.066 and meet Schedule 6 standards
D032	Wastes that are leachate toxic for Hexachlorobenzene based on the Toxicity Characteristic Leaching Procedure.	Hexachlorobenzene	118-74-1	0.055 and meet Schedule 6 standards	10 and meet Schedule 6 standards
D033	Wastes that are leachate toxic for Hexachlorobutadiene based on the Toxicity Characteristic Leaching Procedure.	Hexachlorobutadiene	87-68-3	0.055 and meet Schedule 6 standards	5.6 and meet Schedule 6 standards
D034	Wastes that are leachate toxic for Hexachloroethane based on the Toxicity Characteristic Leaching Procedure.	Hexachloroethane	67-72-1	0.055 and meet Schedule 6 standards	30 and meet Schedule 6 standards
D035	Wastes that are leachate toxic for Methyl ethyl ketone based on the Toxicity Characteristic Leaching Procedure.	Methyl ethyl ketone	78-93-3	0.28 and meet Schedule 6 standards	36 and meet Schedule 6 standards
D036	Wastes that are leachate toxic for Nitrobenzene based on the Toxicity Characteristic Leaching Procedure.	Nitrobenzene	98-95-3	0.068 and meet Schedule 6 standards	14 and meet Schedule 6 standards
D037	Wastes that are leachate toxic for Pentachlorophenol based on the Toxicity Characteristic Leaching Procedure.	Pentachlorophenol	87-86-5	0.089 and meet Schedule 6 standards	7.4 and meet Schedule 6 standards
D038	Wastes that are leachate toxic for Pyridine based on the Toxicity Characteristic Leaching Procedure.	Pyridine	110-86-1	0.014 and meet Schedule 6 standards	16 and meet Schedule 6 standards
D039	Wastes that are leachate toxic for Tetrachloroethylene based on the Toxicity Characteristic Leaching Procedure.	Tetrachloroethylene	127-18-4	0.056 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards
D040	Wastes that are leachate toxic for Trichloroethylene based on the Toxicity Characteristic Leaching Procedure.	Trichloroethylene	79-01-6	0.054 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards
D041	Wastes that are leachate toxic for 2,4,5-Trichlorophenol based on the Toxicity Characteristic Leaching Procedure.	2,4,5-Trichlorophenol	95-95-4	0.18 and meet Schedule 6 standards	7.4 and meet Schedule 6 standards
D042	Wastes that are leachate toxic for 2,4,6-Trichlorophenol based on the Toxicity Characteristic Leaching Procedure.	2,4,6-Trichlorophenol	88-06-2	0.035 and meet Schedule 6 standards	7.4 and meet Schedule 6 standards
D043	Wastes that are leachate toxic for Vinyl chloride based on the Toxicity Characteristic Leaching Procedure.	Vinyl chloride	75-01-4	0.27 and meet Schedule 6 standards	6.0 and meet Schedule 6 standards

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste Non-aqueous Wa	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
E001	Wastes that are leachate toxic for Aldrin + Dieldrin based on the Toxicity Characteristic	Aldrin	309-00-2	0.021 and meet Schedule 6 standards	0.066 and meet Schedule 6 standards
	Leaching Procedure.	Diedrin	60-57-1	0.017 and meet Schedule 6 standards	0.13 and meet Schedule 6 standards
E002	Wastes that are leachate toxic for Bendiocarb based on the Toxicity Characteristic Leaching Procedure.	Bendiocarb	22781-23-3	N/A	1.4 and meet Schedule 6 standards
E003	Wastes that are leachate toxic for Benzo(a)pyrene based on the Toxicity Characteristic Leaching Procedure.	Benzo(a)pyrene	50-32-8	N/A	3.4 and meet Schedule 6 standards
E004	Wastes that are leachate toxic for Carbaryl/Sevin/1-Naphthyl-N methyl carbamate based on the Toxicity Characteristic Leaching Procedure.	Carbaryl/Sevin/1-Naphthyl- N methyl carbamate	63-25-2	N/A	0.14 and meet Schedule 6 standards
E005	Wastes that are leachate toxic for Carbofuran based on the Toxicity Characteristic Leaching Procedure.	Carbofuran	1563-66-2	N/A	0.14 and meet Schedule 6 standards
E006	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for	Cyanides (Total) ⁷	57-12-5	1.2 and meet Schedule 6 standards	590 and meet Schedule 6 standards
	Cyanide based on the Toxicity Characteristic Leaching Procedure.	Cyanides (Amenable) ⁷	57-12-5	0.86 and meet Schedule 6 standards	30 and meet Schedule 6 standards
E007	Wastes that are leachate toxic for 2,4-DCP (2,4-Dichlorophenol) based on the Toxicity Characteristic Leaching Procedure.	2,4-DCP (2,4- Dichlorophenol)	120-83-2	N/A	14 and meet Schedule 6 standards
E008	Wastes that are leachate toxic for DDT (total isomers) based on the Toxicity Characteristic Leaching Procedure.	DDT (total isomers)		N/A	0.087 and meet Schedule 6 standards
E009	Wastes that are leachate toxic for 1,2-Dichlorobenzene (o-Dichlorobenzene) based on the Toxicity Characteristic Leaching Procedure.	1,2-Dichlorobenzene (o- Dichlorobenzene)	95-50-1	N/A	6.0 and meet Schedule 6 standards
E010	Wastes that are leachate toxic for Dichloromethane (also see methylene chloride) based on the Toxicity Characteristic Leaching Procedure.	Dichloromethane (also see - methylene chloride)	75-09-02	N/A	30 and meet Schedule 6 standards
E011	Wastes that are leachate toxic for Methylene chloride / Dichloromethane based on the Toxicity Characteristic Leaching Procedure.	Methylene chloride / Dichloromethane	75-09-02	N/A	30 and meet Schedule 6 standards
E012	Wastes that are leachate toxic for Dinoseb based on the Toxicity Characteristic Leaching Procedure.	Dinoseb	88-85-7	N/A	2.5 and meet Schedule 6 standards

Characteristic Waste		Regulated Constituents (and Treatment Subcategorie	rs ¹)	Land Disposal Treatment Requirements		
				Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
E013	Wastes that are leachate toxic for Dioxin & Furans based on the Toxicity Characteristic Leaching Procedure.	1,2,3,4,6,7,8- Heptachlorodibenzo-p- dioxin (1,2,3,4,6,7,8- HpCDD)	35822-46-9	0.000035 and meet Schedule 6 standards	0.0025 and meet Schedule 6 standards	
		1,2,3,4,6,7,8- Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035 and meet Schedule 6 standards	Schedule 6 standards	
		1,2,3,4,7,8,9- Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)	55673-89-7	0.000035 and meet Schedule 6 standards	0.0025 and meet Schedule 6 standards	
		HxCDDs (All Hexachlorodibenzo-p- dioxins)	34465-46-8	0.000063 and meet Schedule 6 standards	0.001 and meet Schedule 6 standards	
		HxCDFs (All Hexachlorodibenzofurans)	55684-94-1	0.000063 and meet Schedule 6 standards	0.001 and meet Schedule 6 standards	
		1,2,3,4,6,7,8,9- Octachlorodibenzo-p-dioxin (OCDD)	3268-87-9	0.000063 and meet Schedule 6 standards	Schedule 6 standards	
		1,2,3,4,6,7,8,9- Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063 and meet Schedule 6 standards	Schedule 6 standards	
		PeCDDs (All Pentachlorodibenzo-p- dioxins	36088-22-9	0.000063 and meet Schedule 6 standards	Schedule 6 standards	
		PeCDFs (All Pentachlorodibenzofurans)	30402-15-4	0.000035 and meet Schedule 6 standards	0.001 and meet Schedule 6 standards	
		TCDDs (All tetachlorodibenzo-p-dioxins)	41903-57-5	0.000063 and meet Schedule 6 standards	Schedule 6 standards	
		TCDFs (All tetrachlorodibenzofurans)	55722-27-5	0.000063 and meet Schedule 6 standards	0.001 and meet Schedule 6 standards	
E014	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Fluoride based on the Toxicity Characteristic Leaching Procedure.	Fluoride	16984-48-8	35 and meet Schedule 6 standards	NA	
E015	Wastes that are leachate toxic for Methyl Parathion based on the Toxicity Characteristic Leaching Procedure.	Methyl Parathion	298-00-0	N/A	4.6 and meet Schedule 6 standards	
E016	Wastes that are leachate toxic for NDMA based on the Toxicity Characteristic Leaching Procedure.	NDMA	62-75-9	N/A	2.3 and meet Schedule 6 standards	
E017	Wastes that are leachate toxic for Parathion based on the Toxicity Characteristic Leaching Procedure.	Parathion	56-38-2	N/A	4.6 and meet Schedule 6 standards	
E018	Wastes that are leachate toxic for PCBs based on the Toxicity Characteristic Leaching Procedure.	Total PCBs (Sum of all PCB Isomers, or all Aroclors)	1336-36-3	0.10 and meet Schedule 6 standards	10 and meet Schedule 6 standards	

Characteristic Waste		Regulated Constituents (and Treatment Subcategorie	es ¹)	Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
E019	Wastes that are leachate toxic for Phorate based on the Toxicity Characteristic Leaching Procedure.	Phorate	298-02-2	N/A	4.6 and meet Schedule 6 standards
E020	Wastes that are leachate toxic for 2,4,5-T (2,4,5- Trichlorophenoxyacetic acid) based on the Toxicity Characteristic Leaching Procedure.	2,4,5-T (2,4,5- Trichlorophenoxyacetic acid)	93-76-5	N/A	7.9 and meet Schedule 6 standards
E021	Wastes that are leachate toxic for 2,3,4,6-Tetrachlorophenol /(2,3,4,6-TeCP) based on the Toxicity Characteristic Leaching Procedure.	2,3,4,6-Tetrachlorophenol /(2,3,4,6-TeCP)	58-90-2	N/A	7.4 and meet Schedule 6 standards
E022	Wastes that are leachate toxic for Triallate based on the Toxicity Characteristic Leaching Procedure.	Triallate	2303-17-5	N/A	1.4 and meet Schedule 6 standards
E101	Wastes that are leachate toxic for Aldicarb based on the Toxicity Characteristic Leaching Procedure.	Aldicarb	116-06-3	Meet Schedule 6 standards and best efforts to achieve 0.9	Meet Schedule 6 standards and best efforts to achieve 0.9 mg/L TCLP
E102	Wastes that are leachate toxic for Atrazine + N-dealkylated metabolites (Weedex) based on the Toxicity Characteristic Leaching Procedure.	Atrazine + N-dealkylated metabolites (Weedex)	1912-24-9	Meet Schedule 6 standards and best efforts to achieve 0.5	Meet Schedule 6 standards and best efforts to achieve 0.5 mg/L TCLP
E103	Wastes that are leachate toxic for Azinphos-methyl based on the Toxicity Characteristic Leaching Procedure.	Azinphos-methyl	86-50-0	Meet Schedule 6 standards and best efforts to achieve 2	Meet Schedule 6 standards and best efforts to achieve 2 mg/L TCLP
E104	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Boron based on the Toxicity Characteristic Leaching Procedure.	Boron	7440-42-8	Meet Schedule 6 standards and best efforts to achieve 500	Meet Schedule 6 standards and best efforts to achieve 500 mg/L TCLP
E105	Wastes that are leachate toxic for Bromoxynil based on the Toxicity Characteristic Leaching Procedure.	Bromoxynil	1689-84-5	Meet Schedule 6 standards and best efforts to achieve 0.5	Meet Schedule 6 standards and best efforts to achieve 0.5 mg/L TCLP
E106	Wastes that are leachate toxic for Chlorpyrifos based on the Toxicity Characteristic Leaching Procedure.	Chlorpyrifos	2921-88-2	Meet Schedule 6 standards and best efforts to achieve 9	Meet Schedule 6 standards and best efforts to achieve 9 mg/L TCLP
E107	Wastes that are leachate toxic for Cyanazine based on the Toxicity Characteristic Leaching Procedure.	Cyanazine	21725-46-2	Meet Schedule 6 standards and best efforts to achieve 1	Meet Schedule 6 standards and best efforts to achieve 1 mg/L TCLP
E108	Wastes that are leachate toxic for Diazinon/Phosphordithioic acid, o,o-diethyl o-(2-isopropyl 6-methyl-4-pyrimidinyl) ester based on the Toxicity Characteristic Leaching Procedure.	Diazinon/Phosphordithioic acid, o,o-diethyl o-(2- isopropyl 6-methyl-4- pyrimidinyl) ester	333-41-5	Meet Schedule 6 standards and best efforts to achieve 2	Meet Schedule 6 standards and best efforts to achieve 2 mg/L TCLP

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements		
-	T = .			Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)	
E109	Wastes that are leachate toxic for Dicamba based on the Toxicity Characteristic Leaching Procedure.	Dicamba	1918-00-9	Meet Schedule 6 standards and best efforts to achieve 12	Meet Schedule 6 standards and best efforts to achieve 12 mg/L TCLP	
E110	Wastes that are leachate toxic for Diclofop-methyl based on the Toxicity Characteristic Leaching Procedure.	Diclofop-methyl	51338-27-3	Meet Schedule 6 standards and best efforts to achieve 0.9	Meet Schedule 6 standards and best efforts to achieve 0.9 mg/L TCLP	
E111	Wastes that are leachate toxic for Dimethoate based on the Toxicity Characteristic Leaching Procedure.	Dimethoate	60-51-5	Meet Schedule 6 standards and best efforts to achieve 2	Meet Schedule 6 standards and best efforts to achieve 2 mg/L TCLP	
E112	Wastes that are leachate toxic for Diquat based on the Toxicity Characteristic Leaching Procedure.	Diquat	231-36-7	Meet Schedule 6 standards and best efforts to achieve 7	Meet Schedule 6 standards and best efforts to achieve 7 mg/L TCLP	
E113	Wastes that are leachate toxic for Diuron based on the Toxicity Characteristic Leaching Procedure.	Diuron	330-54-1	Meet Schedule 6 standards and best efforts to achieve 15	Meet Schedule 6 standards and best efforts to achieve 15 mg/L TCLP	
E114	Wastes that are leachate toxic for Glyphosate based on the Toxicity Characteristic Leaching Procedure.	Glyphosate	1071-83-6	Meet Schedule 6 standards and best efforts to achieve 28	Meet Schedule 6 standards and best efforts to achieve 28 mg/L TCLP	
E115	Wastes that are leachate toxic for Malathion based on the Toxicity Characteristic Leaching Procedure.	Malathion	121-75-5	Meet Schedule 6 standards and best efforts to achieve 19	Meet Schedule 6 standards and best efforts to achieve 19 mg/L TCLP	
E116	Wastes that are leachate toxic for Metolachlor based on the Toxicity Characteristic Leaching Procedure.	Metolachlor	51218-45-2	Meet Schedule 6 standards and best efforts to achieve 5	Meet Schedule 6 standards and best efforts to achieve 5 mg/L TCLP	
E117	Wastes that are leachate toxic for Aldicarb based on the Toxicity Characteristic Leaching Procedure.	Metribuzin	21087-64-9	Meet Schedule 6 standards and best efforts to achieve 8	Meet Schedule 6 standards and best efforts to achieve 8 mg/L TCLP	
E118	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Nitrate + Nitrite (as Nitrogen) based on the Toxicity Characteristic Leaching Procedure.	Nitrate + Nitrite (as Nitrogen)		Meet Schedule 6 standards and best efforts to achieve 1000	Meet Schedule 6 standards and best efforts to achieve 1000 mg/L TCLP	
E119	Wastes that are leachate toxic for Nitrilotriacetic acid (NTA) based on the Toxicity Characteristic Leaching Procedure.	Nitrilotriacetic acid (NTA)	139-13-9	Meet Schedule 6 standards and best efforts to achieve 40	Meet Schedule 6 standards and best efforts to achieve 40 mg/L TCLP	
E120	Wastes that are leachate toxic for Paraquat based on the Toxicity Characteristic Leaching Procedure.	Paraquat	4685-14-7	Meet Schedule 6 standards and best efforts to achieve 1	Meet Schedule 6 standards and best efforts to achieve 1 mg/L TCLP	
E121	Wastes that are leachate toxic for Picloram based on the Toxicity Characteristic Leaching Procedure.	Picloram	1918-02-1	Meet Schedule 6 standards and best efforts to achieve 19	Meet Schedule 6 standards and best efforts to achieve 19 mg/L TCLP	
E122	Wastes that are leachate toxic for Simazine based on the Toxicity Characteristic Leaching Procedure.	Simazine	122-34-9	Meet Schedule 6 standards and best efforts to achieve 1	Meet Schedule 6 standards and best efforts to achieve 1 mg/L TCLP	

Characteristic Waste		Regulated Constituents (and Treatment Subcategories ¹)		Land Disposal Treatment Requirements	
				Aqueous Waste	Non-aqueous Waste
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Haz. Waste Number ²	Waste	Generic Name or other description	CAS Number ³	Treatment Code ⁴ or Concentration ⁵ (mg/L)	Treatment Code ⁴ or Concentration ⁶ (mg/kg, unless otherwise indicated)
E123	Wastes that are leachate toxic for Temephos based on the Toxicity Characteristic Leaching Procedure.	Temephos	3383-96-8	Meet Schedule 6 standards and best efforts to achieve 28	Meet Schedule 6 standards and best efforts to achieve 28 mg/L TCLP
E124	Wastes that are leachate toxic for Terbufos based on the Toxicity Characteristic Leaching Procedure.	Terbufos	13071-79-9	Meet Schedule 6 standards and best efforts to achieve 0.1	Meet Schedule 6 standards and best efforts to achieve 0.1 mg/L TCLP
E125	Wastes that are leachate toxic for Trifluralin based on the Toxicity Characteristic Leaching Procedure.	Trifluralin	1582-09-8	Meet Schedule 6 standards and best efforts to achieve 4.5	Meet Schedule 6 standards and best efforts to achieve 4.5 mg/L TCLP
E126	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for uranium based on the Toxicity Characteristic Leaching Procedure.	Uranium	7440-61-1	Meet Schedule 6 standards and best efforts to achieve 10	Meet Schedule 6 standards and best efforts to achieve 10 mg/L TCLP

Notes to Schedule 5:

¹ Treatment subcategories are shown for some wastes. In these cases, it is necessary to identify the treatment subcategory that most closely describes the particular waste for which treatment is required. The land disposal treatment requirements for that waste are those shown for that treatment subcategory.

² Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

³ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

⁴ See Schedule 7 for a description of the treatment methods and treatment standards associated with each treatment code. In some cases, the entries in this Schedule may set out more than one treatment code for a regulated constituent. An entry may permit a choice of treatment methods. For example, the entry "CHOXD; BIODG; or CMBST" means that the waste may be treated using any of the treatment methods that are set out for those treatment codes in Schedule 7. An entry may require treatment methods to be applied in a particular sequence. For this purpose, the abbreviation "fb" means "followed by". For example, the entry "CHOXD fb CARBN" means that the waste must first be treated using the treatment method that is set out for CHOXD in Schedule 7 and, following that treatment, it must be treated using the treatment method that is set out for CARBN in Schedule 7. An entry may combine a choice of treatment methods and a requirement to apply treatment methods in a particular sequence (for example, "(WETOX or CHOXD) fb CARBN; or CMBST").

⁵ Concentration requirements for aqueous wastes are based on analysis of composite samples.

⁶ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

⁷ Both Cyanides (Total) and Cyanides (Amenable) for non-aqueous wastes are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods", United States Environmental Protection Agency Publication SW–846, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

SCHEDULE 6 UNIVERSAL TREATMENT STANDARDS (UTS) FOR CHARACTERISTIC WASTES

Regulated Constituent		Land Disposal Treatment Requirements		
		Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	
Common Name	CAS Number ¹		Concentration ³ (mg/kg, unless otherwise indicated)	
Organic Constituents:			,	
Acenaphthylene	208-96-8	0.059	3.4	
Acenaphthene	83-32-9	0.059	3.4	
Acetone	67-64-1	0.28	160	
Acetonitrile	75-05-8	5.6	38	
Acetophenone	96-86-2	0.010	9.7	
2-Acetylaminofluorene	53-96-3	0.059	140	
Acrolein	107-02-8	0.29	NA	
Acrylamide	79-06-1	19	23	
Acrylonitrile	107-13-1	0.24	84	
Aldicarb sulfone	1646-88-4	0.056	0.28	
Aldrin	309-00-2	0.021	0.066	
4-Aminobiphenyl	92-67-1	0.13	NA	
Aniline	62-53-3	0.81	14	
Anthracene	120-12-7	0.059	3.4	
Aramite	140-57-8	0.36	NA	
alpha-BHC	319-84-6	0.00014	0.066	
beta-BHC delta-BHC	319-85-7 319-86-8	0.00014 0.023	0.066 0.066	
gamma-BHC	58-89-9	0.023	0.066	
Barban	101-27-9	0.056	1.4	
Bendiocarb	22781-23-3	0.056	1.4	
Benomyl	17804-35-2	0.056	1.4	
Benzene	71-43-2	0.030	10	
Benz(a)anthracene	56-55-3	0.059	3.4	
Benzal chloride	98-87-3	0.055	6.0	
Benzo(b)fluoranthene (difficult to distinguish from benzo(k)fluoranthene)	205-99-2	0.11	6.8	
Benzo(k)fluoranthene (difficult to distinguish from benzo(b)fluoranthene)	207-08-9	0.11	6.8	
Benzo(g,h,i)perylene	191-24-2	0.0055	1.8	
Benzo(a)pyrene	50-32-8	0.061	3.4	
Bromodichloromethane	75-27-4	0.35	15	
Bromomethane/Methyl bromide	74-83-9	0.11	15	
4-Bromophenyl phenyl ether	101-55-3	0.055	15	
n-Butyl alcohol	71-36-3	5.6	2.6	
Butylate	2008-41-5	0.042	1.4	
Butyl benzyl phthalate	85-68-7	0.017	28	
2-sec-Butyl-4,6-dinitrophenol/Dinoseb	88-85-7	0.066	2.5	
Carbaryl Carbenzadim	63-25-2	0.006	0.14	
	10605-21-7	0.056	1.4	
Carbofuran	1563-66-2	0.006	0.14	
Carbofuran phenol Carbon disulfide	1563-38-8 75-15-0	0.056	4.8 mg/L TCLP	
Carbon tetrachloride	56-23-5	0.057	6.0	
Carbosulfan	55285-14-8	0.037	1.4	
Chlordane (alpha and gamma isomers)	57-74-9	0.028	0.26	
p-Chloroaniline	106-47-8	0.46	16	
Chlorobenzene	108-90-7	0.057	6.0	
Chlorobenzilate	510-15-6	0.10	NA	
2-Chloro-1,3-butadiene	126-99-8	0.057	0.28	
Chlorodibromomethane	124-48-1	0.057	15	
Chloroethane	75-00-3	0.27	6.0	
bis(2-Chloroethoxy)methane	111-91-1	0.036	7.2	
bis(2-Chloroethyl)ether	111-44-4	0.033	6.0	

Regulated Constituent		Land Disposal Treatment Requirements		
		Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	
Common Name	CAS Number ¹		Concentration ³ (mg/kg, unless otherwise indicated)	
Chloroform	67-66-3	0.046	6.0	
bis(2-Chloroisopropyl)ether	39638-32-9	0.055	7.2	
p-Chloro-m-cresol	59-50-7	0.018	14	
2-Chloroethyl vinyl ether	110-75-8	0.062	NA	
Chloromethane/Methyl chloride	74-87-3	0.19	30	
2-Chloronaphthalene	91-58-7	0.055	5.6	
2-Chloropchenol	95-57-8	0.044	5.7	
3-Chloropropylene	107-05-1	0.036	30	
Chrysene	218-01-9	0.059	3.4	
o-Cresol	95-48-7	0.11	5.6	
m-Cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6	
p-Cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6	
m-Cumenyl methylcarbamate	64-00-6	0.056	1.4	
Cyclohexanone	108-94-1	0.36	0.75 mg/L TCLP	
o,p'-DDD	53-19-0	0.023	0.087	
p,p'-DDD	72-54-8	0.023	0.087	
o,p'-DDE	3424-82-6	0.031	0.087	
p,p'-DDE	72-55-9	0.031	0.087	
o,p'-DDT	789-02-6	0.0039	0.087	
p,p'-DDT	50-29-3	0.0039	0.087	
Dibenz(a,h)anthracene	53-70-3	0.055	8.2	
Dibenz(a,e)pyrene	192-65-4	0.061	NA 15	
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15	
1,2-Dibromoethane/Ethylene dibromide	106-93-4	0.028	15	
Dibromomethane	74-95-3	0.11	15	
m-Dichlorobenzene	541-73-1 95-50-1	0.036	6.0	
o-Dichlorobenzene p-Dichlorobenzene	106-46-7	0.088	6.0	
Dichlorodifluoromethane	75-71-8	0.09	7.2	
1,1-Dichloroethane	75-34-3	0.25	6.0	
1,2-Dichloroethane	107-06-2	0.039	6.0	
1,1-Dichloroethylene	75-35-4	0.025	6.0	
trans-1,2-Dichloroethylene	156-60-5	0.023	30	
2,4-Dichlorophenol	120-83-2	0.044	14	
2,6-Dichlorophenol	87-65-0	0.044	14	
2,4-Dichlorophenoxyacetic acid/2,4-D	94-75-7	0.72	10	
1,2-Dichloropropane	78-87-5	0.85	18	
cis-1,3-Dichloropropylene	10061-01-5	0.036	18	
trans-1,3-Dichloropropylene	10061-02-6	0.036	18	
Dieldrin	60-57-1	0.017	0.13	
Diethyl phthalate	84-66-2	0.20	28	
p-Dimethylaminoazobenzene	60-11-7	0.13	NA	
2,4-Dimethylphenol	105-67-9	0.036	14	
Dimethyl phthalate	131-11-3	0.047	28	
Di-n-butyl phthalate	84-74-2	0.057	28	
1,4-Dinitrobenzene	100-25-4	0.32	2.3	
4,6-Dinitro-o-cresol	534-52-1	0.28	160	
2,4-Dinitrophenol	51-28-5	0.12	160	
2,4-Dinitrotoluene	121-14-2	0.32	140	
2,6-Dinitrotoluene	606-20-2	0.55	28	
Di-n-octyl phthalate	117-84-0	0.017	28	
Di-n-propylnitrosamine	621-64-7	0.40	14	
1,4-Dioxane	123-91-1	12.0	170	
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13	
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13	

1,2-Diphenylhydrazine 122-66-7 0.087 NA	Regulated Constituent		Land Disposal Treatme	nt Requirements
CAS Number Cas Number Concentration* (mg/L) cunless otherwise indicate			Aqueous Waste	Non-aqueous Waste
1,2-Diphenylhydrazine	Column 1		Column 3	Column 4
Disulforn 298-04-4 0.017 6.2	Common Name	CAS Number ¹	Concentration ² (mg/L)	Concentration ³ (mg/kg, unless otherwise indicated
Diblocarbamates (total)				
Endosulfan 959-98-8 0.023 0.066		298-04-4		
Endosulfan II				
Endostifia sulfate				
Endrin 72-20-8 0.0028				
Endrin aldehyde				
EPTC 759-94-4 0.042 1.4 Ethyl acetate 141-78-6 0.34 33 Ethyl benzene 100-41-4 0.057 10 Ethyl cyanide/Propanenitrile 107-12-0 0.24 360 Ethyl cyanide/Propanenitrile 107-12-0 0.24 360 Ethyl cherr 60-29-7 0.12 160 Ethyl cherr 60-29-7 0.12 160 Ethyl ether 97-63-2 0.14 160 Ethyl cherr 75-21-8 0.12 NA Famphur 52-85-7 0.017 15 Fluoranthene 206-44-0 0.068 3.4 Fluoranthene 206-44-0 0.068 3.4 Fluoranthene 86-73-7 0.059 3.4 Fluoranthene 86-73-7 0.059 3.4 Fluoranthene 86-73-7 0.059 3.4 Fluoranthene 86-73-7 0.059 3.4 Fluoranthene 12,3,4,6,7,8-Hg-CDF) 75-44-8 0.0012 0.066 1.2,3,4,6,7,8-Hg-tachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-Hg-CDF) 0.00035 0.0025 I-2,3,4,6,7,8-Hg-tachlorodibenzo-furan (1,2,3,4,6,7,8-Hg-CDF) 0.00035 0.0025 I-2,3,4,7,8,9-Hg-tachlorodibenzo-furan (1,2,3,4,7,8,9-Hg-CDF) 118-74-1 0.055 10 Hexachlorobenzene 118-74-1 0.055 10 Hexachlorobenzene 118-74-1 0.055 10 Hexachlorobenzene 17-47-4 0.057 2.4 HrCDDs (All Hexachlorodibenzo-furans) NA 0.000063 0.001 Hexachlorobethane 87-68-3 0.055 5.6 Hexachlorobethane 87-68-3 0.055 3.0 Indemo(1,2,3-c,d)pyrene 193-39-5 0.0055 3.4 Indomethane 97-72-1 0.055 30 Indemo(1,2,3-c,d)pyrene 193-39-5 0.0055 3.4 Indomethane 97-88-1 0.0001 0.006 Isosafrole 120-58-1 0.081 2.6 Kepone 13-50-0 0.001 0.01 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000063 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.00065 0.001 HrxCDDs (All Hexachlorodibenzo-furans) NA 0.000065 0.001 HrxCDs				
Ethyl acetate				
Ethyl benzene				
Ethyl cyanide/Propanenitrile				
Ethyl ether				
Ethylene oxide				
Elhylen oxide				
Famphur				
Fluoranthene 206-44-0 0.068 3.4 Fluorene 86-73-7 0.059 3.4 Formetanate hydrochloride 23422-53-9 0.056 1.4 Heptachlor 76-44-8 0.0012 0.066 1.2,3.4,6.7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6.7,8- 38822-46-9 0.000035 0.0025 HCDD)				
Fluorene				
Formetanate hydrochloride				
Heptachlor				
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDF)				
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF) 67562-39-4 0.000035 0.0025 1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF) 1024-57-3 0.0106 0.066 1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF) 1024-57-3 0.016 0.066 1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF) 1024-57-3 0.016 0.066 Hexachlorobenzene 118-74-1 0.055 10 Hexachlorocyclopentadiene 77-8-3 0.055 5.6 Hexachlorocyclopentadiene 77-47-4 0.057 2.4 HXCDDs (All Hexachlorodibenzo-p-dioxins) NA 0.000063 0.001 HXCDFs (All Hexachlorodibenzofurans) 0.0055 1.4 HXCDFs (All Hexachlorodibenzofurans) 0.0066 0.0066 HXCDFs (All Hexachlorodibenzofurans) 0.0066 HXCDFs (All Hexachlorodibenzofurans)	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-			
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF) 56673-89-7 0.00035 0.025 Hexachloro epoxide 1024-57-3 0.016 0.066 Hexachlorobenzene 118-74-1 0.055 10 Hexachlorobutadiene 87-68-3 0.055 5.6 Hexachlorocyclopentadiene 77-47-4 0.057 2.4 HxCDDs (All Hexachlorodibenzo-p-dioxins) NA 0.000063 0.001 HxCDDs (All Hexachlorodibenzofurans) NA 0.0055 3.4 Index (All Hexachlorodibenzofurans) 193-39-5 0.0015 3.4 Index (All Hexachlorodibenzofurans)	1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)	67562-39-4	0.000035	0.0025
Hexachlorobenzene 118-74-1 0.055 10 Hexachlorobutadiene 87-68-3 0.055 5.6 Hexachlorocyclopentadiene 77-47-4 0.057 2.4 HxCDDs (All Hexachlorodibenzo-p-dioxins) NA 0.000063 0.001 HxCDPs (All Hexachlorodibenzofurans) NA 0.000063 0.001 Index (All Hexachlorodibenzofurans) 193-39-5 0.0055 3.4 Index (All Hexachlorodibenzofurans) 193-39-5 0.021 0.066 Isosafrole 120-58-1 0.021 0.066 Isosafrole 120-58-1 0.081 2.6 Kepone 143-50-0 0.0011 0.13 Methacylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methoxychlor 15.5 0.081 1.5 Methoxychlor 16752-77-5 0.028 0.14 Methoxychlor 16752-77-5 0.028 0.14 Methoxychlor 12-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.055 15 4.4-Methylcholanthrene 56-49-5 0.055 15 4.4-Methylcholanthrene 10-11-14 1.00 Methylcholanthrene 10-11-14 1.00 Me	1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)		0.000035	0.0025
Hexachlorobutadiene	Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorocyclopentadiene				
HxCDDs (All Hexachlorodibenzo-p-dioxins) NA 0.000063 0.001 HxCDDs (All Hexachlorodibenzofurans) NA 0.000063 0.001 HxCDDs (All Hexachlorodibenzofurans) NA 0.000063 0.001 HxCachloroethane 67-72-1 0.055 30 Indeno(1,2,3-c,d)pyrene 193-39-5 0.0055 3.4 Iodomethane 74-88-4 0.19 65 Isobutyl alcohol 78-83-1 5.6 170 Isodrin 465-73-6 0.021 0.066 Isosafrole 120-58-1 0.081 2.6 Kepone 143-50-0 0.0011 0.13 Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyriene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl methanesulfonate 66-27-3 0.018 NA Methyl methanesulfonate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Molinate 2212-67-1 0.042 1.4 Molinate 91-59-8 0.52 NA				
HxCDFs (All Hexachlorodibenzofurans) NA 0.000063 0.001 Hexachloroethane 67-72-1 0.055 30 Indeno(1,2,3-c,d)pyrene 193-39-5 0.0055 3.4 Iodomethane 74-88-4 0.19 65 Isobutyl alcohol 78-83-1 5.6 170 Isodrin 465-73-6 0.021 0.066 Isosafrole 120-58-1 0.081 2.6 Kepone 143-50-0 0.0011 0.13 Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methyleholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methyle ethloride 78-93-3 0.28 36 Methyl hethacrylate 80-62-6 0.14 160 Methyl methacrylate 80-62-6 0.14 160 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Molinate 2212-67-1 0.042 1.4 Molphylamine 91-59-8 0.52 NA				
Hexachloroethane				
Indeno(1,2,3-c,d)pyrene 193-39-5 0.0055 3.4 Iodomethane 74-88-4 0.19 65 Isobutyl alcohol 78-83-1 5.6 170 Isodrin 465-73-6 0.021 0.066 Isosafrole 120-58-1 0.081 2.6 Kepone 143-50-0 0.0011 0.13 Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methomyl 1675-27-7 0.028 0.14 Methowychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl methacrylate 80-62-6 0.14 160 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 <td></td> <td></td> <td></td> <td></td>				
Idodmethane				
Sobuty alcohol 78-83-1 5.6 170 Sodrin 465-73-6 0.021 0.066 Sosafrole 120-58-1 0.081 2.6 Sepone 143-50-0 0.0011 0.13 Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methicarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4.4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methyl etholar 30 Methyl etholar 30 Methyl etholar 40 Methoxychlor 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Sodrin 465-73-6 0.021 0.066				
Sosafrole				
Kepone 143-50-0 0.0011 0.13 Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl setone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042				
Methacrylonitrile 126-98-7 0.24 84 Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl parathion 298-00-0 0.018 NA Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059				
Methanol 67-56-1 5.6 0.75 mg/L TCLP Methapyrilene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl stehyl ketone 78-93-3 0.28 36 Methyl siobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 <td></td> <td></td> <td></td> <td></td>				
Methapyrilene 91-80-5 0.081 1.5 Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylcholanthrene 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl sisobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methiocarb 2032-65-7 0.056 1.4 Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				Č
Methomyl 16752-77-5 0.028 0.14 Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methoxychlor 72-43-5 0.25 0.18 3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
3-Methylcholanthrene 56-49-5 0.0055 15 4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
4,4-Methylene bis(2-chloroaniline) 101-14-4 0.50 30 Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methylene chloride 75-09-2 0.089 30 Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methyl ethyl ketone 78-93-3 0.28 36 Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methyl isobutyl ketone 108-10-1 0.14 33 Methyl methacrylate 80-62-6 0.14 160 Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Methyl methanesulfonate 66-27-3 0.018 NA Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA	Methyl isobutyl ketone	108-10-1	0.14	
Methyl parathion 298-00-0 0.014 4.6 Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Metolcarb 1129-41-5 0.056 1.4 Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Mexacarbate 315-18-4 0.056 1.4 Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Molinate 2212-67-1 0.042 1.4 Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
Naphthalene 91-20-3 0.059 5.6 2-Naphthylamine 91-59-8 0.52 NA				
2-Naphthylamine 91-59-8 0.52 NA				
	2-Naphthylamine o-Nitroaniline	91-59-8 88-74-4	0.52	NA 14

Regulated Constituent		Land Disposal Treatment Requirements		
		Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	
Common Name	CAS Number ¹	Concentration ² (mg/L)	Concentration ³ (mg/kg, unless otherwise indicated)	
p-Nitroaniline	100-01-6	0.028	28	
Nitrobenzene	98-95-3	0.068	14	
5-Nitro-o-toluidine	99-55-8	0.32	28	
o-Nitrophenol	88-75-5	0.028	13	
p-Nitrophenol	100-02-7	0.12	29	
N-Nitrosodiethylamine	55-18-5	0.40	28	
N-Nitrosodimethylamine	62-75-9	0.40	2.3	
N-Nitroso-di-n-butylamine	924-16-3	0.40	17	
N-Nitrosomethylethylamine	10595-95-6	0.40	2.3	
N-Nitrosomorpholine	59-89-2	0.40	2.3	
N-Nitrosopiperidine	100-75-4	0.013	35	
N-Nitrosopyrrolidine	930-55-2	0.013	35	
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	3268-87-9	0.000063	0.005	
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	39001-02-0	0.000063	0.005	
Oxamyl	23135-22-0	0.056	0.28	
Parathion Total PCBs (sum of all PCB isomers, or all Aroclors)	56-38-2 1336-36-3	0.014	4.6 10	
Pebulate PCBs (sum of all PCB isomers, or all Aroctors)	1114-71-2	0.10	1.4	
Pentachlorobenzene	608-93-5	0.042	10	
PeCDDs (All Pentachlorodibenzo-p-dioxins)	NA	0.00063	0.001	
PeCDFs (All Pentachlorodibenzofurans)	NA NA	0.000035	0.001	
Pentachloroethane	76-01-7	0.00033	6.0	
Pentachloronitrobenzene	82-68-8	0.055	4.8	
Pentachlorophenol	87-86-5	0.089	7.4	
Phenacetin	62-44-2	0.081	16	
Phenanthrene	85-01-8	0.059	5.6	
Phenol	108-95-2	0.039	6.2	
Phorate	298-02-2	0.021	4.6	
Phthalic acid	100-21-0	0.055	28	
Phthalic anhydride	85-44-9	0.055	28	
Physostigmine	57-47-6	0.056	1.4	
Physostigmine salicylate	57-64-7	0.056	1.4	
Promecarb	2631-37-0	0.056	1.4	
Pronamide	23950-58-5	0.093	1.5	
Propham	122-42-9	0.056	1.4	
Propoxur	114-26-1	0.056	1.4	
Prosulfocarb	52888-80-9	0.042	1.4	
Pyrene	129-00-0	0.067	8.2	
Pyridine	110-86-1	0.014	16	
Safrole	94-59-7	0.081	22	
Silvex/2,4,5-TP	93-72-1	0.72	7.9	
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14	
TCDDs (All Tetrachlorodibenzo-p-dioxins)	NA	0.000063	0.001	
TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001	
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0	
1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0	
Tetrachloroethylene	127-18-4	0.056	6.0	
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4	
Thiodicarb	59669-26-0	0.019	1.4	
Thiophanate-methyl	23564-05-8	0.056	1.4	
Toluene	108-88-3	0.080	10	
Toxaphene	8001-35-2	0.0095	2.6	
Triallate	2303-17-5	0.042	1.4	
Tribromomethane/Bromoform	75-25-2	0.63	15	
1,2,4-Trichlorobenzene	120-82-1	0.055	19	
1,1,1-Trichloroethane	71-55-6	0.054	6.0	

Regulated Constituent		Land Disposal Treatment Requirements		
		Aqueous Waste	Non-aqueous Waste	
Column 1	Column 2	Column 3	Column 4	
Common Name	CAS Number ¹	Concentration ² (mg/L)	Concentration ³ (mg/kg, unless otherwise indicated)	
1,1,2-Trichloroethane	79-00-5	0.054	6.0	
Trichloroethylene	79-01-6	0.054	6.0	
Trichlorofluoromethane	75-69-4	0.020	30	
2,4,5-Trichlorophenol	95-95-4	0.18	7.4	
2,4,6-Trichlorophenol	88-06-2	0.035	7.4	
2,4,5-Trichlorophenoxyacetic acid/ 2,4,5-T	93-76-5	0.72	7.9	
1,2,3-Trichloropropane	96-18-4	0.85	30	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	0.057	30	
Triethylamine	121-44-8	0.081	1.5	
tris-(2,3-Dibromopropyl) phosphate	126-72-7	0.11	0.1	
Vernolate	1929-77-7	0.042	1.4	
Vinyl chloride	75-01-4	0.27	6.0	
Xylenes-mixed isomers (sum of o-, m-, and p-xylene	1330-20-7	0.32	30	
concentrations)				
Inorganic Constituents:				
Antimony	7440-36-0	1.9	1.15 mg/L TCLP	
Arsenic	7440-38-2	1.4	5.0 mg/L TCLP	
Barium	7440-39-3	1.2	21 mg/L TCLP	
Beryllium	7440-41-7	0.82	1.22 mg/L TCLP	
Cadmium	7440-43-9	0.69	0.11 mg/L TCLP	
Chromium (Total)	7440-47-3	2.77	0.60 mg/L TCLP	
Cyanides (Total) ⁴	57-12-5	1.2	590	
Cyanides (Amenable) ⁴	57-12-5	0.86	30	
Lead	7439-92-1	0.69	0.75 mg/L TCLP	
Mercury-Non-aqueous waste from Retort	7439-97-6	NA	0.20 mg/L TCLP	
Mercury-All Others	7439-97-6	0.15	0.025 mg/L TCLP	
Nickel	7440-02-0	3.98	11 mg/L TCLP	
Silver	7440-22-4	0.43	0.14 mg/L TCLP	
Thallium	7440-28-0	1.4	0.20 mg/L TCLP	

Notes to Schedule 6:

SCHEDULE 7 TREATMENT METHODS AND STANDARDS

Treatment Code	Treatment Method and Treatment Standard
ADGAS	Venting of compressed gases into an absorbing or reacting medium (i.e., solid or liquid) — venting can be accomplished through physical release utilizing valves/piping; physical penetration of the container; or penetration through detonation.
AMLGM	Amalgamation of liquid, elemental mercury contaminated with radioactive materials utilizing inorganic reagents such as copper, zinc, nickel, gold, and sulphur that result in a nonliquid, semi-solid amalgam and thereby reducing potential emissions of elemental mercury vapors to the air.
BIODG	Biodegradation of organics or non-metallic inorganics (i.e., degradable inorganics that contain the elements of phosphorus, nitrogen, and sulphur) in units operated under either aerobic or anaerobic conditions such that a surrogate compound or indicator parameter has been substantially reduced in concentration in the residuals (e.g., Total Organic Carbon can often be used as an indicator parameter for the biodegradation of many organic constituents that cannot be directly analyzed in aqueous waste residues).

¹ CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

² Concentration requirements for aqueous wastes are expressed in mg/L and are based on analysis of composite samples.

³ Concentration requirements for non-aqueous wastes are based on analysis of grab samples.

⁴ Both Cyanides (Total) and Cyanides (Amenable) for non-aqueous wastes are to be analyzed using Method 9010 or 9012, found in "Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods", United States Environmental Protection Agency Publication SW–846, with a sample size of 10 grams and a distillation time of one hour and 15 minutes.

Treatment Code	Treatment Method and Treatment Standard
CARBN	Carbon adsorption (granulated or powdered) of non-metallic inorganics, organo-metallics, or organic constituents, operated such that a surrogate compound or indicator parameter has not undergone breakthrough (e.g., Total Organic Carbon can often be used as an indicator parameter for the adsorption of many organic constituents that cannot be directly analyzed in aqueous waste residues). Breakthrough occurs when the carbon has become saturated with the constituent (or indicator parameter) and substantial change in adsorption rate associated with that constituent occurs.
CHOXD	Chemical or electrolytic oxidation utilizing the following oxidation reagents (or waste reagents) or combinations of reagents: (1) Hypochlorite (e.g., bleach); (2) chlorine; (3) chlorine dioxide; (4) ozone or UV (ultraviolet light) assisted ozone; (5) peroxides; (6) persulphates; (7) perchlorates; (8) permangantes; or (9) other oxidizing reagents of equivalent efficiency, performed in units operated such that a surrogate compound or indicator parameter has been substantially reduced in concentration in the residuals (e.g., Total Organic Carbon can often be used as an indicator parameter for the oxidation of many organic constituents that cannot be directly analyzed in aqueous waste residues). Chemical oxidation specifically includes what is commonly referred to as alkaline chlorination.
CHRED	Chemical reduction utilizing the following reducing reagents (or waste reagents) or combinations of reagents: (1) Sulphur dioxide; (2) sodium, potassium, or alkali salts or sulphites, bisulphites, metabisulphites, and polyethylene glycols (e.g., NaPEG and KPEG); (3) sodium hydrosulphide; (4) ferrous salts; or (5) other reducing reagents of equivalent efficiency, performed in units operated such that a surrogate compound or indicator parameter has been substantially reduced in concentration in the residuals (e.g., Total Organic Halogens can often be used as an indicator parameter for the reduction of many halogenated organic constituents that cannot be directly analyzed in aqueous waste residues). Chemical reduction is commonly used for the reduction of hexavalent chromium to the trivalent state.
CMBST	High temperature organic destruction technologies, such as combustion in incinerators, boilers, industrial furnaces; and certain non-combustive technologies, such as the Catalytic Extraction Process.
DEACT	Deactivation to remove the hazardous characteristics of a waste due to its ignitability, corrosivity, or reactivity.
FSUBS	Fuel substitution in units operated in accordance with applicable technical operating requirements.
HLVIT	Vitrification of high level mixed radioactive wastes in units in compliance with all applicable radioactive protection requirements under control of the Canadian Nuclear Safety Commission.
IMERC	Incineration of wastes containing organics and mercury. All aqueous waste and non-aqueous waste residues derived from this process must then comply with the corresponding treatment standards per waste code with consideration of any applicable subcategories (e.g., High or Low Mercury Subcategories).
INCIN	Incineration.
LLEXT	Liquid-liquid extraction (often referred to as solvent extraction) of organics from liquid wastes into an immiscible solvent for which the regulated constituents have a greater solvent affinity, resulting in an extract high in organics that must undergo either incineration, reuse as a fuel, or other recovery/reuse and a raffinate (extracted liquid waste) proportionately low in organics that must undergo further treatment as specified in the standard.
MACRO	Macroencapsulation with surface coating materials such as polymeric organics (e.g., resins and plastics) or with a jacket of inert inorganic materials to substantially reduce surface exposure to potential leaching media. Macroencapsulation specifically does not include any material that would be classified as a tank or container.
NEUTR	Neutralization with the following reagents (or waste reagents) or combinations of reagents: (1) Acids; (2) bases; or (3) water (including aqueous wastes) resulting in a pH greater than 2 but less than 12.5 as measured in the aqueous residuals.
NLDBR	No land disposal based on recycling.
POLYM	Formation of complex high-molecular weight solids through polymerization of monomers in high-TOC D001 non-aqueous wastes which are chemical components in the manufacture of plastics.
PRECP	Chemical precipitation of metals and other inorganics as insoluble precipitates of oxides, hydroxides, carbonates, sulphides, sulphates, chlorides, fluorides, or phosphates. The following reagents (or waste reagents) are typically used alone or in combination: (1) Lime (i.e., containing oxides or hydroxides of calcium or magnesium; (2) caustic (i.e., sodium or potassium hydroxides; (3) soda ash (i.e., sodium carbonate); (4) sodium sulphide; (5) ferric sulphate or ferric chloride; (6) alum; or (7) sodium sulphate. Additional flocculating, coagulation or similar reagents/ processes that enhance sludge dewatering characteristics are not precluded from use.
RBERY	Thermal recovery of Beryllium.
RCGAS	Recovery/reuse of compressed gases including techniques such as reprocessing of the gases for reuse/resale; filtering/adsorption of impurities; remixing for direct reuse or resale; and use of the gas as a fuel source.
RCORR	Recovery of acids or bases utilizing one or more of the following recovery technologies: (1) Distillation (i.e., thermal concentration); (2) ion exchange; (3) resin or solid adsorption; (4) reverse osmosis; or (5) incineration for the recovery of acid — Note: this does not preclude the use of other physical phase separation or concentration techniques such as decantation, filtration (including ultrafiltration), and centrifugation, when used in conjunction with the above listed recovery technologies.
RLEAD	Thermal recovery of lead in secondary lead smelters.
RMERC	Retorting or roasting in a thermal processing unit capable of volatilizing mercury and subsequently condensing the volatilized mercury for recovery. All aqueous waste and non-aqueous waste residues derived from this process must then comply with the corresponding treatment standards per waste code with consideration of any applicable subcategories (e.g., High or Low Mercury Subcategories).

Treatment Code	Treatment Method and Treatment Standard
RMETL	Recovery of metals or inorganics utilizing one or more of the following technologies: (1) Ion exchange; (2) resin or solid (i.e., zeolites) adsorption; (3) reverse osmosis; (4) chelation/solvent extraction; (5) freeze crystalization; (6) ultrafiltration or (7) simple precipitation (i.e., crystalization) — Note: This does not preclude the use of other
	physical phase separation or concentration techniques such as decantation, filtration (including ultrafiltration), and centrifugation, when used in conjunction with the above listed recovery technologies.
RORGS	Recovery of organics utilizing one or more of the following technologies: (1) Distillation; (2) thin film evaporation; (3) steam stripping; (4) carbon adsorption; (5) critical fluid extraction; (6) liquid-liquid extraction; (7) precipitation/crystalization (including freeze crystallization); or (8) chemical phase separation techniques (i.e., addition of acids, bases, demulsifiers, or similar chemicals); — Note: this does not preclude the use of other physical phase separation techniques such as decantation, filtration (including ultrafiltration), and centrifugation, when used in conjunction with the above listed recovery technologies.
RTHRM	Thermal recovery of metals or inorganics from non-aqueous wastes in units identified as industrial furnaces.
RZINC	Resmelting in high temperature metal recovery units for the purpose of recovery of zinc.
STABL	Stabilization with the following reagents (or waste reagents) or combinations of reagents: (1) Portland cement; or (2) lime/pozzolans (e.g., fly ash and cement kiln dust) — this does not preclude the addition of reagents (e.g., iron salts, silicates, and clays) designed to enhance the set/cure time or compressive strength, or to overall reduce the leachability of the metal or inorganic.
SSTRP	Steam stripping of organics from liquid wastes utilizing direct application of steam to the wastes operated such that liquid and vapor flow rates, as well as temperature and pressure ranges have been optimized, monitored, and maintained. These operating parameters are dependent upon the design parameters of the unit such as the number of separation stages and the internal column design. This results in a condensed extract high in organics that must undergo either incineration, reuse as a fuel, or other recovery/reuse and an extracted aqueous waste that must undergo further treatment as specified in the standard.
WETOX	Wet air oxidation performed in units operated such that a surrogate compound or indicator parameter has been substantially reduced in concentration in the residuals (e.g., Total Organic Carbon can often be used as an indicator parameter for the oxidation of many organic constituents that cannot be directly analyzed in aqueous waste residues).
WTRRX	Controlled reaction with water for highly reactive inorganic or organic chemicals with precautionary controls for protection of workers from potential violent reactions as well as precautionary controls for potential emissions of toxic/ignitable levels of gases released during the reaction.

SCHEDULE 8 ALTERNATIVE TREATMENT FOR HAZARDOUS DEBRIS

Treatment Method	Standard	Restrictions ¹			
A. EXTRACTION TECHNOLOGIES:					
1. Physical Extraction					
a. Abrasive Blasting:					
Removal of contaminated debris surface layers using water or air pressure to propel a solid abrasive (e.g., steel shot, aluminum oxide grit, plastic beads).	For Glass, Metal, Plastic, Rubber: Treatment to a clean debris surface ² . For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Removal of at least 0.6 cm of the surface layer; treatment to a clean debris surface ² .	No Restrictions			
b. Scarification, Grinding, and Planing					
Process utilizing striking piston heads, saws, or rotating grinding wheels such that contaminated debris surface layers are removed.	For Glass, Metal, Plastic, Rubber: Treatment to a clean debris surface ² . For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Removal of at least 0.6 cm of the surface layer; treatment to a clean debris surface ² .	No Restrictions			
c. Spalling:					
Drilling or chipping holes at appropriate locations and depth in the contaminated debris surface and applying a tool which exerts a force on the sides of those holes such that the surface layer is removed. The surface layer removed remains subject to the debris treatment standards.	For Glass, Metal, Plastic, Rubber: Treatment to a clean debris surface ² . For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Removal of at least 0.6 cm of the surface layer; treatment to a clean debris surface ² .	No Restrictions			
d. Vibratory Finishing:					
Process utilizing scrubbing media, flushing fluid, and oscillating energy such that hazardous contaminants or contaminated debris surface layers are removed.	For Glass, Metal, Plastic, Rubber: Treatment to a clean debris surface ² . For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Removal of at least 0.6 cm of the surface layer; treatment to a clean debris surface ² .	No Restrictions			

Treatment Method	Standard	Restrictions ¹
e. High Pressure Steam and Water Sprays:		
Application of water or steam sprays of sufficient temperature, pressure, residence time, agitation, surfactants, and detergents to remove hazardous contaminants from debris surfaces or to remove contaminated debris surface layers.	For Glass, Metal, Plastic, Rubber: Treatment to a clean debris surface ² . For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Removal of at least 0.6 cm of the surface layer; treatment to a clean debris surface ² .	No Restrictions
2. Chemical Extraction	Т	
a. Water Washing and Spraying:		E Did Clat C
Application of water sprays or water baths of sufficient temperature, pressure, residence time, agitation, surfactants, acids, bases, and detergents to remove hazardous contaminants from debris surfaces and surface pores or to remove contaminated debris surface layers.	For all Debris: Treatment to a clean debris surface ² ; For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (½ inch) in one dimension (i.e., thickness limit) ³ ; debris surfaces must be in contact with water solution for at least 15 minutes; For debris contaminated with a dioxincharacteristic waste, treatment must be carried out in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply.	For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Restricted unless the contaminant is soluble to at least 5% by weight in water solution or 5% by weight in emulsion.
b. Liquid Phase Solvent Extraction:		
Removal of hazardous contaminants from debris surfaces and surface pores by applying a non-aqueous liquid or liquid solution which causes the hazardous contaminants to enter the liquid phase and be flushed away from the debris along with the liquid or liquid solution while using appropriate agitation, temperature, and residence time.	For all Debris: Treatment to a clean debris surface ² ; For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (½ inch) in one dimension (i.e., thickness limit) ³ ; debris surfaces must be in contact with water solution for at least 15 minutes; For debris contaminated with a dioxin- characteristic waste, treatment must be carried out in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply.	For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Restricted unless the contaminant is soluble to at least 5% by weight in the solvent.
c. Vapor Phase Solvent Extraction:		
Application of an organic vapor using sufficient agitation, residence time, and temperature to cause hazardous contaminants on contaminated debris surfaces and surface pores to enter the vapor phase and be flushed away with the organic vapor.	For all Debris: Treatment to a clean debris surface ² ; For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (½ inch) in one dimension (i.e., thickness limit) ³ ; debris surfaces must be in contact with the organic vapor for at least 60 minutes; For debris contaminated with a dioxincharacteristic waste, treatment must be carried out in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply.	For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Restricted unless the contaminant is soluble to at least 5% by weight in the solvent.
3. Thermal Extraction		
a. High Temperature Metals Recovery: Application of sufficient heat, residence time, mixing, fluxing agents, or carbon in a smelting, melting, or refining furnace to separate metals from debris.	Separate metal from treated debris; For debris contaminated with a dioxin- characteristic waste, treatment must be carried out in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply.	

[Ta	<u> </u>
Treatment Method	Standard	Restrictions
b. Thermal Desorption: Heating in an enclosed chamber under either oxidizing or nonoxidizing atmospheres at sufficient temperature and residence time to vaporize hazardous contaminants from contaminated surfaces and surface pores and to remove the contaminants from the heating chamber in a gaseous exhaust gas.	For all Debris: Vaporize hazardous contaminants from contaminated surfaces and surface pores and remove the contaminants from the heating chamber in a gaseous exhaust gas. This must be done in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply. For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 10 cm (4 inches) in one dimension (i.e., thickness limit) ³ .	For all Debris: Restricted for metal contaminants other than mercury.
B. DESTRUCTION TECHNOLOGIES:		
1. Biological Destruction (Biodegradation)		
Removal of hazardous contaminants from debris surfaces and surface pores in an aqueous solution and biodegradation of organic or nonmetallic inorganic compounds (i.e., inorganics that contain phosphorus, nitrogen, or sulphur) in units operated under either aerobic or anaerobic conditions.	For all Debris: Removal of hazardous contaminants and biodegradation of organic or nonmetallic inorganic compounds. This must be done in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply. For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (1\2 inch) in one dimension (i.e., thickness limit) ³ .	For all Debris: Restricted for metal contaminants.
2. Chemical Destruction		
a. Chemical Oxidation:		
Chemical or electrolytic oxidation utilizing the following oxidation reagents (or waste reagents) or combination of reagents: - hypochlorite (e.g., bleach); - chlorine; - chlorine dioxide; - ozone or UV (ultraviolet light) assisted ozone; - peroxides; - persulphates; - persulphates; - permanganates; - other oxidizing reagents of equivalent destruction efficiency. Chemical oxidation specifically includes what is referred to as alkaline chlorination.	For all Debris: Chemical or electrolytic oxidation. This must be done in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply. For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (1\2 inch) in one dimension (i.e., thickness limit) ³	For all Debris: Restricted for metal contaminants.
b. Chemical Reduction: Chemical reaction utilizing the following reducing	For all Debris: Chemical Reduction. This	For all Debris: Restricted for
reagents (or waste reagents) or combination of reagents: - sulphur dioxide; - sodium, potassium, or alkali salts of sulphites, bisulphites, and metabisulphites, and polyethylene glycols (e.g., NaPEG and KPEG); - sodium hydrosulphide; - ferrous salts; - other reducing reagents of equivalent efficiency.	must be done in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply. For Brick, Cloth, Concrete, Paper, Pavement, Rock, Wood: Debris must be no more than 1.2 cm (1\2 inch) in one dimension (i.e., thickness limit) ³ .	metal contaminants.
3. Thermal Destruction:	For all Dahries Thomas I destruction	For Priols Comprete Class
Thermal treatment, excluding Thermal Desorption units.	For all Debris: Thermal destruction or vitrification. This must be done in accordance with a Certificate of Approval, despite any exemptions that might otherwise apply.	For Brick, Concrete, Glass, Metal, Pavement, Rock: Restricted for metal contaminants other than mercury, except that there are no metal restrictions for vitrification.

Treatment Method	Standard	Restrictions ¹		
C. IMMOBILIZATION TECHNOLOGIES:				
1. Macroencapsulation:				
Application of surface coating materials such as polymeric organics (e.g., resins and plastics) or use of a jacket of inert inorganic materials to substantially reduce surface exposure to potential leaching media.	Encapsulating material must completely encapsulate debris and be resistant to degradation by the debris and its contaminants and materials into which it may come into contact after placement (leachate, other waste, microbes), and substantially reduce surface exposure to potential leaching media.	No Restrictions		
2. Microencapsulation:				
Stabilization of the debris with the following reagents (or waste reagents) such that the leachability of the contaminants is reduced: - Portland cement; - lime/pozzolans (e.g., fly ash and cement kiln dust). Reagents (e.g., iron salts, silicates, and clays) may be added to enhance the set/cure time or compressive strength, or to reduce the leachability of the contaminants. ³	Leachability of the contaminants must be reduced.	No Restrictions		
3. Sealing:				
Application of an appropriate material which adheres tightly to the debris surface to avoid exposure of the surface to potential leaching media. When necessary to effectively seal the surface, sealing entails pretreatment of the debris surface to remove foreign matter and to clean and roughen the surface. Sealing materials include epoxy, silicone, and urethane compounds, but paint may not be used as a sealant.	Sealing must avoid exposure of the debris surface to potential leaching media and sealant must be resistent to degradation by the debris and its contaminants and materials into which it may come into contact after placement (leachate, other waste, microbes).	No Restrictions		

Notes to Schedule 8:

- ¹ Where a contaminant restriction is set out for a treatment method and type of debris, the use of that treatment method is not sufficient if that type of debris contains the restricted contaminant. If the restricted treatment is used, the debris must also be treated by another treatment method that is described in the Schedule and for which no restriction is set out for that type of debris and contaminant.
- ² "Clean debris surface" means that the surface, when viewed without magnification, must be free of all visible contaminated soil and hazardous waste, except that residual staining from soil and waste that consists of light shadows, slight streaks or minor discolorations may be present, and soil and waste in cracks, crevices or pits may be present, if the residual staining or the waste and soil in cracks, crevices or pits is limited to not more than 5% of each square inch of surface area.
- ³ If reducing the particle size of debris to meet the treatment standards results in material that no longer meets the 60 mm minimum particle size limit for debris, the material is subject to the waste-specific treatment standards for the waste contaminating the material, unless the debris has been cleaned and separated from contaminated soil and waste prior to size reduction. Alternative thickness limits may be used by obtaining a Certificate of Approval.

28. The Regulation is amended by adding the following Schedules:

Haz. Waste Number ¹	Hazardous Industrial Waste	
F006	Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.	
F007	Spent cyanide plating bath solutions from electroplating operations	
F008	Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	
F009	Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process.	
F010	Quenching bath residues from oil baths from metal heat treating operations where cyanides are used in the process.	
F011	Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations.	
F012	Quenching waste water treatment sludges from metal heat treating operations where cyanides are used in the process.	
F019	Wastewater treatment sludges from the chemical conversion coating of aluminum except from zirconium phosphating in aluminum can washing when such phosphating is an exclusive conversion coating process.	

Haz. Waste Number ¹	Hazardous Industrial Waste	
F020	Wastes (except wastewater and spent carbon from hydrogen chloride purification) from the production or manufacturing use (as a reactant, chemical intermediate, or component in a formulating process) of tri- or tetrachlorophenol, or of intermediates used to produce their pesticide derivatives. (This listing does not include wastes from the production of Hexachlorophene from highly purified 2,4,5- trichlorophenol.).	
F035	Wastewaters (except those that have not come into contact with process contaminants), process residuals, preservative drippage, and spent formulations from wood preserving processes generated at plants that use inorganic preservatives containing arsenic or chromium. This listing does not include K001 bottom sediment sludge from the treatment of wastewater from wood preserving processes that use creosote and/or pentachlorophenol.	
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments.	
K003	Wastewater treatment sludge from the production of molybdate orange pigments.	
K004	Wastewater treatment sludge from the production of zinc yellow pigments.	
K005	Wastewater treatment sludge from the production of chrome green pigments.	
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated).	
K007	Wastewater treatment sludge from the production of iron blue pigments.	
K008	Oven residue from the production of chrome oxide green pigments.	
K031	Byproduct salts generated in the production of MSMA and cacodylic acid.	
K046	Wastewater treatment sludges from the manufacturing formulation and loading of leadbased initiating compounds.	
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	
K062	Spent pickle liquor generated by steel finishing operations within the iron and steel industry at steel works, blast furnaces (including coke ovens), rolling mills, iron and steel foundries, gray and ductile iron foundries, malleable iron foundries, steel investment foundries or other miscellaneous steel foundries or at facilities in the electrometallurgical products (except steel) industry, steel wiredrawing and steel nails and spikes industry, cold-rolled steel sheet, strip and bars industry, or steel pipe and tubes industry.	
K069	Emission control dust/sludge from secondary lead smelting, not including sludge generated from secondary acid scrubber systems.	
K071	Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used.	
K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organoarsenic compounds.	
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.	
K106	Wastewater treatment sludge from the mercury cell process in chlorine production.	
K175	Wastewater treatment sludge from the production of vinyl chloride monomer using mercuric chloride catalyst in an acetylene-based process	
K176	Baghouse filters from the production of antimony oxide, including filters from the production of intermediates (e.g., antimony metal or crude antimony oxide)	
K177	Slag from the production of antimony oxide that is speculatively accumulated or disposed, including slag from the production of intermediates (e.g., antimony metal or crude antimony oxide)	

Notes to Schedule 10:

Haz. Waste Number ¹	CAS Number ²	Acute Hazardous Waste Chemical
P006	20859-73-8	Aluminum phosphide
P010	7778-39-4	Arsenic acid H ₃ AsO ₄
P011	1303-28-2	Arsenic oxide As ₂ O ₅
P011	1303-28-2	Arsenic pentoxide
P012	1327-53-3	Arsenic oxide As ₂ O ₃
P012	1327-53-3	Arsenic trioxide
P013	542-62-1	Barium cyanide
P015	7440-41-7	Beryllium powder
P021	592-01-8	Calcium cyanide
P021	592-01-8	Calcium cyanide Ca(CN) ₂
P022	75-15-0	Carbon disulfide
P029	544-92-3	Copper cyanide
P029	544-92-3	Copper cyanide Cu(CN)
P030	N/A	Cyanides (soluble cyanide salts), not otherwise specified
P036	696-28-6	Arsonous dichloride, phenyl-

¹ Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

Haz. Waste Number ¹	CAS Number ²	Acute Hazardous Waste Chemical
P036	696-28-6	Dichlorophenylarsine
P038	692-42-2	Arsine, diethyl-
P038	692-42-2	Diethylarsine
P056	7782-41-4	Fluorine
P063	74-90-8	Hydrocyanic acid
P063	74-90-8	Hydrogen cyanide
P065	628-86-4	Fulminic acid, mercury(2+) salt
P065	628-86-4	Mercury fulminate
P073	13463-39-3	Nickel carbonyl
P073	13463-39-3	Nickel carbonyl Ni(CO) ₄ ,(T-4)-
P074	557-19-7	Nickel cyanide
P074	557-19-7	Nickel cyanide Ni(CN) ₂
P076	10102-43-9	Nitric oxide
P076	10102-43-9	Nitrogen oxide NO
P078	10102-44-0	Nitrogen dioxide
P078	10102-44-0	Nitrogen oxide NO ₂
P087	20816-12-0	Osmium oxide OsO ₄ ,(T-4)-
P087	20816-12-0	Osmium tetroxide
P092	62-38-4	Mercury, (acetato-O)phenyl-
P092	62-38-4	Phenylmercury acetate
P096	7803-51-2	Hydrogen phosphide
P096	7803-51-2	Phosphine
P098	151-50-8	Potassium cyanide
P098	151-50-8	Potassium cyanide K(CN)
P099	506-61-6	Argentate(1-), bis(cyano-C)-, potassium
P099	506-61-6	Potassium silver cyanide
P103	630-10-4	Selenourea
P104	506-64-9	Silver cyanide
P104	506-64-9	Silver cyanide Ag(CN)
P106	143-33-9	Sodium cyanide
P106	143-33-9	Sodium cyanide Na(CN)
P110	78-00-2	Plumbane, tetraethyl-
P110	78-00-2	Tetraethyl lead
P113	1314-32-5	Thallic oxide
P113	1314-32-5	Thallium oxide Tl ₂ O ₃
P114	12039-52-0	Selenious acid, dithallium(1+) salt
P114	12039-52-0	Thallium(I) selenite
P115	7446-18-6	Sulfuric acid, dithallium(1+) salt
P115	7446-18-6	Thallium(I) sulfate
P119	7803-55-6	Ammonium vanadate
P119	7803-55-6	Vanadic acid, ammonium salt
P120	1314-62-1	Vanadium oxide, V ₂ O ₅
P120	1314-62-1	Vanadium pentoxide
P121	557-21-1	Zinc cyanide
P121	557-21-1	Zinc cyanide Zn(CN) ₂
P122	1314-84-7	Zinc phosphide Zn ₃ P ₂ , when present at concentrations greater than 10%

Notes to Schedule 11:

Haz. Waste	CAS Number ²	Hazardous Waste Chemical
Number ¹		
U032	13765-19-0	Calcium chromate
U032	13765-19-0	Chromic acid H ₂ CrO ₄ , calcium salt

¹ Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

² CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

Haz. Waste Number ¹	CAS Number ²	Hazardous Waste Chemical
U134	7664-39-3	Hydrofluoric acid
U134	7664-39-3	Hydrogen fluoride
U135	7783-06-4	Hydrogen sulfide
U135	7783-06-4	Hydrogen sulfide H ₂ S
U136	75-60-5	Arsinic acid, dimethyl-
U136	75-60-5	Cacodylic acid
U144	301-04-2	Acetic acid, lead(2+) salt
U144	301-04-2	Lead acetate
U145	7446-27-7	Lead phosphate
U145	7446-27-7	Phosphoric acid, lead(2+) salt (2:3)
U146	1335-32-6	Lead subacetate
U146	1335-32-6	Lead, bis(acetato-O)tetrahydroxytri-
U151	7439-97-6	Mercury
U189	1314-80-3	Phosphorus sulfide
U189	1314-80-3	Sulfur phosphide
U204	7783-00-8	Selenious acid
U204	7783-00-8	Selenium dioxide
U205	7488-56-4	Selenium sulfide
U205	7488-56-4	Selenium sulfide SeS ₂
U214	563-68-8	Acetic acid, thallium(1+) salt
U214	563-68-8	Thallium(I) acetate
U215	6533-73-9	Carbonic acid, dithallium(1+) salt
U215	6533-73-9	Thallium(I) carbonate
U216	7791-12-0	Thallium chloride TlCl
U216	7791-12-0	Thallium(I) chloride
U217	10102-45-1	Nitric acid, thallium(1+) salt
U217	10102-45-1	Thallium(I) nitrate
U249	1314-84-7	Zinc phosphide Zn ₃ P ₂ , when present at concentrations of 10% or less

Notes to Schedule 12:

Haz. Waste Number ¹	Characteristic Waste
D001	Ignitable Characteristic Wastes.
D002	Corrosive Characteristic Wastes.
D003	Reactive Characteristic Wastes.
D004	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for arsenic based on the Toxicity Characteristic Leaching Procedure.
D005	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for barium based on the Toxicity Characteristic Leaching Procedure.
D006	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for cadmium based on the Toxicity Characteristic Leaching Procedure.
D007	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for chromium based on the Toxicity Characteristic Leaching Procedure.
D008	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for lead based on the Toxicity Characteristic Leaching Procedure.
D009	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for mercury based on the Toxicity Characteristic Leaching Procedure.
D010	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for selenium based on the Toxicity Characteristic Leaching Procedure.
D011	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for silver based on the Toxicity Characteristic Leaching Procedure.

¹ Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.

² CAS Number means the Chemical Abstracts Service Registry Number. When the waste or a regulated constituent is described as a combination of a chemical with its salts or esters, the CAS number is given for the parent compound only.

Haz. Waste Number ¹	Characteristic Waste
E006	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Cyanide based on the Toxicity Characteristic Leaching Procedure.
E014	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Fluoride based on the Toxicity Characteristic Leaching Procedure.
E104	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Boron based on the Toxicity Characteristic Leaching Procedure.
E118	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for Nitrate + Nitrite (as Nitrogen) based on the Toxicity Characteristic Leaching Procedure.
E126	Wastes that exhibit, or are expected to exhibit, the characteristic of toxicity for uranium based on the Toxicity Characteristic Leaching Procedure.

Notes to Schedule 13:

- ¹ Haz. Waste Number means Hazardous Waste Number. These numbers are consistent with United States Environmental Protection Agency Hazardous Waste Numbers. If there is no United States Environmental Protection Agency Hazardous Waste Number for a waste, the Hazardous Waste Number is assigned to the waste by the Ontario Ministry of the Environment.
 - 29. (1) Subject to subsections (2), (3), (4) and (5), this Regulation comes into force on the day it is filed.
 - (2) Sections 4 to 7 come into force on March 31, 2006.
- (3) Subsections 1 (1), (2), (6), (10), (14), (17), (20) and (24) and sections 8 and 22 to 28 come into force on January 1, 2007.
 - (4) Subsection 1 (21) and sections 15 and 17 to 21 come into force on August 31, 2007.
 - (5) Subsection 1 (22) and section 16 come into force on December 31, 2009.

35/05

ONTARIO REGULATION 462/05

made under the

PUBLIC LANDS ACT

Made: August 10, 2005 Filed: August 11, 2005

RESTRICTED AREA — TERRITORIAL DISTRICT OF THUNDER BAY, TOWNSHIPS OF HAGEY AND HAINES

- 1. The area in territory without municipal organization described in the Schedule is designated as a restricted area.
- 2. Ontario Regulation 418/99 is revoked.

SCHEDULE

In the geographic Townships of Hagey and Haines and in unsurveyed territory, in the Territorial District of Thunder Bay, containing 6929 hectares, more or less, being composed of that part of the said geographic townships and unsurveyed territory designated as Part 1 on a plan known as The Shebandowan Planning Area, as approved under The Shebandowan Lake Management Plan dated July, 2004, and filed on May 5, 2005 with the Office of the Surveyor General of Ontario in the Ministry of Natural Resources.

Made by:

DAVID JAMES RAMSAY Minister of Natural Resources

Date made: August 10, 2005.

35/05

ONTARIO REGULATION 463/05

made under the

FISH AND WILDLIFE CONSERVATION ACT, 1997

Made: August 10, 2005 Filed: August 12, 2005

Amending O. Reg. 663/98 (Area Descriptions)

Note: Ontario Regulation 663/98 has previously been amended. Those amendments are listed in the <u>Table of Regulations – Legislative History Overview</u> which can be found at <u>www.e-Laws.gov.on.ca</u>.

1. Item 26 of Schedule 1 to Part 2 of Ontario Regulation 663/98 is revoked and the following substituted:

26	21C	RL-01C-26
2.7	23A	SL-01C-27

2. (1) Item 38 of Schedule 4 to Part 2 of the Regulation is revoked and the following substituted:

38	400	SL-04-41

(2) Schedule 4 to Part 2 of the Regulation is amended by adding the following item:

58	39Y	RL-04-15

3. Items 14, 15, 50, 52, 53, 57, 67, 82, 87, 104, 107, 108, 111, 112 and 114 of Schedule 5 to Part 2 of the Regulation are revoked and the following substituted:

15	39Z	DR-05-21
50	39V	DR-05-64
53	48Q	DR-O5-67
57	48Q	DR-05-71
67	48P	IG-05-84

82	39X	SL-05-103
104	40M	SL-05-127
108	40M	SL-05-132
111	40M	SL-05-135

- 4. (1) Item 25 of Schedule 6 to Part 2 of the Regulation is revoked.
- (2) Schedule 6 to Part 2 of the Regulation is amended by adding the following item:

27	38J, 47E	KE-06-038

5. Items 54 and 60 of Schedule 8 to Part 2 of the Regulation are revoked and the following substituted:

60	47E	KE-07B-117

6. Items 5, 10, 11, 12, 13, 24, 26, 28, 29, 39, 40, 41, 45, 47, 54 and 55 of Schedule 9 to Part 2 of the Regulation are revoked and the following substituted:

5	48Q	DR-08-05
13	48S	DR-08-13
28	48S	DR-08-28
45	48O	DR-08-47
54	56B	FF-08-056

7. (1) Items 10, 27, 29 and 32 of Schedule 10 to Part 2 of the Regulation are revoked and the following substituted:

29	48R	FF-09A-038
29	40K	FF-09A-036

(2) Schedule 10 to Part 2 of the Regulation is amended by adding the following items:

36	48R	FF-09A-044
37	48R	FF-09A-045
38	48R	FF-09A-046
39	48R	FF-09A-047

8. Items 1, 3, 4 and 6 of Schedule 11 to Part 2 of the Regulation are revoked and the following substituted:

1	56B	FF-09B-001
	• •	
3	56B	FF-09B-003
6	56B	FF-09B-006

9. Items 2 and 9 of Schedule 12 to Part 2 of the Regulation are revoked and the following substituted:

2	56B	FF-10-002
	•	
9	56B	FF-10-010

10. Items 21 and 22 of Schedule 15 to Part 2 of the Regulation are revoked and the following substituted:

21	49L	AT-12A-21

11. Items 15, 16, 20 and 21 of Schedule 16 to Part 2 of the Regulation are revoked and the following substituted:

16)			49C, 58E	AT-12B-16
				•	•
•	٠	•	٠	•	

21	58E	AT-12B-22

12. Item 1 of Schedule 18 to Part 2 of the Regulation is revoked and the following substituted:

1	59K	NG-14-01

13. Item 30 of Schedule 20 to Part 2 of the Regulation is revoked and the following substituted:

30	50L	NG-15B-45

14. Schedule 21 to Part 2 of the Regulation is amended by adding the following item:

29	31B, 32C	SL-16A-29

15. (1) Items 24, 35 and 36 of Schedule 22 to Part 2 of the Regulation are revoked and the following substituted:

24	40P	SL-16B-25
	•	
36	40Q	SL-16B-37

(2) Schedule 22 to Part 2 of the Regulation is amended by adding the following items:

39	40N	SL-16B-40
40	40O	SL-16B-41
41	40O	SL-16B-42
42	40P	SL-16B-43

16. Schedule 24 to Part 2 of the Regulation is revoked.

17. (1) Items 3 to 14 of Schedule 25 to Part 2 of the Regulation are revoked and the following substituted:

3	42F	GE-18A-008
4	42F	GE-18A-009

.

7	42F	GE-18A-012

. . . .

9	42F	GE-18A-014
10	42F	GE-18A-015
11	42F	GE-18A-017
12	42F	GE-18A-018
13	42F	GE-18A-019
14	42F	GE-18A-020

(2) Schedule 25 to Part 2 of the Regulation is amended by adding the following items:

16	41E, 42G	NG-18A-022
17	42G	NG-18A-023

18. Items 2 and 3 of Schedule 26 to Part 2 of the Regulation are revoked.

19. (1) Items 3, 8 to 19, 21 to 28, 31, 34, 35 and 36 of Schedule 27 to Part 2 of the Regulation are revoked and the following substituted:

3	51K	NG-19-003
	•	
8	51I	NG-19-008
9	42F	GE-19-016
10	42F	GE-19-017
11	42F	GE-19-018
12	42F	GE-19-019
13	51K	NG-19-020
14	42F	GE-19-021
	•	
16	42F	GE-19-023
	•	
22	42F	GE-19-029
23	42F	GE-19-030
	•	
25	51J	GE-19-032
	•	
31	51J	GE-19-038
		•
	•	
24	42E	CE 10 042
34	42F	GE-19-042

(2) Schedule 27 to Part 2 of the Regulation is amended by adding the following items:

37	42G	NG-19-045
38	51I	NG-19-047

20. Items 12, 13, 16 to 21, 24 to 28, 30 to 41, 45 and 46 of Schedule 28 to Part 2 of the Regulation are revoked and the following substituted:

50K, 51K	NG-21A-015
142F 511	CE 21 A 026
42F, 51J	GE-21A-026
51J	GE-21A-027
51J	GE-21A-028
51J	GE-21A-029
•	
511	GE-21A-031
313	GE-21A-031
•	
51J	GE-21A-034
	. 42F, 51J 51J 51J 51J

26	51J	GE-21A-036		
28	51K, 60F	NG-21A-051		
	•			
30	51K, 60F	TR-21A-054		
31	51K, 60F	TR-21A-055		
32	51K, 60F	TR-21A-056		
33	51K, 60F	TR-21A-057		
34	51K	TR-21A-058		
35	60F	TR-21A-059		
36	52J	TR-21A-060		
<u> </u>				
	•			
38	52J	TR-21A-062		
39	52J	TR-21A-063		
40	52J	TR-21A-064		
41	51K	TR-21A-066		
	,			
45	52J	TR-21A-070		

21. Items 1 to 29, 32 and 34 to 45 of Schedule 29 to Part 2 of the Regulation are revoked and the following substituted:

3	51J	GE-21B-003
4	51J, 52D	GE-21B-004
5	52J	GE-21B-005

TR-21A-080 TR-21A-081

.

51K

7	52J	TR-21B-007
8	52J	TR-21B-026

.

10	52J	TR-21B-028
11	52J	TR-21B-029
12	52J	TR-21B-030
13	52J	TR-21B-031
14	52J	TR-21B-032
15	52J	TR-21B-033
16	52J	TR-21B-034
17	52J	TR-21B-035
18	52J	TR-21B-036
19	52J	TR-21B-037
20	52J	TR-21B-038
21	52J	WA-21B-051
22	52J	WA-21B-052
23	52J	WA-21B-053
24	52J	WA-21B-054
25	52J	WA-21B-055
26	52J	WA-21B-056
27	52J	WA-21B-057
28	52J	WA-21B-058
29	52J	TR-21B-065

32 52J HE-21B-076			
52 FIE 212 070	32	52J	HE-21B-076

.

34	52J	HE-21B-078
35	52J	HE-21B-079
36	52J	HE-21B-080
37	52J	HE-21B-081
38	52J	HE-21B-082
39	52J	HE-21B-083
40	52J	HE-21B-084
41	52J	HE-21B-085
42	52J	HE-21B-086
43	52J	HE-21B-087
44	52J	HE-21B-088
45	52J	HE-21B-089
46	52J	TR-21B-090
47	52J	TR-21B-091
48	52J	TR-21B-092
49	52J	TR-21B-093
50	52J	WA-21B-094
51	52J	HE-21B-095
52	52J	WA-21B-096
53	52J	HE-21B-097

22. Items 5 to 20 and 22 to 36 of Schedule 30 to Part 2 of the Regulation are revoked and the following substituted:

5	52K	HE-22-005
6	52J	HE-22-006
7	52J	HE-22-007
8	52J, 61F	HE-22-008
9	52J	HE-22-009
10	52J	HE-22-010
11	52J	HE-22-011
12	52J	HE-22-012
13	52J, 61F	WA-22-013
14	52J, 61F	HE-22-015
15	52J	WA-22-016
16	52J	HE-22-017
17	52J	HE-22-018
18	52J	HE-22-019
19	52J	HE-22-020
20	52J	HE-22-021

22	52J	WA-22-026
23	52J	WA-22-027
24	52J	WA-22-027
25	52J	WA-22-029
26	52J, 61F	WA-22-030
27	52J	WA-22-031
28	52J	WA-22-032
29	52J	WA-22-033
30	52J	WA-22-034
31	52J	WA-22-035
32	52J	WA-22-036
33	52J	WA-22-037
34	52J	WA-22-038
35	52J	WA-22-039
36	52J	WA-22-040
37	52J	HE-22-041
38	52J	HE-22-042

39	52J	HE-22-043
40	61F	WA-22-044
41	52J, 60F	WA-22-045

23. (1) Items 10, 13 and 14 of Schedule 31 to Part 2 of the Regulation are revoked and the following substituted:

10	53O, 62K	KA-23-13

.

Ī	13	53N, 62J	KA-23-16
Ī	14	53Q	KA-23-17

(2) Schedule 31 to Part 2 of the Regulation is amended by adding the following items:

21	53S	KA-23-19
22	53T	HE-23-10

24. Items 15, 16 and 18 of Schedule 32 to Part 2 of the Regulation are revoked and the following substituted:

15	53P	KA-24-20
16	53R	KA-24-21

.

18 53P KA-24-23

25. Items 8, 12, 14, 16 and 21 of Schedule 35 to Part 2 of the Regulation are revoked and the following substituted:

8	54F	CC-27-08

.

12 | 54F | CC-27-13

.

16 54F CC-27-17

.

21	54F	CC-27-24

26. Items 7, 13 and 35 of Schedule 36 to Part 2 of the Regulation are revoked and the following substituted:

7 63J KL-28-013			
	7	63J	LKT-28-013

.

13 64F KL-28-020

.

35 67L, 68G	TE-28-64

27. (1) Item 3 of Schedule 37 to Part 2 of the Regulation is revoked and the following substituted:

3	63I, 67I	TI-29-07

(2) Schedule 37 to Part 2 of the Regulation is amended by adding the following item:

41 631 11-29-15

28. Items 4 and 9 of Schedule 38 to Part 2 of the Regulation are revoked and the following substituted:

4	53H, 62L	KA-30-04

9	54F	CC-30-10

29. Items 28, 39 and 42 of Schedule 39 to Part 2 of the Regulation are revoked and the following substituted:

28 62, 66I, 67M CP-31-37

.

42	67M	GO-31-59

30. (1) Items 1 to 18 and 20 to 33 of Schedule 40 to Part 2 of the Regulation are revoked and the following substituted:

1	60E	WA-32-001
2	60E	WA-32-002
3	60E	WA-32-003
4	60E	WA-32-004
5	60E	WA-32-005
6	65C	WA-32-006
7	65C	WA-32-007
8	60E	WA-32-008
9	60E	WA-32-009
10	60E	WA-32-010
11	60E	WA-32-011
12	65C	WA-32-012
13	60E	WA-32-013
14	60E	WA-32-014
15	60E	WA-32-015
16	60E	WA-32-016
17	60E	WA-32-017
18	60E	WA-32-018

.

20	60E	WA-32-020
21	60E	WA-32-021
22	60E	WA-32-022

.

24	60E	WA-32-024
25	60E	WA-32-025
26	60E	WA-32-026
27	60E	WA-32-027
28	60E	WA-32-028
29	60E	WA-32-029
30	60E	WA-32-030
31	60E, 65C	WA-32-031
32	60E	WA-32-032
33	60E	WA-32-033

(2) Schedule 40 to Part 2 of the Regulation is amended by adding the following items:

40	60E	WA-32-041
41	60E	WA-32-042
42	60E	WA-32-043
43	60E	WA-32-044
44	60E	WA-32-045

31. Schedule 41 to Part 2 of the Regulation is revoked and the following substituted:

1	52J, 60E	WA-33-001
2	52J, 60E	WA-33-002
3	52J, 60E	WA-33-003
4	52J. 60E	WA-33-004

5	60E	WA-33-005
6	60E	WA-33-006
7	60E	WA-33-007
8	60E	WA-33-008
9	60E	WA-33-009
10	60E	WA-33-010
11	60E	WA-33-011
12	60E	WA-33-012
13	60E	WA-33-013
14	60E	WA-33-014
15	60E	WA-33-015
16	52J	WA-33-016

32. Schedule 42 to Part 2 of the Regulation is revoked and the following substituted:

1	60E	WA-34-001
2	60E	WA-34-002
3	60E	WA-34-003
4	60E	WA-34-004
5	60E	WA-34-005
6	60E	WA-34-006
7	60E	WA-34-008
8	60E	WA-34-009
9	60E	WA-34-010

33. Items 1, 2, 4, 6, 9, 15, 18, 19, 21, 22, 23, 26 and 29 to 44 of Schedule 43 to Part 2 of the Regulation are revoked and the following substituted:

1	60E, 65C	WA-35-001
2	60E, 65C	WA-35-002
4	65C	WA-35-004
6	60E	WA-35-006
9	60E	WA-35-009
15	60E	WA-35-015
18	60E	WA-35-019
19	65C	WA-35-020
21	69A	SS-35-022
22	60E, 65C	WA-35-023
23	65C	WA-35-024
29	69A	SS-35-030
30	69A	SS-35-031
31	69A	BL-35-032

34	69A	SS-35-035
35	69A	SS-35-036
36	69A	SS-35-037

.

38	69A	BL-35-039
39	69A	BL-35-040
40	69A	BL-35-041
41	69A	SS-35-042

.

43	65C	WA-35-044
44	69A	BL-35-045
45	60E	WA-35-046
46	60E, 65C	WA-35-047

34. Schedule 44 to Part 2 of the Regulation is revoked and the following substituted:

1	69A	SS-36-001
2	69A	SS-36-002
3	69A	SS-36-003
4	69A	SS-36-004
5	69A	SS-36-005
6	69A	SS-36-006
7	69A	SS-36-007
8	69A	SS-36-008
9	69A	SS-36-015
10	69A	SS-36-018
11	69A	SS-36-019
12	69A	BL-36-023

35. Items 1 to 37 of Schedule 45 to Part 2 of the Regulation are revoked and the following substituted:

1	69A	BL-37-001
2	69A	BL-37-002
3	69A	BL-37-003
4	69A	BL-37-004
5	69A	BL-37-005

.

	8	69A	BL-37-008
I	9	69A	BL-37-009

.

12	69A	BL-37-012

.

17	69A	BL-37-017
18	69A	BL-37-018
19	69A	BL-37-019

.

25	69A	BL-37-025
26	69A	BL-37-026
27	69A	BL-37-027
28	69A	BL-37-028
29	69A	BL-37-029
30	69A	BL-37-030

32	69A	BL-37-033
35	69A	BL-37-036
36	69A	BL-37-037
37	69A	BL-37-038

36. Items 25 to 45, 49, 50, 57, 58, 64, 65, 66, 68, 73 and 75 of Schedule 46 to Part 2 of the Regulation are revoked and the following substituted:

25	69A	BL-38-027
	•	
27	69A	BL-38-029
31	69A	BL-38-033
32	69A	BL-38-034
35	69A	BL-38-038
36	69A	BL-38-039
38	69A	BL-38-042
42	69A	BL-38-046
44	69A	BL-38-048
49	69A	BL-38-053
58	69A	BL-38-063
64	69A	BL-38-070
65	69A	BL-38-071
66	69A	BL-38-072
68	69A	BL-38-076

37. Items 10 and 17 of Schedule 47 to Part 2 of the Regulation are revoked and the following substituted:

10	67, 71K	SU-39-10
	•	
17	71K	SU-39-17

38. Items 31, 38, 48, 49, 50 and 51 of Schedule 48 to Part 2 of the Regulation are revoked and the following substituted:

31	67L, 68G	TE-40-42
38	67L	TE-40-49
48	72H	TE-40-59
49	72H	TE-40-60

39. Items 35, 50, 51, 52 and 53 of Schedule 49 to Part 2 of the Regulation are revoked and the following substituted:

г			
		•	
-		I .	
ı	35	72J	NB-41-38
			l

51		71J, 72K	NB-41-55
52		72I	NB-41-56
53	3	72J	NB-41-57

40. Items 7, 8, 10, 11 and 12 of Schedule 52 to Part 2 of the Regulation are revoked and the following substituted:

7	75B	PS-46-09
•		
	 •	
12.	75B	PS-46-14

41. Items 11 to 14 of Schedule 53 to Part 2 of the Regulation are revoked and the following substituted:

14	75B	PS-47-16

42. Schedule 55 to Part 2 of the Regulation is revoked and the following substituted:

1	75B	PS-49-01
2	75B	PS-49-03
3	75B	PS-49-05
4	75B	PS-49-07
5	75B	PS-49-09

43. Items 2 and 3 and 5 to 10 of Schedule 56 to Part 2 of the Regulation are revoked and the following substituted:

2	76M	BR-50-02	
	1	1	
6	76N	BR-50-05	
7	76M	BR-50-08	
	T =	T==	
110	76M	BR-50-11	

44. Items 6, 7, 14, 15 and 16 of Schedule 61 to Part 2 of the Regulation are revoked and the following substituted:

6	80F	MD-56-06

45. Items 1, 6, 7, 8, 11, 12 and 13 of Schedule 65 to Part 2 of the Regulation are revoked and the following substituted:

7	80F	BA-60-07
8	80F	MD-60-08

11	80F	MD-60-11
13	80F	MD-60-14

46. Items 6 and 7 of Schedule 68 to Part 2 of the Regulation are revoked and the following substituted:

,	7	77H	CP-63-07

Made by:

DAVID JAMES RAMSAY Minister of Natural Resources

Date made: August 10, 2005.

35/05

ONTARIO REGULATION 464/05

made under the

FARM IMPLEMENTS ACT

Made: August 10, 2005 Filed: August 12, 2005

Amending Reg. 369 of R.R.O. 1990 (General)

Note: Regulation 369 has previously been amended. Those amendments are listed in the <u>Table of Regulations – Legislative</u> History Overview which can be found at www.e-Laws.gov.on.ca.

1. Section 11 of Regulation 369 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

- 11. (1) In this section,
- "CSA" means the Canadian Standards Association; ("CSA")
- "ISO" means the International Organization for Standardization; ("ISO")
- "SAE" means the Society of Automotive Engineers. ("SAE")
- (2) A tractor that is manufactured after January 1, 1992 and sold or offered for sale by a dealer on and after June 15, 2005 shall be equipped with,
 - (a) a rollover protective structure described in subsection (3) and labelled in accordance with subsection (4); and
 - (b) a restraining device described in subsection (5).
 - (3) A rollover protective structure on a tractor shall comply with,
 - (a) clause 5 of CSA Standard B352.1-95, entitled "Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial, and Mining Machines Part 2: Testing Requirements for ROPS on Agricultural Tractors" and dated August 1995 (Reaffirmed 2004); or
 - (b) the rollover protective structure steel material/temperature requirements set out in clause 4.2 of CSA Standard B352.0-95, entitled "Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial, and Mining Machines Part 1: General Requirements for ROPS" and dated September 1995 (Reaffirmed 2004) and the requirements set out in,

- (i) SAE Standard J1194, entitled "Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors" and dated November 1999,
- (ii) SAE Standard J2194, entitled "Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors" and dated August 2002,
- (iii) ISO Standard 5700-1989 (Third edition), entitled "Wheeled tractors for agriculture and forestry Protective structures — Static test method and acceptance conditions", dated December 12, 1989 and amended on December 1, 1998,
- (iv) ISO Standard 3463-1989 (Third edition), entitled "Wheeled tractors for agriculture and forestry Protective structures — Dynamic test method and acceptance conditions", dated December 12, 1989 and amended on December 1, 1998, or
- (v) Code 3 (Dynamic Test), dated February 2002, or Code 4 (Static Test), dated February 2002, of the Organization for Economic Co-operation and Development Standard Code for the Official Testing of Protective Structures on Agricultural and Forestry Tractors.
- (4) A rollover protective structure on a tractor shall have permanent legible label showing,
- (a) the manufacturer's name:
- (b) the make and model of tractor that it is designed to fit; and
- (c) the standard referred to in subsection (3) with which it complies.
- (5) A restraining device on a tractor shall comply with the seat and seat belt requirements set out in,
- (a) section 5 of SAE Standard J1194, entitled "Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors" and dated November 1999; or
- (b) section 6.10 of SAE Standard J2194, entitled "Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors" and dated August 2002.
- (6) Despite subsections (3) and (4), where a tractor was manufactured before the date of publication of a standard referred to in either of those subsections, the tractor may comply with a predecessor of the standard that was in effect on the date that the tractor was manufactured.
- (7) The standards referred to in this section are available for public inspection at the offices of the Farm Implements Act Program, Environmental Policy and Programs Branch, Ministry of Agriculture and Food, 1 Stone Road West, 3rd Floor North East, Guelph, Ontario, N1G 4Y2.
 - **11.1** (1) In this section,
- "instructional seat" means an area of sufficient size and shape with an integral or separate backrest in which a person, other than the operator, may be seated in a tractor or other self-propelled farm implement with an enclosed cab.
- (2) On and after June 15, 2005, every tractor or other self-propelled farm implement with an instructional seat that is sold or offered for sale by a dealer shall comply with the American Society of Agricultural Engineers Standard S574, entitled "Instructional Seat for Agricultural Equipment" and dated August 2000.
- (3) The standard referred to in this section is available for public inspection at the offices of the Farm Implements Act Program, Environmental Policy and Programs Branch, Ministry of Agriculture and Food, 1 Stone Road West, 3rd Floor North East, Guelph, Ontario, N1G 4Y2.
- 2. Section 12 of the Regulation is amended by striking out the portion before paragraph 1 and substituting the following:
- 12. Every new or used liquid manure spreader that is sold or offered for sale by a dealer shall meet the following safety standards and requirements for safety decals, in addition to those prescribed in section 7:

RÈGLEMENT DE L'ONTARIO 464/05

pris en application de la

LOI SUR LES APPAREILS AGRICOLES

pris le 10 août 2005 déposé le 12 août 2005

modifiant le Règl. 369 des R.R.O. de 1990 (Dispositions générales)

Remarque : Le Règlement 369 a été modifié antérieurement. Ces modifications sont indiquées dans le <u>Sommaire de l'historique législatif des règlements</u> qui se trouve sur le site <u>www.lois-en-ligne.gouv.on.ca</u>.

1. L'article 11 du Règlement 369 des Règlements refondus de l'Ontario de 1990 est abrogé et remplacé par ce qui suit :

- 11. (1) Les définitions qui suivent s'appliquent au présent article.
- «CSA» Association canadienne de normalisation. («CSA»)
- «ISO» Organisation internationale de normalisation. («ISO»)
- «SAE» Society of Automotive Engineers. («SAE»)
- (2) Un tracteur qui est fabriqué après le 1^{er} janvier 1992 et vendu ou mis en vente par un vendeur le 15 juin 2005 ou après cette date doit être équipé :
 - a) d'une part, de la structure de protection contre le retournement visée au paragraphe (3) et étiquetée conformément au paragraphe (4);
 - b) d'autre part, du dispositif de retenue visé au paragraphe (5).
 - (3) La structure de protection contre le retournement d'un tracteur doit être conforme :
 - a) soit à l'article 5 de la norme CSA B352.1-95, intitulée «Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial, and Mining Machines Part 2: Testing Requirements for ROPS on Agricultural Tractors» et publiée en août 1995 (reconfirmée en 2004);
 - b) soit aux exigences de matériau d'acier/température pour les structures de protection contre le retournement énoncées à l'article 4.2 de la norme CSA B352.0-95, intitulée «Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial, and Mining Machines Part 1: General Requirements for ROPS» et publiée en septembre 1995 (reconfirmée en 2004), et aux exigences énoncées, selon le cas, dans :
 - (i) la norme SAE J1194, intitulée «Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors» et publiée en novembre 1999,
 - (ii) la norme SAE J2194, intitulée «Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors» et publiée en août 2002,
 - (iii) la norme ISO 5700-1989 (troisième édition), intitulée «Tracteurs agricoles et forestiers à roues Structures de protection — Méthode d'essais statiques et conditions d'acceptation», publiée le 12 décembre 1989 et modifiée le 1^{er} décembre 1998,
 - (iv) la norme ISO 3463-1989 (troisième édition), intitulée «Tracteurs agricoles et forestiers à roues Structures de protection Méthode d'essais dynamiques et conditions d'acceptation», publiée le 12 décembre 1989 et modifiée le 1^{er} décembre 1998,
 - (v) le code 3 (essai dynamique), publié en février 2002, ou le code 4 (essai statique), publié en février 2002, des Codes normalisés de l'Organisation de Coopération et de Développement Économiques pour les essais officiels de tracteurs agricoles et forestiers.
- (4) La structure de protection contre le retournement d'un tracteur doit être munie d'une étiquette lisible apposée en permanence et indiquant :
 - a) le nom du fabricant;
 - b) la marque et le modèle de tracteur pour lequel elle est conçue;
 - c) la norme visée au paragraphe (3) à laquelle elle est conforme.
- (5) Le dispositif de retenue d'un tracteur doit être conforme aux exigences en matière de sièges et de ceintures de sécurité énoncées :

- a) soit à l'article 5 de la norme SAE J1194, intitulée «Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors» et publiée en novembre 1999;
- b) soit à l'article 6.10 de la norme SAE J2194, intitulée «Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors» et publiée en août 2002.
- (6) Malgré les paragraphes (3) et (4), un tracteur qui a été fabriqué avant la date de publication d'une norme visée à l'un ou à l'autre de ces paragraphes peut être conforme à une norme que remplace celle-ci qui était en vigueur à sa date de fabrication.
- (7) Les normes visées au présent article sont mises à la disposition du public aux fins de consultation dans les bureaux du Programme d'application de la Loi sur les appareils agricoles, Direction des politiques et des programmes environnementaux, ministère de l'Agriculture et de l'Alimentation, 1, chemin Stone Ouest, 3^e étage nord-est, Guelph (Ontario) N1G 4Y2.
 - 11.1 (1) La définition qui suit s'applique au présent article.
- «siège pour élève conducteur» Surface de taille et de forme suffisantes, munie d'un dossier intégré ou séparé, sur laquelle une personne autre que le conducteur peut s'asseoir dans un tracteur ou un autre appareil agricole automoteur équipé d'une cabine fermée.
- (2) À compter du 15 juin 2005, tout tracteur ou autre appareil agricole automoteur équipé d'un siège pour élève conducteur qui est vendu ou mis en vente par un vendeur doit être conforme à la norme S574 de l'American Society of Agricultural Engineers, intitulée «Instructional Seat for Agricultural Equipment» et publiée en août 2000.
- (3) La norme visée au présent article est mise à la disposition du public aux fins de consultation dans les bureaux du Programme d'application de la Loi sur les appareils agricoles, Direction des politiques et des programmes environnementaux, ministère de l'Agriculture et de l'Alimentation, 1, chemin Stone Ouest, 3^e étage nord-est, Guelph (Ontario) N1G 4Y2.

2. L'article 12 du Règlement est modifié par substitution de ce qui suit au passage qui précède la disposition 1 :

12. Tout épandeur de fumier liquide, neuf ou usagé, qui est vendu ou mis en vente par un vendeur doit être conforme aux normes de sécurité et aux exigences suivantes concernant les autocollants de sécurité, en plus de celles prescrites à l'article 7:

.

Made by: Pris par:

La ministre de l'Agriculture, de l'Alimentation et des Affaires rurales,

LEONA DOMBROWSKY Minister of Agriculture, Food and Rural Affairs

Date made: August 10, 2005. Pris le : 10 août 2005.

35/05

ONTARIO REGULATION 465/05

made under the

TENANT PROTECTION ACT, 1997

Made: August 8, 2005 Filed: August 12, 2005

TABLE OF OPERATING COST CATEGORIES FOR 2006

Table for 2006

1. The Table referred to in subsection 129 (2) of the Act is the following for the year 2006:

TABLE FOR 2006

Column 1	Column 2	Column 3
Operating Cost	Three-year Moving	Weight (%)
Category	Average (%)	
Insurance	10.97	5.90
Heating	4.78	23.25
Hydro	4.25	7.46
Water	5.77	3.84
Municipal Taxes	3.10	27.48
and Charges		
Administration	2.26	15.20
Maintenance	2.26	14.82
Miscellaneous	2.26	2.05

RÈGLEMENT DE L'ONTARIO 465/05

pris en application de la

LOI DE 1997 SUR LA PROTECTION DES LOCATAIRES

pris le 8 août 2005 déposé le 12 août 2005

BARÈME DES CATÉGORIES DE FRAIS D'EXPLOITATION POUR 2006

Barème pour 2006

1. Le barème visé au paragraphe 129 (2) de la Loi est le suivant pour 2006 :

BARÈME POUR 2006

Colonne 1	Colonne 2	Colonne 3
Catégorie de frais	Moyenne mobile	Facteur de
d'exploitation	de trois ans (%)	pondération (%)
Assurance	10,97	5,90
Chauffage	4,78	23,25
Électricité	4,25	7,46
Eau	5,77	3,84
Redevances et impôts	3,10	27,48
municipaux		
Administration	2,26	15,20
Entretien	2,26	14,82
Divers	2,26	2,05

35/05

NOTE: The Table of Regulations – Legislative History Overview and other tables related to regulations can be found at the e-Laws website (www.e-Laws.gov.on.ca) under Tables. Consolidated regulations may also be found at that site by clicking on Statutes and associated Regulations under Consolidated Law.

REMARQUE : On trouve le Sommaire de l'historique législatif des règlements et d'autres tables liées aux règlements sur le site Web Lois-en-ligne (www.lois-en-ligne.gouv.on.ca) en cliquant sur «Tables». On y trouve également les règlements codifiés en cliquant sur le lien Lois et règlements d'application sous la rubrique «Textes législatifs codifiés».

INDEX 35

GOVERNMENT NOTICES/AVIS DU GOUVERNE	MENT	
Criminal Code/Code Criminel		2715
Ontario Highway Transport Board		2715
Notice of Default in Complying with the Corporations	s Tax Act/Avis d'inobservation de la Loi sur l'imposition des corporations	2710
Cancellation of Certificates of Incorporation/Annulati	on de certificats de constitution (Non-respect de la Loi sur l'imposition des corporations)	2717
Certificates of Dissolution/Certificats de dissolution		2718
Cancellation of Certificate of Incorporation (Business	Corporations Act)/Annulation de Certificat de Constitution en Personne Morale (Loi sur les	2721
extraprovincials)	incial Corporations Act)/Annulation de Permis Extraprovincial (Loi sur les compagnies	2722
Ministry of Municipal Affairs and Housing/Ministère	des Affaires municipales et du Logement	2722
	Determination	
Applications to Provincial Parliament — Private Bills	Demandes au Parlement provincial — Projets de loi d'intérêt privé	2737
		2737
CORPORATION NOTICES		2738
SHERIFF'S SALES OF LANDS/VENTES DE TERF	RAINS PAR LE SHÉRIF	2738
SALE OF LANDS FOR TAX ARREARS BY PUBL	IC TENDER/VENTES DE TERRAINS PAR APPEL D'OFFRES POUR ARRIÉRÉ D'IMPÔT	
THE CORPORATION OF THE CITY OF OWEN	SOUND	2744
THE CORPORATION OF THE CITY OF SAULT	Γ STE. MARIE	2744
THE CORPORATION OF THE TOWN OF FORT	Γ ERIE	2740
PUBLICATIONS UNDER THE REGULATIONS AGE PUBLICATIONS EN VERTU DE LA LOI SUR I		
Environmental Protection Act	O. Reg. 461/05	275
Farm Implements Act	O. Reg. 464/05	287
Fish and Wildlife Conservation Act, 1997	O. Reg. 463/05	2865
Public Lands Act	O. Reg. 462/05	2864
Substitute Decisions Act, 1992	O. Reg. 460/05	2747
Tenant Protection Act 1997	O Reg 465/05	2880



TEXTE D'INFORMATION POUR LA GAZETTE DE L'ONTARIO

Information

La Gazette de l'Ontario paraît chaque samedi, et les annonces à y insérer doivent parvenir à ses bureaux le jeudi à 15h au plus tard, soit au moins neuf jours avant la parution du numéro dans lequel elles figureront. Pour les semaines incluant le lundi de Pâques, le 11 novembre et les congés statutaires, accordez une journée de surplus. Pour connaître l'horaire entre Noël et le Jour de l'An s'il vous plaît communiquez avec le bureau de La Gazette de l'Ontario au (416) 326-5310 ou par courriel à <u>GazettePubsOnt@mbs.gov.on.ca</u>

Tarifs publicitaires et soumission de format:

- 1) Le tarif publicitaire pour la première insertion envoyée électroniquement est de 75,00\$ par espace-colonne jusqu'à un ¼ de page.
- 2) Pour chaque insertion supplémentaire commandée en même temps que l'insertion initiale, le tarif est 40,00\$
- 3) Les clients peuvent confirmer la publication d'une annonce en visitant le site web de La Gazette de l'Ontario www.ontariogazette.gov.on.ca ou en visionnant une copie imprimée à une bibliothèque locale.

Abonnement:

Le tarif d'abonnement annuel est de 126,50\$ + T.P.S. pour 52 ou 53 numéros hebdomadaires débutant le premier samedi du mois de janvier (payable à l'avance) L'inscription d'un nouvel abonnement au courant de l'année sera calculée de façon proportionnelle pour la première année. Un nouvel abonné peut commander des copies d'éditions précédentes de la Gazette au coût d'une copie individuelle si l'inventaire le permet.

Le remboursement pour l'annulation d'abonnement sera calculé de façon proportionnelle à partir de 50% ou moins selon la date. Pour obtenir de l'information sur l'abonnement ou les commandes s.v.p. téléphonez le (416) 326-5306 durant les heures de bureau.

Copies individuelles:

Des copies individuelles de la Gazette peuvent être commandées en direct sur POD au site <u>www.gov.on.ca/MBS/french/publications</u> ou en téléphonant 1-800-668-9938.

Options de paiement:

Les paiements peuvent être effectués au moyen de la carte Visa, MasterCard ou Amex, ou chèques ou mandats fait à l'ordre du MINISTRE DES FINANCES. Toute correspondance, notamment les changements d'adresse, doit être adressée à :

LA GAZETTE DE L'ONTARIO

50 rue Grosvenor, Toronto (Ontario) M7A 1N8

Téléphone (416) 326-5306

Paiement-Annonces:

Pour le traitement rapide les clients peuvent faire leur paiement au moyen de la carte Visa, MasterCard ou Amex lorsqu'ils soumettrent leurs annonces. Les frais peuvent également être facturés.

MINISTÈRES DU GOUVERNEMENT DE L'ONTARIO S.V.P. NOTEZ

IFIS a introduit des exigences de procédures de facturation plus rigoureuses et compliquées qui affectent la Gazette et ses clients. S'il vous plaît considérez utiliser une carte d'achat du ministère lorsque vous placez une annonce. Les commandes faites par carte d'achat ne sont pas sujettes aux exigences de facturation d'IFIS et permettront la Gazette d'éviter le retard futur de traitement.

Pour obtenir de l'information sur le paiement par carte d'achat, les types et le placement d'annonces communiquez avec le bureau de la Gazette au (416) 326-5310 ou à <u>GazettePubsOnt@mbs.gov.on.ca</u>



INFORMATION TEXT FOR ONTARIO GAZETTE

Information

The Ontario Gazette is published every Saturday. Advertisements/notices must be received no later than 3 pm on Thursday, 9 days before publication of the issue in which they should appear. For weeks including Easter Monday, November 11th or a statutory holiday allow an extra day. For the Christmas/New Year holiday schedule please contact the Gazette at (416) 326-5310 or by email at GazettePubsOnt@mbs.gov.on.ca

Advertising rates and submission formats:

- 1) For a first insertion electronically submitted the basic rate is \$75 up to \(\frac{1}{4} \) page.
- 2) For subsequent insertions of the same notice ordered at the same time the rate is \$40 each.
- 3) Clients may confirm publication of a notice by visiting The Ontario Gazette web site at: www.ontariogazette.gov.on.ca or by viewing a printed copy at a local library.

Subscriptions:

The annual subscription rate is 126.50 + G.S.T. for 52 or 53 weekly issues beginning the first Saturday in January, payable in advance. In-year new subscriptions will be pro-rated for the first year. A new subscriber may order back issues of the Gazette at the single-copy rate as inventory permits.

Refunds for cancelled subscriptions will be pro-rated from 50% or less depending upon date. For subscription information/orders please call (416) 326-5306 during normal business hours.

Single Copies:

Individual Gazette copies may be ordered on-line through POOL at www.gov.on.ca/MBS/english(or/french)/publications or by phone at 1-800-668-9938.

Payment Options:

Subscriptions may be paid by VISA, AMEX or MasterCard or by Cheque or Money order payable to THE MINISTER OF FINANCE. All subscription enquiries and correspondence, including address changes, should be mailed to:

THE ONTARIO GAZETTE

50 Grosvenor Street, Toronto, Ontario M7A 1N8

Telephone: (416) 326-5306

Payment - Notices:

For fastest processing clients may pay by VISA, AMEX or MasterCard when submitting notices. Charges may also be invoiced.

ONTARIO GOVERNMENT MINISTRIES PLEASE NOTE:

IFIS requirements have introduced more stringent and complicated billing procedures that affect both the Gazette and its clients. Please consider using a ministry Purchase Card when placing notices – charge card orders are not subject to IFIS requirements, and will allow the Gazette to avoid future processing delays.

For information about P-card payments, valid types of notice and placement contact the Gazette office at (416) 326-5310 or at GazettePubsOnt@mbs.gov.on.ca