

Daily Epidemiologic Summary

COVID-19 in Ontario: January 15, 2020 to July 16, 2020

This report includes the most current information available from iPHIS and other local case management systems (iPHIS plus) as of **July 16, 2020**.

Please visit the interactive <u>Ontario COVID-19 Data Tool</u> to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A weekly summary report is available with additional information to complement the daily report.

This **daily** report provides an epidemiologic summary of recent COVID-19 activity in Ontario. The change in cases is determined by taking the cumulative difference between the current day and the previous day.

Highlights

- There are a total of 37,274 confirmed cases of COVID-19 in Ontario reported to date.
- Compared to the previous day, this represents:
 - An increase of 111 confirmed cases (percent change of 0.0%)
 - An increase of 9 deaths (percent change of +80.0%)
 - An increase of 101 resolved cases (percent change of -28.4%)

In this document, the term 'change in cases' refers to cases publicly reported by the province for a given day. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals for updated case counts (i.e., age group, gender) differing from the overall updated case counts.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Case Characteristics

Table 1a. Summary of recent cases of COVID-19: Ontario

	Change in cases July 15	Change in cases July 16	Percentage change July 16 compared to July 15	Cumulative case count as of July 16
Number of cases	111	111	0.0%	37,274
Number of deaths	5	9	+80.0%	2,746
Number resolved	141	101	-28.4%	33,162

Note: The number of cases publicly reported by the province each day may not align with case counts reported to public health on a given day; public health unit reported date refers to the date local public health was first notified of the case.

Data Source: iPHIS plus

Table 1b. Summary of recent cases of COVID-19 by age group and gender: Ontario

	Change in cases July 15	Change in cases July 16	Cumulative case count as of July 16
Gender: Male	56	55	17,233
Gender: Female	56	56	19,761
Ages: 19 and under	14	8	1,927
Ages: 20-39	64	53	11,135
Ages: 40-59	19	35	11,279
Ages: 60-79	13	10	6,931
Ages: 80 and over	0	5	5,993

Note: Not all cases have a reported age or gender reported. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

Table 2. Summary of recent cases of COVID-19 in long-term care homes: Ontario

Long-term care home cases	Change in cases July 15	Change in cases July 16	Cumulative case count as of July 16
Residents	3	-3	5,545
Health care workers	2	7	2,462
Deaths among residents	1	1	1,732
Deaths among health care workers	0	0	8

Note: Information for how long-term care home residents and health care workers are identified is available in the technical notes. The change in cases in these categories may represent existing case records that have been updated.

Time

Figure 1. Confirmed cases of COVID-19 by likely acquisition and public health unit reported date: Ontario, January 15, 2020 to July 16, 2020







Figure 2. Confirmed cases of COVID-19 by likely acquisition and approximation of symptom onset date: Ontario, January 15, 2020 to July 16, 2020



Note: Not all cases may have an episode date and those without one are not included in the figure. Episode date is defined and available in the technical notes.






Note: The number of tests performed does not reflect the number of specimens or persons tested. More than one test may be performed per specimen or per person. As such, the percentage of tests that were positive does not necessarily translate to the number of specimens or persons testing positive.

Data Source: The Provincial COVID-19 Diagnostics Network, data reported by member microbiology laboratories.

Severity

Figure 4. Confirmed deaths among COVID-19 cases by date of death: Ontario, March 1, 2020 to July 16, 2020



Note: Cases without a death date are not included in the figure.

Table 3. Confirmed cases of COVID-19 by severity: Ontario

	Cumulative case count as of July 16	Percentage of all cases
Cumulative deaths reported (please note there may be a reporting delay for deaths)	2,746	7.4%
Deaths reported in ages: 19 and under	1	0.1%
Deaths reported in ages: 20-39	11	0.1%
Deaths reported in ages: 40-59	113	1.0%
Deaths reported in ages: 60-79	734	10.6%
Deaths reported in ages: 80 and over	1,887	31.5%
Ever in ICU	979	2.6%
Ever hospitalized	4,558	12.2%

Geography

Table 4. Summary of recent cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Change in cases July 15	Change in cases July 16	Cumulative case count	Cumulative rate per 100,000 population
Northwestern Health Unit	0	0	42	47.9
Thunder Bay District Health Unit	0	0	92	61.3
TOTAL NORTH WEST	0	0	134	56.4
Algoma Public Health	1	0	26	22.7
North Bay Parry Sound District Health Unit	0	0	35	27.0
Porcupine Health Unit	1	0	69	82.7
Public Health Sudbury & Districts	1	0	68	34.2
Timiskaming Health Unit	0	0	18	55.1
TOTAL NORTH EAST	3	0	216	38.6
Ottawa Public Health	15	7	2,189	207.6
Eastern Ontario Health Unit	0	2	170	81.5
Hastings Prince Edward Public Health	0	0	44	26.1
Kingston, Frontenac and Lennox & Addington Public Health	0	0	105	49.4
Leeds, Grenville & Lanark District Health Unit	0	0	355	205.0
Renfrew County and District Health Unit	0	0	29	26.7
TOTAL EASTERN	15	9	2,892	150.1

Public Health Unit Name	Change in cases July 15	Change in cases July 16	Cumulative case count	Cumulative rate per 100,000 population
Durham Region Health Department	5	11	1,775	249.2
Haliburton, Kawartha, Pine Ridge District Health Unit	1	-1	206	109.0
Peel Public Health	25	3	6,264	390.0
Peterborough Public Health	0	0	95	64.2
Simcoe Muskoka District Health Unit	2	6	631	105.2
York Region Public Health	10	7	3,169	258.5
TOTAL CENTRAL EAST	43	26	12,140	270.9
Toronto Public Health	30	38	13,804	442.4
TOTAL TORONTO	30	38	13,804	442.4
Chatham-Kent Public Health	0	1	169	159.0
Grey Bruce Health Unit	0	0	108	63.6
Huron Perth Public Health	0	0	60	42.9
Lambton Public Health	0	1	288	219.9
Middlesex-London Health Unit	1	0	641	126.3
Southwestern Public Health	0	0	86	40.7
Windsor-Essex County Health Unit	14	21	1,865	439.0
TOTAL SOUTH WEST	15	23	3,217	190.3
Brant County Health Unit	0	0	146	94.1
City of Hamilton Public Health Services	2	4	864	145.9

Public Health Unit Name	Change in cases July 15	Change in cases July 16	Cumulative case count	Cumulative rate per 100,000 population
Haldimand-Norfolk Health Unit	0	1	433	379.6
Halton Region Public Health	2	2	803	129.7
Niagara Region Public Health	0	3	786	166.4
Region of Waterloo Public Health and Emergency Services	-1	4	1,336	228.6
Wellington-Dufferin-Guelph Public Health	2	1	503	161.3
TOTAL CENTRAL WEST	5	15	4,871	171.0
TOTAL ONTARIO	111	111	37,274	250.8

Note: Health units with data corrections or updates could result in records being removed from totals resulting in negative counts.

Outbreaks

Table 5. Summary of recent confirmed COVID-19 outbreaks reported in long-term care homes, retirement homes and hospitals by status: Ontario

Institution type	Change in outbreaks July 15	Change in outbreaks July 16	Number of ongoing outbreaks	Cumulative number of outbreaks reported
Long-term care homes	1	1	37	381
Retirement homes	1	1	16	157
Hospitals	0	0	5	95

Note: Ongoing outbreaks includes all outbreaks that are 'Open' in iPHIS without a 'Declared Over Date' recorded.

Data Source: iPHIS

Technical Notes

Data Sources

- The data for this report were based on:
 - Information extracted from the Ontario Ministry of Health (Ministry) integrated Public Health Information System (iPHIS) database, as of **July 16, 2020 at 4 p.m.**
 - Information successfully uploaded to the Ministry from Local Systems: Toronto Public Health (Coronavirus Rapid Entry System) CORES, The Ottawa Public Health COVID-19 Ottawa Database (The COD) and Middlesex-London COVID-19 Case and Contact Management Tool (CCMtool) as of July 16, 2020 at 2 p.m.
- iPHIS and iPHIS plus (which includes iPHIS, CORES, The COD and COVID-19 CCMtool) are dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from iPHIS and the Local Systems represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario.
 Data were extracted on November 26, 2019.
- COVID-19 test data were based on information from The Provincial COVID-19 Diagnostics Network, reported by member microbiology laboratories.

Data Caveats:

- The data only represent cases reported to public health units and recorded in iPHIS plus. As a result, all counts will be subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Lags in iPHIS plus data entry due to weekend staffing may result in lower case counts than would otherwise be recorded.
- Only cases meeting the confirmed case classification as listed in the MOH <u>COVID-19 case</u> definition are included in the report counts from iPHIS plus.
- The number of tests performed does not reflect the number of specimens or persons tested.
 More than one test may be performed per specimen or per person. As such, the percentage of
 tests that were positive does not necessarily translate to the number of specimens or persons
 testing positive.
- Reported date is the date the case was reported to the public health unit.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.

- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are classified as resolved:
 - Cases that are reported as 'recovered' in iPHIS
 - Cases that are not hospitalized and are 14 days past their episode date
 - Cases that are currently hospitalized (no hospital end date entered) and have a status of 'closed' in iPHIS (indicating public health unit follow-up is complete) and are 14 days past their symptom onset date or specimen collection date
- Hospitalization includes all cases for which a hospital admission date was reported at the time of
 data extraction. It includes cases that have been discharged from hospital as well as cases that
 are currently hospitalized. Emergency room visits are not included in the number of reported
 hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU
 refers to the case's public health unit of residence at the time of illness onset and not
 necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a
 case that is not a resident of Ontario) have been excluded from the analyses.
- Likely source of acquisition is determined by examining the exposure and risk factor fields from
 iPHIS and local systems to determine whether a case travelled, was associated with an outbreak,
 was a contact of a case, had no known epidemiological link (sporadic community transmission)
 or was reported to have an unknown source/no information was reported. Some cases may
 have no information reported if the case is untraceable, was lost to follow-up or referred to
 FNIHB. Cases with multiple exposures or risk factors were assigned to a single likely acquisition
 source group which was determined hierarchically in the following order:
 - For cases with an episode date on or after April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date before April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- Deaths are determined by using the outcome field in iPHIS plus. Any case marked 'Fatal' is
 included in the deaths data. Deaths are included whether or not COVID-19 was determined to
 be a contributing or underlying cause of death as indicated in the iPHIS field Type of Death.
 - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.

- iPHIS cases for which the Disposition Status was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, DUPLICATE-DO NOT USE, or any variation on these values have been excluded.
- Ongoing outbreaks are those that are reported in iPHIS as 'Open' without a 'Declared Over Date' recorded.
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factor 'Resident of nursing home or other chronic care facility'. Excludes cases that reported 'Yes' to both risk factors: 'Resident of nursing home or other chronic care facility' and 'health care worker'.
- The 'health care workers' variable includes cases that reported 'Yes' to any of the occupation of health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers'
 reported to be part of an outbreak assigned as a long-term care home (via the outbreak number
 or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of nursing
 home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- Percent change is calculated by taking the difference between the current day and previous day, divided by the previous day count.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Epidemiologic summary: COVID-19 in Ontario – January 15, 2020 to July 16, 2020. Toronto, ON: Queen's Printer for Ontario; 2020.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

