

Weekly Epidemiologic Summary

COVID-19 in Ontario: Focus on November 29, 2020 to December 5, 2020

This report includes the most current information available from CCM and other case management systems (CCM plus) as of **December 8, 2020**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [daily summary](#) is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.

Highlights


- There are a total of 128,759 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to December 5, 2020.
- For the period with a public health unit reported date between November 29 and December 5, 2020 (week 49):
 - A total of 12,519 cases were reported to public health compared to 11,017 cases the previous week (November 22 to 28).
 - There had been consistently over 100 deaths occurring in each week over the past four weeks.
 - Although outbreaks in education and other settings account for the majority of outbreaks reported in recent weeks, a greater proportion of outbreak-associated cases are reported in long-term care home settings.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

Cases Over Time


Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario



Note: Include cases with reported dates ranging from week 4 (January 19 and 25, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario



Note: Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week 4 (January 19 and 25, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus.

Case Characteristics

Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date: Ontario


	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative case count up to December 5	Cumulative rate per 100,000 population
Total number of cases	11,017	12,519	128,759	866.2
Gender: Male	5,536	6,326	62,922	859.7
Gender: Female	5,381	6,071	65,094	862.7
Ages: 19 and under	1,559	1,901	15,791	503.5
Ages: 20-39	4,111	4,705	47,149	1,134.4
Ages: 40-59	3,233	3,664	36,848	935.8
Ages: 60-79	1,514	1,709	18,609	629.8
Ages: 80 and over	599	533	10,343	1,522.7
Number resolved	N/A	N/A	112,742	N/A

Note: Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus


Figure 3. Percentage of confirmed cases of COVID-19 by gender and public health unit reported week: Ontario



Note: Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from Week 9 (February 23 and 29, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus


Figure 4a. Rate of confirmed cases of COVID-19 per 100,000 population by age group and public health unit reported week: Ontario



Note: Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Figure 4b. Percentage of confirmed cases of COVID-19 by age group and public health unit reported week: Ontario




Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Deaths

Figure 5. Deaths among confirmed cases of COVID-19 by week of death: Ontario



Note: Cases without a death date are not included in the figure. Include cases with date of death ranging from week 4 (January 19 and 25, 2020) to week 49 (November 29 and December 5, 2020). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM plus

Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario

Deaths	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative case count up to December 5	Cumulative rate per 100,000 population
Number of deaths	81	42	3,834	25.8
Gender: Male	40	20	1,793	24.5
Gender: Female	39	22	2,009	26.6
Ages: 19 and under	0	0	1	0.0
Ages: 20-39	1	1	13	0.3
Ages: 40-59	3	2	154	3.9
Ages: 60-79	23	11	1,008	34.1
Ages: 80 and over	54	28	2,658	391.3

Note: Age and gender may not be reported for all cases. Reported week is the week the case was reported to the public health unit. This is different than the “week of death” presented in Figure 5 which reflects the week the case was reported to have a ‘Fatal’ outcome.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus

Exposure

Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario

	Reported week 48 (November 22 to 28)	Percentage	Reported week 49 (November 29 to December 5)	Percentage	Cumulative case count up to December 5	Cumulative percentage
Travel	83	0.8%	58	0.5%	3,356	2.6%
Outbreak-associated or close contact of a confirmed case	6,490	58.9%	6,633	53.0%	80,664	62.6%
Epidemiological link – type unspecified	4	0.0%	103	0.8%	294	0.2%
No known epidemiological link	4,055	36.8%	4,378	35.0%	41,105	31.9%
Information missing or unknown	385	3.5%	1,347	10.8%	3,340	2.6%
Total	11,017		12,519		128,759	

Note: Information for how cases are grouped within each category is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus.

Sub-populations of interest

Table 4. Summary of cases of COVID-19 among health care workers: Ontario

Health care workers	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative case count up to December 5
Number of cases	525	573	10,476
Ever hospitalized	4	3	277
Ever in ICU	1	0	64

Note: Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus

Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks: Ontario

Long-term care home associated cases	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative case count up to December 5
Residents	441	354	8,971
Deaths among residents	37	19	2,405
Health care workers	111	137	3,534
Deaths among health care workers	0	0	8

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM plus


Table 6: Summary of cases of COVID-19 among school aged children by age group: Ontario

	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative case count from August 30 up to December 5
Ages: 4-8	296	357	2,366
Ages: 9-13	455	495	3,274
Ages: 14-17	381	484	3,233

Note: Interpret information for the most recent week with caution due to reporting lags. Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Cumulative counts include cases of COVID-19 reported starting week 36 (August 30 to September 5, 2020).

Data Source: CCM plus


Figure 6. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood diversity: Ontario, week 48 (November 22 to 28, 2020) and week 49 (November 29 to December 5, 2020).



Note: Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years.

Data Source: CCM plus, Ontario Marginalization Index

Figure 7. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood deprivation: Ontario, week 48 (November 22 to 28, 2020) and week 49 (November 29 to December 5, 2020).




Note: Neighbourhood deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs.

Data Source: CCM plus, Ontario Marginalization Index

Geography


Figure 8. Percentage of COVID-19 cases by geographic region and public health unit reported week: Ontario



Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 49 (November 29 and December 5, 2020). Table 2A in [Appendix A](#) has a listing of public health units by region.

Data Source: CCM plus

Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 49 (November 29 to December 5, 2020) by public health unit: Ontario



Note: The provincial rate of confirmed cases of COVID-19 reported in week 49 was 84.2 cases per 100,000 population.

Data Source: CCM plus

Outbreaks

Table 7. Number of public health unit declared COVID-19 outbreaks by setting type: Ontario

Setting Type	Reported week 49 (November 29 to December 5)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to December 5
Congregate Care	62	234	1,294
Long-term care homes	24	126	733
Retirement homes	23	73	373
Hospitals	15	35	188
Congregate Living	28	86	364
Correctional facility	0	4	11
Shelter	3	11	75
Group Home/supportive Housing	19	47	239
Short-term accommodations	1	3	7
Congregate other	5	21	32
Education	63	182	547
Child care	12	49	201
School – Elementary*	37	92	246
School – Elementary/secondary*	2	8	21
School – Secondary*	9	29	71
School – Post-secondary*	3	4	8
Other settings	84	301	1,041
Bar/restaurant/nightclub	9	18	103
Medical/health services	6	13	49

Setting Type	Reported week 49 (November 29 to December 5)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to December 5
Personal service settings	0	1	8
Recreational fitness	1	10	42
Retail	9	35	103
Other recreation	5	23	59
Workplace - Farm	1	6	42
Workplace - Food processing	6	26	85
Other types of workplaces	43	160	538
Other	3	6	5
Unknown	1	3	7
Total number of outbreaks	237	803	3,246

Note: Reported week is based on the outbreak reported date, and if unavailable, the date the public health unit created the outbreak. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM plus without a 'Declared Over Date' recorded. Interpret information for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

*Cumulative counts include COVID-19 school outbreaks reported starting week 36 (August 30 to September 5, 2020). Ongoing re-classification of settings for reported outbreaks can result in outbreak counts that may differ from previously reported counts.

Data Source: CCM plus

Table 8. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario

Cases associated with the outbreak setting type	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative number of cases
Congregate Care	761	771	17,869
Long-term care homes	566	550	13,394
Retirement homes	65	90	2,760
Hospitals	130	131	1,715
Congregate Living	101	117	2,121
Correctional facility	1	2	128
Shelter	3	5	650
Group Home/supportive Housing	51	86	1,082
Short-term accommodations	3	2	14
Congregate other	43	22	247
Education	188	162	1,589
Child care	12	22	359
School – Elementary*	127	101	854
School – Elementary/secondary*	6	9	88
School – Secondary*	41	27	269
School – Post-secondary*	2	3	19
Other settings	542	358	6,387
Bar/restaurant/nightclub	27	18	376
Medical/health services	23	19	158
Personal service settings	0	0	32


Cases associated with the outbreak setting type	Reported week 48 (November 22 to 28)	Reported week 49 (November 29 to December 5)	Cumulative number of cases
Recreational fitness	35	3	338
Retail	61	23	228
Other recreation	10	16	435
Workplace - Farm	15	18	1,489
Workplace - Food processing	48	37	764
Other types of workplaces	313	209	2,468
Other	9	15	30
Unknown	1	0	69
Total number of cases	1,592	1,408	27,966

Note: Interpret case counts for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

*Cumulative counts include cases of COVID-19 associated with school outbreaks reported starting week 36 (August 30 to September 5, 2020). Ongoing re-classification of settings for reported outbreaks can result in case counts that may differ from previously reported counts.

Data Source: CCM plus


Figure 10. Public health unit declared COVID-19 outbreaks by status (ongoing or closed) and public health unit outbreak reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM plus without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM plus. Week 8 refers to February 16 and 22, 2020 and week 49 refers to November 29 and December 5, 2020.

Data Source: CCM plus

Figure 11. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 49 refers to November 29 and December 5, 2020. Congregate living include group homes, shelters, correctional facilities, etc. Other settings include outbreaks within workplaces, childcare, schools, restaurants, recreation etc.

Data Source: CCM plus

Technical Notes

Data Sources

- The data for this report were based on:
 - Information extracted from the Ontario Ministry of Health (Ministry) integrated Public Health Information System (iPHIS) database for Toronto Public Health as of **December 8, 2020 at 3 p.m.**
 - Information successfully uploaded to the Ministry from local systems: Toronto Public Health (Coronavirus Rapid Entry System) CORES and The Ottawa Public Health COVID-19 Ottawa Database (The COD) as of **December 8, 2020 at 2 p.m.**
 - Information successfully uploaded to the Ministry from the Public Health Case and Contact Management Solution (CCM) as of **December 8, 2020 at 11 a.m.**
- CCM plus (which includes CCM, iPHIS, CORES and The COD) are dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from CCM and the local systems represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- Statistics Canada Postal Code Conversion File (PCCF), reference date of May 2020.
- The health equity (neighbourhood-level diversity and deprivation) analyses use data from the 2016 Ontario Marginalization Index and population counts from the 2016 Canada Census:
 - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
 - Statistics Canada. Census of Population, 2016: Profile for Canada, Provinces, Territories, Census Divisions, Census Subdivisions and Dissemination Areas. Retrieved from: https://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/details/download-telecharger/comp/GetFile.cfm?Lang=E&FILETYPE=CSV&GEONO=044_ONTARIO.

Data Caveats and Methods: Case Data

- The data only represent cases reported to public health units and recorded in CCM plus. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.

- All cases meeting the confirmed case classification as listed in the MOH [COVID-19 case definition](#) are included except where noted (e.g., analyses that describe the relationship between COVID-19 and marginalization). This includes persons with a positive detection of serum/plasma immunoglobulin G (IgG) antibodies to SARS-CoV-2, which was added to the confirmed case definition on **August 6, 2020**.
- COVID-19 cases from CCM plus for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 includes cases that are counted once across all systems from which the case data are obtained. Duplicate records may exist if these records were not identified and resolved prior to data upload to the Ministry.
- Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
- Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Cases with unknown or missing ages were excluded from age-specific analyses.
- Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
 - Cases that are reported as 'recovered' in CCM based on local public health unit assessment
 - Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
 - Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
- Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.
- Deaths are determined by using the outcome field in CCM plus. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.

- The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- 'Cases associated with school outbreaks' includes cases that are linked to an outbreak, by school classification type (Elementary, Elementary/Secondary, Secondary, Post-Secondary), that met the definition of a [school outbreak](#).

- School classification types are defined by the Ministry of Education.
 - Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
 - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in CCM plus as 'Open' and without a 'Declared Over Date' recorded.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in [Ministry guidance documents](#).
- School outbreaks include outbreaks declared on or after week 36 (August 30 to September 5, 2020).

Data Caveats and Methods: ON-Marg

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit [PHO's ON-Marg website](#).
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). The Single Link Indicator Postal Code Conversion File (PCCF) was used to match individuals to a DA based on their postal code, which were subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the

lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).

- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:
 - People who have tested positive for COVID-19 that reside in institutional and congregate settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since institutional and congregate setting residents are excluded from ON-Marg.
 - People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
 - Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.

Appendix A

Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	15	32
11	March 8, 2020	March 14, 2020	145	177
12	March 15, 2020	March 21, 2020	448	625
13	March 22, 2020	March 28, 2020	1,326	1,951
14	March 29, 2020	April 4, 2020	2,800	4,751
15	April 5, 2020	April 11, 2020	3,170	7,921
16	April 12, 2020	April 18, 2020	4,272	12,193
17	April 19, 2020	April 25, 2020	3,645	15,838
18	April 26, 2020	May 2, 2020	2,913	18,751
19	May 3, 2020	May 9, 2020	2,345	21,096
20	May 10, 2020	May 16, 2020	2,234	23,330
21	May 17, 2020	May 23, 2020	2,613	25,943

Reported Week	Start date	End date	Number of cases	Cumulative count
22	May 24, 2020	May 30, 2020	2,614	28,557
23	May 31, 2020	June 6, 2020	2,305	30,862
24	June 7, 2020	June 13, 2020	1,468	32,330
25	June 14, 2020	June 20, 2020	1,233	33,563
26	June 21, 2020	June 27, 2020	1,252	34,815
27	June 28, 2020	July 4, 2020	1,085	35,900
28	July 5, 2020	July 11, 2020	866	36,766
29	July 12, 2020	July 18, 2020	930	37,696
30	July 19, 2020	July 25, 2020	999	38,695
31	July 26, 2020	August 1, 2020	802	39,497
32	August 2, 2020	August 8, 2020	596	40,093
33	August 9, 2020	August 15, 2020	614	40,707
34	August 16, 2020	August 22, 2020	725	41,432
35	August 23, 2020	August 29, 2020	858	42,290
36	August 30, 2020	September 5, 2020	969	43,259
37	September 6, 2020	September 12, 2020	1,503	44,762
38	September 13, 2020	September 19, 2020	2,383	47,145
39	September 20, 2020	September 26, 2020	3,136	50,281
40	September 27, 2020	October 3, 2020	4,255	54,536
41	October 4, 2020	October 10, 2020	5,029	59,565
42	October 11, 2020	October 17, 2020	5,273	64,838
43	October 18, 2020	October 24, 2020	6,111	70,949
44	October 25, 2020	October 31, 2020	6,376	77,325

Reported Week	Start date	End date	Number of cases	Cumulative count
45	November 1, 2020	November 7, 2020	7,594	84,919
46	November 8, 2020	November 14, 2020	10,405	95,324
47	November 15, 2020	November 21, 2020	9,899	105,223
48	November 22, 2020	November 28, 2020	11,017	116,240
49	November 29, 2020	December 5, 2020	12,519	128,759

Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Cases reported week 48	Rate per 100,000 population Reported week 48	Cases reported week 49	Rate per 100,000 population Reported week 49
Northwestern Health Unit	20	22.8	9	10.3
Thunder Bay District Health Unit	79	52.7	63	42.0
TOTAL NORTH WEST	99	41.7	72	30.3
Algoma Public Health	2	1.7	1	0.9
North Bay Parry Sound District Health Unit	14	10.8	9	6.9
Porcupine Health Unit	0	0.0	10	12.0
Public Health Sudbury & Districts	11	5.5	5	2.5
Timiskaming Health Unit	0	0.0	2	6.1
TOTAL NORTH EAST	27	4.8	27	4.8
Ottawa Public Health	287	27.2	313	29.7
Eastern Ontario Health Unit	60	28.7	121	58.0
Hastings Prince Edward Public Health	30	17.8	38	22.6
Kingston, Frontenac and Lennox & Addington Public Health	23	10.8	44	20.7
Leeds, Grenville & Lanark District Health Unit	10	5.8	37	21.4
Renfrew County and District Health Unit	5	4.6	6	5.5
TOTAL EASTERN	415	21.5	559	29.0

Public Health Unit Name	Cases reported week 48	Rate per 100,000 population Reported week 48	Cases reported week 49	Rate per 100,000 population Reported week 49
Durham Region Health Department	397	55.7	606	85.1
Haliburton, Kawartha, Pine Ridge District Health Unit	25	13.2	35	18.5
Peel Public Health	3,003	187.0	3,233	201.3
Peterborough Public Health	20	13.5	16	10.8
Simcoe Muskoka District Health Unit	188	31.4	258	43.0
York Region Public Health	1,121	91.5	1,326	108.2
TOTAL CENTRAL EAST	4,754	106.1	5,474	122.2
Toronto Public Health	3,357	107.6	3,795	121.6
TOTAL TORONTO	3,357	107.6	3,795	121.6
Chatham-Kent Public Health	15	14.1	31	29.2
Grey Bruce Health Unit	41	24.1	36	21.2
Huron Perth Public Health	53	37.9	61	43.6
Lambton Public Health	7	5.3	20	15.3
Middlesex-London Health Unit	117	23.1	220	43.3
Southwestern Public Health	58	27.4	88	41.6
Windsor-Essex County Health Unit	332	78.1	399	93.9
TOTAL SOUTH WEST	623	36.8	855	50.6
Brant County Health Unit	64	41.2	53	34.1

Public Health Unit Name	Cases reported week 48	Rate per 100,000 population Reported week 48	Cases reported week 49	Rate per 100,000 population Reported week 49
City of Hamilton Public Health Services	449	75.8	478	80.7
Haldimand-Norfolk Health Unit	28	24.5	24	21.0
Halton Region Public Health	351	56.7	380	61.4
Niagara Region Public Health	153	32.4	163	34.5
Region of Waterloo Public Health and Emergency Services	527	90.2	442	75.6
Wellington-Dufferin-Guelph Public Health	170	54.5	197	63.2
TOTAL CENTRAL WEST	1,742	61.1	1,737	61.0
TOTAL ONTARIO	11,017	74.1	12,519	84.2

Note: Interpret information for the most recent week with caution due to reporting lags.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on December 5, 2020 to December 5, 2020. Toronto, ON: Queen's Printer for Ontario; 2020.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

