

Weekly Epidemiologic Summary

COVID-19 in Ontario: Focus on February 7, 2021 to February 13, 2021

This report includes the most current information available from CCM as of **February 16, 2021**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [daily summary](#) is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.

Highlights


- There are a total of 286,343 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to February 13, 2021.
- For the period with a public health unit reported date between February 7 to February 13, 2021 (week 6):
 - A total of 7,794 cases were reported to public health compared to 9,717 cases the previous week (January 31 to February 6, 2021).
 - The number of ongoing outbreaks in congregate care settings (long-term care homes, retirement homes, and hospitals) have been decreasing in recent weeks (295 in week 6 compared to 376 in week 5). There were 156 long-term care home outbreaks reported in the current week, which is the lowest it has been since October 2020.
 - As of February 13, more than 40% of the public health units have reported at least one case of a variant of concern (n=345). Four public health units account for 87.2% of the reported cases. Additionally, a case for a new variant of concern (Lineage P.1) was identified since the last report.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case.

Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

Cases Over Time


Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario



Note: Include cases with reported dates ranging from week 4 (January 19 and 25, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario



Note: Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week 4 (January 19 and 25, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Case Characteristics

Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date: Ontario


	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative case count up to February 13	Cumulative rate per 100,000 population
Total number of cases	9,717	7,794	286,343	1,926.4
Gender: Male	4,808	3,954	140,409	1,918.4
Gender: Female	4,833	3,774	144,448	1,914.4
Ages: 19 and under	1,304	1,094	37,567	1,197.8
Ages: 20-39	3,558	2,931	104,709	2,519.3
Ages: 40-59	2,924	2,235	82,827	2,103.5
Ages: 60-79	1,403	1,183	41,399	1,401.0
Ages: 80 and over	526	345	19,785	2,912.7
Number resolved	N/A	N/A	270,806	N/A

Note: Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM


Figure 3. Percentage of confirmed cases of COVID-19 by gender and public health unit reported week: Ontario



Note: Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from Week 9 (February 23 and 29, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM


Figure 4a. Rate of confirmed cases of COVID-19 per 100,000 population by age group and public health unit reported week: Ontario



Note: Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Figure 4b. Percentage of confirmed cases of COVID-19 by age group and public health unit reported week: Ontario




Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Deaths

Figure 5. Deaths among confirmed cases of COVID-19 by week of death: Ontario



Note: Cases without a death date are not included in the figure. Include cases with date of death ranging from week 4 (January 19 and 25, 2020) to week 6 (February 7 and February 13, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario

Deaths	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative case count up to February 13	Cumulative rate per 100,000 population
Number of deaths	67	25	6,727	45.3
Gender: Male	29	13	3,218	44.0
Gender: Female	36	12	3,468	46.0
Ages: 19 and under	0	0	2	0.1
Ages: 20-39	1	0	27	0.6
Ages: 40-59	3	1	267	6.8
Ages: 60-79	19	12	1,831	62.0
Ages: 80 and over	44	12	4,599	677.1

Note: Age and gender may not be reported for all cases. Reported week is the week the case was reported to the public health unit. This is different than the “week of death” presented in Figure 5 which reflects the week the case was reported to have a ‘Fatal’ outcome.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Exposure

Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario

	Reported week 5 (January 31 to February 6)	Percentage	Reported week 6 (February 7 to February 13)	Percentage	Cumulative case count up to February 13	Cumulative percentage
Travel	141	1.5%	115	1.5%	5,090	1.8%
Outbreak-associated or close contact of a confirmed case	5,434	55.9%	3,974	51.0%	177,323	61.9%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	179	0.1%
No known epidemiological link	3,833	39.4%	2,999	38.5%	68,485	23.9%
Information missing or unknown	309	3.2%	706	9.1%	35,266	12.3%
Total	9,717		7,794		286,343	

Note: Information for how cases are grouped within each category is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Sub-populations of interest

Table 4. Summary of cases of COVID-19 among health care workers: Ontario

Health care workers	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative case count up to February 13
Number of cases	386	236	18,863
Ever hospitalized	4	0	364
Ever in ICU	1	0	80

Note: Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks: Ontario

Long-term care home associated cases	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative case count up to February 13
Residents	183	80	14,900
Deaths among residents	18	4	3,807
Health care workers	113	51	6,504
Deaths among health care workers	0	0	10

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM


Table 6: Summary of cases of COVID-19 among school aged children by age group: Ontario

	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative case count from August 30 up to February 13
Ages: 4-8	257	210	6,162
Ages: 9-13	304	235	8,391
Ages: 14-17	308	289	8,875

Note: Interpret information for the most recent week with caution due to reporting lags. Includes all confirmed cases of COVID-19 for specified ages, regardless of school attendance. Cumulative counts include cases of COVID-19 reported starting week 36 (August 30 to September 5, 2020).

Data Source: CCM


Figure 6. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood diversity: Ontario, week 5 (January 31 to February 6, 2021) and week 6 (February 7 to February 13, 2021).



Note: Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years.

Data Source: CCM, Ontario Marginalization Index

Figure 7. Rate and number of confirmed cases of COVID-19 for each quintile of neighbourhood deprivation: Ontario, week 5 (January 31 to February 6, 2021) and week 6 (February 7 to February 13, 2021).




Note: Neighbourhood deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs.

Data Source: CCM, Ontario Marginalization Index

Geography


Figure 8. Percentage of COVID-19 cases by geographic region and public health unit reported week: Ontario



Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 6 (February 7 and February 13, 2021). Table 2A in [Appendix A](#) has a listing of public health units by region.

Data Source: CCM

Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 6 (February 7 to February 13, 2021) by public health unit: Ontario



Note: The provincial rate of confirmed cases of COVID-19 reported in week 6 was 52.4 cases per 100,000 population.

Data Source: CCM

Outbreaks

Table 7. Number of public health unit declared COVID-19 outbreaks by setting type: Ontario

Setting Type	Reported week 6 (February 7 to February 13)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to February 13
Congregate Care	45	295	2,345
Long-term care homes	14	156	1,227
Retirement homes	20	92	725
Hospitals	11	47	393
Congregate Living	23	99	766
Correctional facility	1	13	30
Shelter	7	25	137
Group Home/supportive housing	12	47	481
Short-term accommodations	0	3	16
Congregate other	3	11	102
Education	17	65	998
Child care	11	44	377
School – Elementary*	6	15	441
School – Elementary/secondary*	0	2	29
School – Secondary*	0	4	133
School – Post-secondary*	0	0	18
Other settings	63	190	1,973
Bar/restaurant/nightclub	1	6	149
Medical/health services	3	6	89

Setting Type	Reported week 6 (February 7 to February 13)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to February 13
Personal service settings	1	1	14
Recreational fitness	0	1	54
Retail	8	24	225
Other recreation	1	10	95
Workplace – Farm	3	12	90
Workplace - Food processing	0	10	155
Other types of workplaces	37	110	1,079
Other	7	7	9
Unknown	2	3	14
Total number of outbreaks	148	649	6,082

Note: Reported week is based on the outbreak reported date, and if unavailable, the date the public health unit created the outbreak. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Interpret information for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

*Cumulative counts include COVID-19 school outbreaks reported starting week 36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in outbreak counts that may differ from previously reported counts.

Data Source: CCM

Table 8. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario

Cases associated with the outbreak setting type	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative number of cases
Congregate Care	807	396	35,399
Long-term care homes	456	200	24,270
Retirement homes	183	89	6,544
Hospitals	168	107	4,585
Congregate Living	422	297	5,245
Correctional facility	159	96	948
Shelter	133	101	1,272
Group Home/supportive housing	107	88	2,269
Short-term accommodations	9	4	57
Congregate other	14	8	699
Education	94	70	3,818
Child care	66	52	985
School – Elementary*	20	17	1,925
School – Elementary/secondary*	4	1	207
School – Secondary*	2	0	632
School – Post-secondary*	2	0	69
Other settings	660	456	15,172
Bar/restaurant/nightclub	4	4	600
Medical/health services	13	2	384
Personal service settings	2	0	44
Recreational fitness	0	0	453

Cases associated with the outbreak setting type	Reported week 5 (January 31 to February 6)	Reported week 6 (February 7 to February 13)	Cumulative number of cases
Retail	39	26	1,009
Other recreation	23	39	889
Workplace - Farm	93	43	2,430
Workplace - Food processing	100	15	2,029
Other types of workplaces	366	220	7,097
Other	13	64	84
Unknown	7	43	153
Total number of cases	1,983	1,219	59,634


Note: Interpret case counts for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, construction, etc. Other recreation includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

*Cumulative counts include cases of COVID-19 associated with school outbreaks reported starting week 36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in case counts that may differ from previously reported counts.

Data Source: CCM


Figure 10. Public health unit declared COVID-19 outbreaks by status (ongoing or closed) and public health unit outbreak reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Week 8 refers to February 16 and 22, 2020 and week 6 refers to February 7 and February 13, 2021.

Data Source: CCM

Figure 11. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 6 refers to February 7 and February 13, 2021. Congregate living include group homes, shelters, correctional facilities, etc. Other settings include outbreaks within workplaces, childcare, schools, restaurants, recreation etc.

Data Source: CCM

Variant COVID-19 Cases

Table 9a. Summary of cases by variant of concern (VOC): Ontario

Variant	Cumulative case count up to February 13
Lineage B.1.1.7	338
Lineage B.1.351	6
Lineage P.1	1

Note: Further details on screening for variants of concern can be found in the [technical notes](#). Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.

Data Source: CCM


Table 9b. Ontario SARS-Co-V-2 Variant of Concern (VOC) screening data

	Cumulative count up to February 13
Specimens screened	18,895

Note: Individuals may have more than one specimen screened for VOCs. Cumulative counts include VOC screening data starting December 1, 2020.

Data Source: PHO Laboratory (LIS) and other Ontario sequencing laboratories


Figure 12. Number of confirmed COVID-19 variants of concern (VOC) by public health unit: Ontario



Note: Further details on testing for variants of concern can be found in the [Technical Notes](#). The cumulative number of cases with a variant of concern by public health unit and region are available in [Appendix A: Table 3A](#). Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.

Data Source: CCM

Figure 13. Confirmed COVID-19 variants of concern (VOC) by public health unit reported week: Ontario



Note: Reported week is based on the date the case was reported, not the date that the VOC was identified. Include cases with reported dates ranging from week 49 (November 29 and December 5, 2020) to week 6 (February 7 and February 13, 2021). Additional testing was conducted in week 3 which led to an increase in the number of cases with variants of concern identified. Further details on screening for variants of concern can be found in the [technical notes](#). Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks. See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Technical Notes

Data Sources

- The data for this report were based on:
 - Information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUS by PHO as of **February 16, 2021 at 1 p.m.**
 - Public Health Ontario Laboratory Information System (LIS) and other sequencing laboratories performing VOC screening in Ontario as of **February 16, 2021.**
- CCM is a dynamic disease reporting systems, which allow ongoing updates to data previously entered. As a result, data extracted from CCM represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- Ontario population projection data for 2020 were sourced from Ministry, IntelliHEALTH Ontario. Data were extracted on November 26, 2019.
- Statistics Canada Postal Code Conversion File (PCCF), reference date of May 2020.
- The health equity (neighbourhood-level diversity and deprivation) analyses use data from the 2016 Ontario Marginalization Index and population counts from the 2016 Canada Census:
 - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
 - Statistics Canada. Census of Population, 2016: Profile for Canada, Provinces, Territories, Census Divisions, Census Subdivisions and Dissemination Areas. Retrieved from: https://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/details/download-telecharger/comp/GetFile.cfm?Lang=E&FILETYPE=CSV&GEONO=044_ONTARIO.

Data Caveats and Methods: Case Data

- The data only represent cases reported to public health units and recorded in CCM. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.
- All cases meeting the confirmed case classification as listed in the MOH [COVID-19 case definition](#) are included except where noted (e.g., analyses that describe the relationship between COVID-19 and marginalization). This includes persons with a positive detection of serum/plasma immunoglobulin G (IgG) antibodies to SARS-CoV-2, which was added to the confirmed case definition on **August 6, 2020.**

- Cases of confirmed reinfection, i.e. where genome sequencing indicates the two episodes are caused by different viral lineages, added to the confirmed case definition on November 20, 2020, are counted as unique investigations.
- COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 includes cases that are counted once across all systems from which the case data are obtained. Duplicate records may exist if these records were not identified and resolved prior to data upload to the Ministry.
- Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
- Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
- Case episode date is based on an estimate of the best date of disease onset. This date is calculated based on either the date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
- Cases with unknown or missing ages were excluded from age-specific analyses.
- Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
- Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
 - Cases that are reported as 'recovered' in CCM based on local public health unit assessment
 - Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
 - Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
- Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.
- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
 - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.

- Hospitalization includes all cases for which a hospital admission date was reported at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- ‘Long-term care home residents’ includes cases that reported ‘Yes’ to the risk factor ‘Resident of a long-term care home’; or ‘Yes’ to the risk factor ‘Resident of nursing home or other chronic care facility’ and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report ‘No’ to the risk factors ‘Resident of long-term care home’ or ‘Resident of nursing home or other chronic care facility’. ‘Long-term care home residents’ excludes cases that reported ‘Yes’ to any of the health care worker occupational risk factors.
- ‘Health care workers associated with long-term care outbreaks’ includes ‘health care workers’ reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported ‘Yes’ to risk factors ‘Resident of long-term care home’ or ‘Resident of nursing home or other chronic care facility’ and ‘Yes’ to the calculated ‘health care workers’ variable.
- ‘Cases associated with school outbreaks’ includes cases that are linked to an outbreak, by school classification type (Elementary, Elementary/Secondary, Secondary, Post-Secondary), that met the definition of a [school outbreak](#).
- School classification types are defined by the Ministry of Education.

- Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the diagnosing health unit (DHU). DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
 - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in CCM as 'Open' and without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in [Ministry guidance documents](#).
- School outbreaks include outbreaks declared on or after week 36 (August 30 to September 5, 2020).
- A confirmed VOC case is defined as a COVID-19 case in whom a designated VOC was detected by genome sequencing in their clinical SARS-CoV-2 positive specimen. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.
- PANGO lineage B.1.1.7 (also known as VOC-202012/01 or 501Y.V1)
 - This lineage was first detected in England in September, 2020. Early evidence suggests that the N501Y mutation may increase SARS-CoV-2 transmissibility. The PANGO lineage B.1.1.7 is assigned to genome sequences with at least 5 of the 17 defining B.1.1.7 SNPs.
- PANGO lineage B.1.351 (also known as 501Y.V2)
 - This lineage was first detected October, 2020 in South Africa and has several mutations of concern, including spike (S) gene: N501Y, K417N, and E484K. Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine efficacy. The PANGO lineage B.1.351 will be assigned to genome sequences at least 5 of the 9 defining B.1.351 SNPs.
- PANGO lineage P.1 (also known as 501Y.V3):
 - This lineage was first detected January, 2021 in Brazil and has several mutations of concern, including spike (S) gene N501Y, K417T, and E484K. Early evidence suggests that these mutations may increase SARS-CoV-2 transmissibility and decrease vaccine

efficacy. The PANGO lineage P.1 is assigned to genome sequences with more than 10 of the 17 defining P.1 SNPs.

- Public Health Ontario conducts variants of concern (VOC) surveillance on SARS-CoV-2 positive specimens. Additional SARS-CoV-2 specimens are referred to PHO Laboratory for screening provided they meet the criteria outlined here:
<https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc>
- Other Ontario laboratories conducting sequencing include: The Hospital for Sick Children (SickKids), Sunnybrook Health Sciences, and McMaster University.
- VOC surveillance data should be interpreted with caution due to the lag between initial laboratory detection of SARS-CoV-2 and subsequent variant screening. Laboratory confirmation of VOCs by genome sequencing occurs at variable intervals after initial detection, depending when the request is made to have the screening conducted.

Data Caveats and Methods: ON-Marg

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit [PHO's ON-Marg website](#).
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). The Single Link Indicator Postal Code Conversion File (PCCF) was used to match individuals to a DA based on their postal code, which were subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).
- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:

- People who have tested positive for COVID-19 that reside in institutional and congregate settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since institutional and congregate setting residents are excluded from ON-Marg.
- People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
- Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.

Appendix A

Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	14	31
11	March 8, 2020	March 14, 2020	147	178
12	March 15, 2020	March 21, 2020	437	615
13	March 22, 2020	March 28, 2020	1,307	1,922
14	March 29, 2020	April 4, 2020	2,781	4,703
15	April 5, 2020	April 11, 2020	3,136	7,839
16	April 12, 2020	April 18, 2020	4,208	12,047
17	April 19, 2020	April 25, 2020	3,632	15,679
18	April 26, 2020	May 2, 2020	2,888	18,567
19	May 3, 2020	May 9, 2020	2,344	20,911
20	May 10, 2020	May 16, 2020	2,192	23,103
21	May 17, 2020	May 23, 2020	2,616	25,719
22	May 24, 2020	May 30, 2020	2,602	28,321

Reported Week	Start date	End date	Number of cases	Cumulative count
23	May 31, 2020	June 6, 2020	2,304	30,625
24	June 7, 2020	June 13, 2020	1,472	32,097
25	June 14, 2020	June 20, 2020	1,232	33,329
26	June 21, 2020	June 27, 2020	1,252	34,581
27	June 28, 2020	July 4, 2020	1,083	35,664
28	July 5, 2020	July 11, 2020	867	36,531
29	July 12, 2020	July 18, 2020	931	37,462
30	July 19, 2020	July 25, 2020	991	38,453
31	July 26, 2020	August 1, 2020	804	39,257
32	August 2, 2020	August 8, 2020	593	39,850
33	August 9, 2020	August 15, 2020	610	40,460
34	August 16, 2020	August 22, 2020	730	41,190
35	August 23, 2020	August 29, 2020	853	42,043
36	August 30, 2020	September 5, 2020	978	43,021
37	September 6, 2020	September 12, 2020	1,504	44,525
38	September 13, 2020	September 19, 2020	2,373	46,898
39	September 20, 2020	September 26, 2020	3,124	50,022
40	September 27, 2020	October 3, 2020	4,224	54,246
41	October 4, 2020	October 10, 2020	5,038	59,284
42	October 11, 2020	October 17, 2020	5,284	64,568
43	October 18, 2020	October 24, 2020	6,044	70,612
44	October 25, 2020	October 31, 2020	6,387	76,999
45	November 1, 2020	November 7, 2020	7,611	84,610

Reported Week	Start date	End date	Number of cases	Cumulative count
46	November 8, 2020	November 14, 2020	10,433	95,043
47	November 15, 2020	November 21, 2020	9,941	104,984
48	November 22, 2020	November 28, 2020	11,052	116,036
49	November 29, 2020	December 5, 2020	12,685	128,721
50	December 6, 2020	December 12, 2020	13,043	141,764
51	December 13, 2020	December 19, 2020	15,640	157,404
52	December 20, 2020	December 26, 2020	15,630	173,034
53	December 27, 2020	January 2, 2021	20,431	193,465
1	January 3, 2021	January 9, 2021	24,882	218,347
2	January 10, 2021	January 16, 2021	21,366	239,713
3	January 17, 2021	January 23, 2021	16,401	256,114
4	January 24, 2021	January 30, 2021	12,718	268,832
5	January 31, 2021	February 6, 2021	9,717	278,549
6	February 7, 2021	February 13, 2021	7,794	286,343

Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Cases reported week 5	Rate per 100,000 population Reported week 5	Cases reported week 6	Rate per 100,000 population Reported week 6
Northwestern Health Unit	16	18.2	58	66.2
Thunder Bay District Health Unit	91	60.7	114	76.0
TOTAL NORTH WEST	107	45.0	172	72.4
Algoma Public Health	16	14.0	13	11.4
North Bay Parry Sound District Health Unit	7	5.4	34	26.2
Porcupine Health Unit	19	22.8	13	15.6
Public Health Sudbury & Districts	26	13.1	32	16.1
Timiskaming Health Unit	2	6.1	0	0.0
TOTAL NORTH EAST	70	12.5	92	16.4
Ottawa Public Health	349	33.1	288	27.3
Eastern Ontario Health Unit	76	36.4	54	25.9
Hastings Prince Edward Public Health	5	3.0	15	8.9
Kingston, Frontenac and Lennox & Addington Public Health	9	4.2	24	11.3
Leeds, Grenville & Lanark District Health Unit	15	8.7	15	8.7
Renfrew County and District Health Unit	5	4.6	5	4.6
TOTAL EASTERN	459	23.8	401	20.8
Durham Region Health Department	357	50.1	244	34.3

Public Health Unit Name	Cases reported week 5	Rate per 100,000 population Reported week 5	Cases reported week 6	Rate per 100,000 population Reported week 6
Haliburton, Kawartha, Pine Ridge District Health Unit	63	33.3	48	25.4
Peel Public Health	1,948	121.3	1,574	98.0
Peterborough Public Health	15	10.1	17	11.5
Simcoe Muskoka District Health Unit	288	48.0	209	34.9
York Region Public Health	902	73.6	830	67.7
TOTAL CENTRAL EAST	3,573	79.7	2,922	65.2
Toronto Public Health	3,178	101.8	2,474	79.3
TOTAL TORONTO	3,178	101.8	2,474	79.3
Chatham-Kent Public Health	81	76.2	37	34.8
Grey Bruce Health Unit	17	10.0	17	10.0
Huron Perth Public Health	44	31.5	31	22.2
Lambton Public Health	38	29.0	78	59.6
Middlesex-London Health Unit	191	37.6	138	27.2
Southwestern Public Health	87	41.1	47	22.2
Windsor-Essex County Health Unit	213	50.1	237	55.8
TOTAL SOUTH WEST	671	39.7	585	34.6
Brant County Health Unit	66	42.5	51	32.9
City of Hamilton Public Health Services	397	67.0	227	38.3
Haldimand-Norfolk Health Unit	35	30.7	16	14.0

Public Health Unit Name	Cases reported week 5	Rate per 100,000 population Reported week 5	Cases reported week 6	Rate per 100,000 population Reported week 6
Halton Region Public Health	376	60.7	243	39.3
Niagara Region Public Health	299	63.3	166	35.1
Region of Waterloo Public Health and Emergency Services	337	57.7	315	53.9
Wellington-Dufferin-Guelph Public Health	149	47.8	130	41.7
TOTAL CENTRAL WEST	1,659	58.2	1,148	40.3
TOTAL ONTARIO	9,717	65.4	7,794	52.4

Note: Interpret information for the most recent week with caution due to reporting lags.

Table 3A. Confirmed COVID-19 variants of concern by public health unit and region: Ontario

Public Health Unit Name	Cumulative case count up to February 13 for Lineage B.1.1.7	Cumulative case count up to February 13 for Lineage B.1.351	Cumulative case count up to February 13 for Lineage P.1
Northwestern Health Unit	0	0	0
Thunder Bay District Health Unit	0	0	0
TOTAL NORTH WEST	0	0	0
Algoma Public Health	0	0	0
North Bay Parry Sound District Health Unit	0	1	0
Porcupine Health Unit	0	0	0
Public Health Sudbury & Districts	3	0	0
Timiskaming Health Unit	0	0	0
TOTAL NORTH EAST	3	1	0
Ottawa Public Health	8	0	0
Eastern Ontario Health Unit	0	0	0
Hastings Prince Edward Public Health	0	0	0
Kingston, Frontenac and Lennox & Addington Public Health	1	0	0
Leeds, Grenville & Lanark District Health Unit	0	0	0
Renfrew County and District Health Unit	0	0	0
TOTAL EASTERN	9	0	0
Durham Region Health Department	18	0	0
Haliburton, Kawartha, Pine Ridge District Health Unit	0	0	0
Peel Public Health	40	5	0
Peterborough Public Health	0	0	0

Public Health Unit Name	Cumulative case count up to February 13 for Lineage B.1.1.7	Cumulative case count up to February 13 for Lineage B.1.351	Cumulative case count up to February 13 for Lineage P.1
Simcoe Muskoka District Health Unit	154	0	0
York Region Public Health	49	0	0
TOTAL CENTRAL EAST	261	5	0
Toronto Public Health	52	0	1
TOTAL TORONTO	52	0	1
Chatham-Kent Public Health	0	0	0
Grey Bruce Health Unit	0	0	0
Huron Perth Public Health	0	0	0
Lambton Public Health	0	0	0
Middlesex-London Health Unit	4	0	0
Southwestern Public Health	0	0	0
Windsor-Essex County Health Unit	0	0	0
TOTAL SOUTH WEST	4	0	0
Brant County Health Unit	0	0	0
City of Hamilton Public Health Services	0	0	0
Haldimand-Norfolk Health Unit	1	0	0
Halton Region Public Health	3	0	0
Niagara Region Public Health	0	0	0
Region of Waterloo Public Health and Emergency Services	4	0	0
Wellington-Dufferin-Guelph Public Health	1	0	0
TOTAL CENTRAL WEST	9	0	0

Public Health Unit Name	Cumulative case count up to February 13 for Lineage B.1.1.7	Cumulative case count up to February 13 for Lineage B.1.351	Cumulative case count up to February 13 for Lineage P.1
TOTAL ONTARIO	338	6	1

Note: Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks.

Table 4A: Ontario SARS-CoV-2 Variant of Concern (VOC) screening data

Date	PHO Laboratory: # specimens screened	Other Ontario sequencing laboratories: # specimens screened	Ontario Total: # specimens screened
December 1, 2020 to January 2, 2021	1,880	N/A	1,880
January 3 to 9, 2021	333	N/A	333
January 10 to 16, 2021	542	79	621
January 17 to 23, 2021	969	217	1,186
January 24 to 30, 2021	2,193	96	2,289
January 31 to February 6, 2021	2,508	96	2,604
February 7 to 13, 2021	9,982	N/A	9,982

Note: Individuals may have more than one specimen screened for VOCs. Caution should be taken when interpreting these data due to potential sampling biases and delay between sample collection and sequencing in recent weeks. Starting the week of January 31st reporting of specimens screen-tested and confirmed for Variants of Concern has been switched from manual reporting to automated reporting through PHO Laboratory's Laboratory Information System (LIS). As a result there may be small gaps in the data that will be corrected in the following week.

Data Source: PHO Laboratory (LIS) and other Ontario sequencing laboratories

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on February 7, 2021 to February 13, 2021. Toronto, ON: Queen's Printer for Ontario; 2021.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

