

WEEKLY EPIDEMIOLOGICAL SUMMARY

COVID-19 in Ontario: Focus on October 3, 2021 to October 9, 2021

This report includes the most current information available from CCM as of **October 12, 2021**.

Please visit the interactive [Ontario COVID-19 Data Tool](#) to explore recent COVID-19 data by public health unit, age group, sex, and trends over time.

A [daily summary](#) is available and provides an epidemiologic summary of recent COVID-19 activity in Ontario. This weekly report provides an epidemiologic summary of COVID-19 activity in Ontario over time.


Highlights

- There are a total of 592,153 confirmed cases of COVID-19 in Ontario with a public health unit reported date up to October 9, 2021.
- For the period with a public health unit (PHU) reported date between October 3 to 9, 2021 (week 40):
 - A total of 3,832 cases were reported to public health compared to 3,952 cases the previous week (September 26 to October 2, 2021).
 - While rates of cases per 100,000 population decreased among most age groups from week 39 to week 40, rates increased from 13.6 to 16.5 among 60-79 year olds and from 26.5 to 27.9 among 12-19 year olds.
 - The number of deaths reported has plateaued over the last four weeks, with a median number of 36 deaths reported since week 37 (September 12 to 18, 2021), and 35 deaths reported during week 40.

The term public health unit reported date in this document refers to the date local public health units were first notified of the case. Data corrections or updates can result in case records being removed and or updated from past reports. Thus comparisons of case counts by public health unit reported date may not align with daily change in cases publicly reported by the province for the same time period, which reflects the difference in cumulative counts between one day and the next.

Cases Over Time


Figure 1. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario



Note: Include cases with reported dates ranging from week-4 (January 19 and 25, 2020) to week 40 (October 3 and 9, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Figure 2. Confirmed cases of COVID-19 by likely source of acquisition and approximation of symptom onset week: Ontario



Note: Not all cases have an episode date. Cases without an episode date are not included in the figure. The definition for how episode date is defined is available in the technical notes. Include cases with episode dates ranging from week-4 (January 19 and 25, 2020) to week 40 (October 3 and 9, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Case Characteristics

Table 1. Summary of confirmed cases of COVID-19 by public health unit reported date: Ontario


	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative case count up to October 9	Cumulative rate per 100,000 population
Total number of cases	3,952	3,832	592,153	4,019.0
Gender: Male	1,877	1,831	294,871	4,050.7
Gender: Female	2,010	1,884	293,092	3,931.7
Ages: 0-4	205	188	16,761	2,318.2
Ages: 5-11	598	567	30,616	2,838.7
Ages: 12-19	352	371	52,893	3,978.5
Ages: 20-39	1,365	1,260	223,221	5,376.4
Ages: 40-59	962	892	165,985	4,260.9
Ages: 60-79	393	479	76,635	2,642.8
Ages: 80 and over	76	74	25,935	3,954.5
Number resolved	N/A	N/A	579,038	N/A

Note: Not all cases have an age or gender reported.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM


Figure 3. Percentage of confirmed cases of COVID-19 by gender and public health unit reported week: Ontario



Note: Not all cases have a gender reported. The denominator for calculating weekly percentages includes all cases. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week-9). Include cases with reported dates ranging from week-9 (February 23 and 29, 2020) to week 40 (October 3 and 9, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM


Figure 4a. Rate of confirmed cases of COVID-19 per 100,000 population by age group and public health unit reported week: Ontario



Note: Not all cases have an age reported. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from week 9 (February 23 and 29, 2020) to week 40 (October 3 and 9, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Figure 4b. Percentage of confirmed cases of COVID-19 by age group and public health unit reported week: Ontario




Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week-9). Include cases with reported dates ranging from week-9 (February 23 and 29, 2020) to week 40 (October 3 and 9, 2021). See Table 1A in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Deaths

Figure 5. Deaths among confirmed cases of COVID-19 by week of death: Ontario



Note: Cases without a death date are not included in the figure. Include cases with date of death ranging from week-4 (January 19 and 25, 2020) to week 40 (October 3 and 9, 2021). See [Table 1A](#) in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM

Table 2. Summary of deaths among confirmed cases of COVID-19 by public health unit reported week: Ontario

Deaths	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative case count up to October 9	Cumulative rate per 100,000 population
Number of deaths	14	6	9,803	66.5
Gender: Male	7	4	5,015	68.9
Gender: Female	6	1	4,722	63.3
Ages: 19 and under	0	0	6	0.2
Ages: 20-39	0	0	98	2.4
Ages: 40-59	1	2	678	17.4
Ages: 60-79	6	2	3,196	110.2
Ages: 80 and over	7	2	5,824	888

Note: Age and gender may not be reported for all cases. Reported week is the week the case was reported to the public health unit. This is different than the “week of death” presented in Figure 5 which reflects the week the case was reported to have a ‘Fatal’ outcome.

Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Exposure

Table 3. Confirmed cases of COVID-19 by likely source of acquisition and public health unit reported week: Ontario

	Reported week 39 (September 26 to October 2)	Percentage	Reported week 40 (October 3 to 9)	Percentage	Cumulative case count up to October 9	Cumulative percentage
Travel	217	5.5%	235	6.1%	12,891	2.2%
Outbreak-associated or close contact of a confirmed case	2,354	59.6%	2,201	57.4%	353,472	59.7%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	46	0.0%
No known epidemiological link	1,172	29.7%	1,116	29.1%	172,787	29.2%
Information missing or unknown	209	5.3%	280	7.3%	52,957	8.9%
Total	3,952		3,832		592,153	

Note: Information for how cases are grouped within each category is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Sub-populations of interest

Table 4. Summary of cases of COVID-19 among health care workers: Ontario

Health care workers	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative case count up to October 9
Number of cases	95	65	24,559
Ever hospitalized	1	0	481
Ever in ICU	0	0	99

Note: Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM

Table 5. Summary of cases of COVID-19 associated with long-term care home outbreaks: Ontario

Long-term care home associated cases	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative case count up to October 9
Residents	21	10	15,619
Deaths among residents	2	0	4,019
Health care workers	10	7	7,368
Deaths among health care workers	0	0	10

Note: Information on how long-term care home residents and health care workers are identified is available in the technical notes. Interpret information for the most recent week with caution due to reporting lags.

Data Source: CCM


Table 6: Summary of reinfection cases of COVID-19 by age group and public health unit reported week: Ontario

Age Group	Reported Week 39 (September 26 to October 2)	Reported Week 40 (October 3 to 9)	Cumulative count from November 1 up to October 9	Percent of reinfection cases
Ages: 0-4	0	2	17	4.9%
Ages: 5-11	2	0	4	1.2%
Ages: 12-19	0	0	36	10.4%
Ages: 20-39	2	2	164	47.4%
Ages: 40-59	1	1	88	25.4%
Ages: 60-79	1	0	27	7.8%
Ages: 80 and over	0	0	10	2.9%
Total reinfection cases	6	5	346	

Note: Cases identified as reinfections meeting the [provincial definition](#) as indicated by public health units selecting the reinfection checkbox. Cumulative counts include cases of COVID-19 reinfection reported starting week-45 (November 1 to 7, 2020). Not all cases have a reported age or gender. Data corrections or updates can result in case records being removed and or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts.

Data Source: CCM


Figure 6. Rate of confirmed cases of COVID-19 per 100,000 population by quintile of neighbourhood diversity and public health unit reported week: Ontario



Note: Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from weeks 9 (February 23 to 29, 2020) to week 40 (October 3 to 9, 2021). As of June 8, all rate denominators were changed to the 2021 OHIP RPDB population, and as a result, rates shown here may differ from previous reports. See Table 1A in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM, Ontario Marginalization Index

Figure 7. Rate of confirmed cases of COVID-19 per 100,000 population by quintile of neighbourhood material deprivation and public health unit reported week: Ontario



Note: Neighbourhood material deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs. Only weeks with more than 10 cases by public health unit reporting date are included (starting in week 9). Include cases with reported dates ranging from weeks 9 (February 23 to 29, 2020) to week 40 (October 3 to 9, 2021). As of June 8, all rate denominators were changed to the 2021 OHIP RPDB population, and as a result, rates shown here may differ from previous reports. See Table 1A in Appendix A for a list of the weeks and corresponding start and end dates.

Data Source: CCM, Ontario Marginalization Index

Table 7: Summary of cases of COVID-19 by quintile of neighbourhood diversity and public health unit reported week: Ontario

	Cases Reported Week 39(September 26 to October 2)	Cases Reported Week 40 (October 3 to 9)	Cumulative case count up to October 9	Cumulative rate per 100,000 population up to October 9
Quintile 1 (least diverse)	460	450	32,867	1,479.7
Quintile 2	530	551	48,843	2,062.5
Quintile 3	716	623	71,747	2,767.9
Quintile 4	888	866	121,061	3,870.7
Quintile 5 (most diverse)	1,197	1,188	275,383	6,371.3

Note: Neighbourhood diversity is measured using the ethnic concentration dimension of the Ontario Marginalization Index. The ethnic concentration dimension is based on the proportion of non-white and non-Indigenous residents and/or the proportion of immigrants that arrived in Canada within the past five years. Cumulative counts and rates include cases of COVID-19 reported starting week 9 (February 23 to 29, 2020).

Data Source: CCM, Ontario Marginalization Index

Table 8: Summary of cases of COVID-19 by quintile of neighbourhood material deprivation and public health unit reported week: Ontario


	Cases Reported Week 39(September 26 to October 2)	Cases Reported Week 40 (October 3 to 9)	Cumulative case count up to October 9	Cumulative rate per 100,000 population up to October 9
Quintile 1 (least material deprivation)	758	729	93,787	2,721.5
Quintile 2	749	766	97,804	3,150.2
Quintile 3	655	645	105,793	3,815.2
Quintile 4	678	650	115,805	4,407.3
Quintile 5 (most material deprivation)	951	888	136,712	5,101.2

Note: Neighbourhood material deprivation is measured using the material deprivation dimension of the Ontario Marginalization Index. The material deprivation dimension uses Canadian census data on income, quality of housing, educational attainment and family structure characteristics to assess the ability of individuals and communities to access and attain basic material needs. Cumulative counts and rates include cases of COVID-19 reported starting week 9 (February 23 to 29, 2020).

Data Source: CCM, Ontario Marginalization Index

Geography


Figure 8. Percentage of COVID-19 cases by geographic region and public health unit reported week: Ontario



Note: Only weeks with more than 10 cases by public health unit reporting date are included (starting in week-9). Include cases with reported dates ranging from week-9 (February 23 and 29, 2020) to week 40 (October 3 and 9, 2021). [Table 2A](#) in Appendix A has a listing of public health units by region.

Data Source: CCM

Figure 9. Rate of confirmed cases of COVID-19 in public health reported week 40 (October 3 to 9, 2021) by public health unit: Ontario



Note: The provincial rate of confirmed cases of COVID-19 reported in week 40 was 26.0 cases per 100,000 population.

Data Source: CCM

Outbreaks

Table 9. Number of public health unit declared COVID-19 outbreaks by setting type: Ontario

Setting Type	Reported week 40 (October 3 to 9)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to October 9
Congregate Care	7	22	3,018
Long-term care homes	3	12	1,528
Retirement homes	3	8	896
Hospitals	1	2	594
Congregate Living	11	23	1,396
Correctional facility	0	3	66
Shelter	2	4	288
Group Home/supportive housing	8	14	816
Short-term accommodations	0	1	47
Congregate other	1	1	179
Education and Childcare	44	110	2,870
Child care	9	19	1,138
Camp – Day*	0	0	21
Camp – Overnight*	0	0	1
Camp – Unspecified*	0	0	1
School – Elementary**	31	76	1,289
School – Elementary/secondary**	1	1	69
School – Secondary**	3	13	296
School – Post-secondary**	0	1	55
Other settings	35	71	4,649

Setting Type	Reported week 40 (October 3 to 9)	Number of ongoing outbreaks	Cumulative number of outbreaks reported to October 9
Bar/restaurant/nightclub	6	11	406
Medical/health services	0	0	164
Personal service settings	0	1	38
Recreational fitness	1	1	115
Retail	1	3	499
Other recreation/community	4	8	289
Workplace – Farm	1	3	248
Workplace - Food processing	0	0	284
Other types of workplaces	13	28	2,556
Other	2	5	15
Unknown	7	11	35
Total number of outbreaks	97	226	11,933

Note: Reported week is based on the outbreak reported date, and if unavailable, the date the public health unit created the outbreak. Ongoing outbreaks includes all outbreaks that are 'Open' in CCM without a 'Declared Over Date' recorded or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'. Interpret information for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, manufacturing facilities, mines and construction sites, etc. Other recreation/community includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.

*Cumulative counts include COVID-19 camp outbreaks reported starting week-27 of 2021 (July 4 to 10, 2021).

**Cumulative counts include COVID-19 school outbreaks reported starting week-36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in outbreak counts that may differ from previously reported counts. Outbreaks in settings outside of Ontario are excluded from all outbreak counts.

Data Source: CCM

Table 10. Confirmed cases of COVID-19 associated with COVID-19 outbreaks by setting type and public health unit reported week: Ontario

Cases associated with the outbreak setting type	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative number of cases
Congregate Care	54	46	40,608
Long-term care homes	38	22	26,833
Retirement homes	10	17	7,325
Hospitals	6	7	6,450
Congregate Living	38	22	10,275
Correctional facility	21	5	1,828
Shelter	0	4	2,827
Group Home/supportive housing	15	11	3,718
Short-term accommodations	1	1	251
Congregate other	1	1	1,651
Education and Childcare	314	212	12,118
Child care	37	23	4,645
Camp – Day*	0	0	109
Camp – Overnight*	0	0	14
Camp – Unspecified*	0	0	2
School – Elementary**	247	160	5,324
School – Elementary/secondary**	3	14	369
School – Secondary**	18	15	1,209
School – Post-secondary**	9	0	446
Other settings	150	162	36,798
Bar/restaurant/nightclub	19	31	1,975
Medical/health services	0	0	741

Cases associated with the outbreak setting type	Reported week 39 (September 26 to October 2)	Reported week 40 (October 3 to 9)	Cumulative number of cases
Personal service settings	1	2	134
Recreational fitness	1	3	817
Retail	7	2	2,662
Other recreation/community	8	10	3,579
Workplace - Farm	10	2	3,232
Workplace - Food processing	2	0	3,786
Other types of workplaces	60	49	19,507
Other	22	31	183
Unknown	20	32	182
Total number of cases	556	442	99,799

Note: Interpret case counts for the most recent week with caution due to reporting lags. Outbreak categories are mutually exclusive. Retail includes settings such as grocery stores, pharmacies, malls, etc. Other types of workplaces include settings such as offices as well as warehousing, shipping and distribution, manufacturing facilities, mines, and construction sites, etc. Other recreation/community includes settings such as entertainment and event venues, gatherings (e.g., weddings), religious facilities, etc. Medical/health services refer to settings such as doctor's office or clinic, wellness clinics, etc., and excludes categories listed in the congregate care setting group.


*Cumulative counts include cases of COVID-19 camp outbreaks reported starting week-27 of 2021 (July 4 to 10, 2021).

**Cumulative counts include cases of COVID-19 associated with school outbreaks reported starting week-36 (August 30 to September 5, 2020).

Ongoing re-classification of settings for reported outbreaks can result in case counts that may differ from previously reported counts. Cases associated with outbreaks outside of Ontario are excluded from case counts in this table.

Data Source: CCM

Figure 10. Public health unit declared COVID-19 outbreaks by outbreak setting type and public health unit reported week: Ontario



Note: If public health unit outbreak reported date is unavailable, the date the public health unit created the outbreak is used. Week 8 refers to February 16 and 22, 2020 and week 40 refers to October 3 and 9, 2021. Congregate living include group homes, shelters, correctional facilities, etc. Other settings include outbreaks within workplaces, childcare, schools, restaurants, recreation etc.

Data Source: CCM

Variant COVID-19 Cases

Table 11. Summary of confirmed COVID-19 cases with a mutation or VOC detected by age group and gender: Ontario

	Lineage B.1.1.7 (Alpha)*	Lineage B.1.351 (Beta)**	Lineage P.1 (Gamma)***	Lineage B.1.617.2 (Delta)†	Mutations‡	Mutation not detected§	Cumulative case count as of October 9, 2021
Gender: Male	73,984	736	2,710	9,769	11,898	15,668	114,765
Gender: Female	71,588	762	2,486	9,477	10,953	15,641	110,907
Ages: 19 and under	27,812	250	905	4,466	4,672	7,279	45,384
Ages: 20-39	55,597	485	1,945	8,414	9,001	12,308	87,750
Ages: 40-59	42,840	491	1,572	4,419	6,301	7,987	63,610
Ages: 60-79	17,438	236	670	1,748	2,709	3,413	26,214
Ages: 80 and over	2,796	41	137	396	452	679	4,501

Note: Not all cases have an age or gender reported. Data corrections or updates can result in case records being removed and/or updated from past reports and may result in subset totals (i.e., age group, gender) differing from past publicly reported case counts. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta) lineage detected or a mutation are determined using the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the data caveats section.

*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

**Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on 'Mutation K417N+ and N501Y+ and E484K+' in the Investigation Subtype field.

***Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on 'Mutation K417T+ and N501Y+ and E484K+' in the Investigation Subtype field.

†Includes B.1.617.2 (Delta) and AY.3 cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown).

§Includes cases identified as 'Mutation not detected' or 'Mutation N501Y- and E484K-'in the Investigation Subtype field only.

Data Source: CCM

Table 12. Summary of confirmed COVID-19 cases with a mutation or VOC detected by likely source of acquisition: Ontario

	Lineage B.1.1.7 (Alpha)*	%	Lineage B.1.351 (Beta)**	%	Lineage P.1 (Gamma)***	%	Lineage B.1.617.2 (Delta)†	%	Mutations ‡	%	Cumulative case count up to October 9, 2021	Cumulative percentage
Travel	840	0.6%	38	2.5%	70	1.3%	1,538	7.9%	324	1.4%	2,810	1.4%
Outbreak-associated or close contact of a confirmed case	81,709	55.8%	961	63.9%	3,319	63.5%	10,803	55.6%	15,003	64.8%	111,795	57.1%
Epidemiological link – type unspecified	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
No known epidemiological link	52,250	35.7%	405	26.9%	1,609	30.8%	6,232	32.1%	6,711	29.0%	67,207	34.3%
Information missing or unknown	11,693	8.0%	99	6.6%	231	4.4%	870	4.5%	1,098	4.7%	13,991	7.1%
Total	146,492		1,503		5,229		19,443		23,136		195,803	

Note: Information for how cases are grouped within each category is available in the technical notes. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), and P.1 (Gamma) lineage detected are determined using the Investigation Subtype field only.

*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

**Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on 'Mutation K417N+ and N501Y+ and E484K+' in the Investigation Subtype field.


***Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on 'Mutation K417T+ and N501Y+ and E484K+' in the Investigation Subtype field.

†Includes B.1.617.2 (Delta) and AY.3 cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown)

Data Source: CCM

Figure 11. Rates of confirmed cases of COVID-19 with lineage B.1.617.2 (Delta)* detected in public health reported week 40 (October 3 to 9, 2021) by public health unit: Ontario



Note: The provincial rate of confirmed cases of COVID-19 with lineage B.1.617.2 (Delta)* reported in week 40 was 1.3 cases per 100,000 population. Data for cases with a B.1.617.2* lineage are determined using the Investigation Subtype field only. Changes to the VOC testing algorithm may impact counts and trends. Further details can be found in the data caveats section.

*Includes B.1.617.2 (Delta) and AY.3 cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

Data Source: CCM

Technical Notes

Data Sources

- The data for this report were based on information successfully extracted from the Public Health Case and Contact Management Solution (CCM) for all PHUs by PHO as of **October 12, 2021 at 1 p.m.** for cases reported from February 1, 2021 onwards and as of **October 12, 2021 at 9 a.m.** for cases reported up January 31, 2021.
- VOC testing data for this report were based on information successfully extracted from CCM within the laboratory object for select Logical Observation Identifiers Names and Codes (LOINC) for cases reported between February 07, 2021 and August 17, 2021, for all PHUs by PHO as of **September 29, 2021 at 1 p.m.** VOC testing data for cases reported between February 07, 2021 and August 17, 2021 are supplemented with information from the Investigation lineage and Investigation mutation field. For cases reported as of August 18, 2021, VOC test value is assigned based on information solely from the Investigation lineage and Investigation mutation fields for all PHUs.
- Ontario population estimate data were sourced from Statistics Canada. Population estimates 2001-2020: Table 1 annual population estimates by age and sex for July 1, 2001 to 2020, health regions, Ontario [unpublished data table]. Ottawa, ON: Government of Canada; 2021 [received April 22, 2021].
- Statistics Canada Postal Code Conversion File Plus (PCCF+), version 7B.
- The health equity (neighbourhood-level diversity and material deprivation) analyses use data from the 2016 Ontario Marginalization Index (ON-Marg), and population counts from the Ontario Health Insurance Plan (OHIP) Registered Person Database (RPDB) as of May 1, 2021 (provided by the Institute for Clinical Evaluative Sciences [ICES]):
 - Matheson FI; van Ingen T. 2016 Ontario marginalization index. Toronto, ON: Providence St. Joseph's and St. Michael's Healthcare; 2018. Joint publication with Public Health Ontario.
 - Chung H, Fung K, Ishiguro L, Paterson M, et al. Characteristics of COVID-19 diagnostic test recipients, Applied Health Research Questions (AHRQ) # 2021 0950 080 000. Toronto: Institute for Clinical Evaluative Sciences; 2020.

Data Caveats and Methods: Case Data

- The data represent case information reported to public health units and recorded in CCM. As a result, all counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, which may depend on severity of illness, clinical practice, changes in laboratory testing, and reporting behaviours.
- Observed trends over time should be interpreted with caution for the most recent period due to reporting and/or data entry lags.
- Only cases meeting the confirmed case classification as listed in the [MOH Case Definition – Coronavirus Disease \(COVID-19\) document](#) are included in the report counts from CCM. This includes persons with:

- laboratory confirmation by a validated NAAT assay
 - a validated point-of-care (POC) assay deemed acceptable to provide a final result
 - a validated laboratory-based serological assay SARS-CoV-2
- Cases of confirmed reinfection, as defined in the provincial case definitions, are counted as unique investigations. Reinfection cases include cases for persons (CCM clients) with two or more confirmed case investigations where the case investigations after the first one have the reinfection checkbox marked as 'Yes'.
 - Case classification information may be updated for individuals with a positive result issued from a point-of-care assays.
 - COVID-19 cases from CCM for which the Classification and/or Disposition was reported as ENTERED IN ERROR, DOES NOT MEET DEFINITION, IGNORE, DUPLICATE, or any variation on these values have been excluded. The provincial case count for COVID-19 may include some duplicate records, if these records were not identified and resolved.
 - Reported date is the date the case was reported to the public health unit. This is different than the daily change in cases released by the Province for the same time period, which reflects the difference in cumulative counts reported to the Province between one day and the next.
 - Reported weeks were created to align with the Public Health Agency of Canada (PHAC) influenza surveillance weeks.
 - Case episode date represents an estimate of disease onset. This date is calculated based on the earliest date of symptom onset, specimen collection/test date, or the date reported to the public health unit.
 - Cases with unknown or missing ages were excluded from age-specific analyses.
 - Health care worker includes cases that reported 'Yes' to any of the following occupations: health care worker, doctor, nurse, dentist, dental hygienist, midwife, other medical technicians, personal support worker, respiratory therapist, first responder.
 - Resolved cases are determined only for COVID-19 cases that have not died. Cases that have died are considered fatal and not resolved. The following cases are considered resolved:
 - Cases that are reported as 'recovered' in CCM based on local public health unit assessment
 - Cases that are not hospitalized and are 14 days past their symptom onset date or specimen collection date (where symptom onset date is not known)
 - Cases that are currently hospitalized (no hospitalization end date entered) and have a case status of 'closed' indicating that public health follow up is complete and are 14 days past their symptom onset date or specimen collection date
 - Data on hospital admissions, ICU admissions and deaths are likely under-reported as these events may occur after the completion of public health follow up of cases. Cases that were admitted to hospital or died after follow-up was completed may not be captured in CCM.

- Deaths are determined by using the outcome field in CCM. Any case marked 'Fatal' is included in the deaths data. The CCM field Type of Death is not used to further categorize the data.
 - The date of death is determined using the outcome date field for cases marked as 'Fatal' in the outcome field.
- Hospitalization includes all cases for which a hospital admission date was reported or hospitalization/ICU was reported as 'Yes' at the time of data extraction. It includes cases that have been discharged from hospital as well as cases that are currently hospitalized. Emergency room visits are not included in the number of reported hospitalizations.
- ICU admission includes all cases for which an ICU admission date was reported at the time of data extraction. It is a subset of the count of hospitalized cases. It includes cases that have been treated or that are currently being treated in an ICU.
- Likely source of acquisition is determined by examining the epidemiologic link and epidemiologic link status fields in CCM and local systems. If no epidemiologic link is identified in those fields the risk factor fields are examined to determine whether a case travelled, was associated with a confirmed outbreak, was a contact of a case, had an Epidemiological link with type unspecified, had no known epidemiological link (sporadic community transmission) or was reported to have an unknown source/no information was reported. Some cases may have no information reported if the case is untraceable, was lost to follow-up or referred to FNIHB. Cases with multiple risk factors were assigned to a single likely acquisition source group which was determined hierarchically in the following order:
 - For cases with an episode date *on or after* April 1, 2020: Outbreak-associated > close contact of a confirmed case > travel > no known epidemiological link > information missing or unknown
 - For cases with an episode date *before* April 1, 2020: Travel > outbreak-associated > close contact of a confirmed case > no known epidemiological link > information missing or unknown
- 'Long-term care home residents' includes cases that reported 'Yes' to the risk factor 'Resident of a long-term care home'; or 'Yes' to the risk factor 'Resident of nursing home or other chronic care facility' and reported to be part of an outbreak assigned as a long-term care home (via the Outbreak number or case comments field); or were reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field) with an age over 70 years and did not report 'No' to the risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility'. 'Long-term care home residents' excludes cases that reported 'Yes' to any of the health care worker occupational risk factors.
- 'Health care workers associated with long-term care outbreaks' includes 'health care workers' reported to be part of an outbreak assigned as a long-term care home (via the outbreak number or case comments field). Excludes cases that reported 'Yes' to risk factors 'Resident of long-term care home' or 'Resident of nursing home or other chronic care facility' and 'Yes' to the calculated 'health care workers' variable.
- 'Cases associated with school outbreaks' includes cases that are linked to an outbreak, by school classification type (Elementary, Elementary/Secondary, Secondary, Post-Secondary), that met the definition of a [school outbreak](#).

- School classification types are defined by the Ministry of Education.
 - Elementary/Secondary schools include public or private schools educating children in a combination of elementary and secondary grades (e.g., Kindergarten to Grade 8, Grades 9 to 12, and Kindergarten to Grade 12).
- Orientation of case counts by geography is based on the permanent health unit. This is equivalent to the diagnosing health unit (DHU) in iPHIS. DHU refers to the case's public health unit of residence at the time of illness onset and not necessarily the location of exposure. Cases for which the DHU was reported as MOH (to signify a case that is not a resident of Ontario) have been excluded from the analyses.
 - GTA health units include: Durham Region Health Department, Peel Public Health, Toronto Public Health and York Region Public Health
- Ongoing outbreaks are those that are reported in CCM as 'Open' and without a 'Declared Over Date' recorded. Closed outbreaks are 'Closed' or have a 'Declared Over Date' recorded in CCM or where the outbreak start date (determined by the onset date of first case, or if missing the reported date, or if missing the created date) is more than 5 months from the current date, even for outbreaks where the outbreak status value selected in CCM is 'OPEN'.
- Outbreaks are declared by the local medical officer of health or their designate in accordance to the Health Protection and Promotion Act and criteria outlined in [Ministry guidance documents](#).
- School outbreaks include outbreaks declared on or after week-36 (August 30 to September 5, 2020).
- Public Health Ontario conducts testing and genomic analyses for SARS-CoV-2 positive specimens using the criteria outlined here: <https://www.publichealthontario.ca/en/laboratory-services/test-information-index/covid-19-voc>
- Lineage nomenclature is dynamic. PANGO lineage naming and assignment may change as more samples are sequenced and analyzed.
- Variant status may be updated based on scientific evidence. Variants designated as a VOC in Canada is available on the [Public Health Agency of Canada's SARS-CoV-2 Variants webpage](#).
- Changes to the VOC testing algorithm may occur over time and trends should be interpreted with caution. Since February 3, 2021 all PCR positive SARS-CoV-2 specimens with CT values ≤ 35 are tested for a N501Y mutation. As of March 22, 2021, positive specimens with a Ct ≤ 35 are tested for both the N501Y and E484K mutation, with all E484K positive specimens with a Ct ≤ 30 forwarded for further genomic analysis. If found to be positive for the N501Y mutation only, no further genomic analysis are performed as these are presumed to be B.1.1.7 (alpha). As of May 26, 2021, cases where an E484K mutation is detected will no longer be reflexed for sequencing as VOC testing labs switched to a representative sampling method where only a proportion of all positives with a Ct ≤ 30 are forwarded for further genomic analysis. The laboratory detection of a variant of concern is a multi-step process. Samples that test positive for SARS-CoV-2 and have a cycle threshold (Ct) value ≤ 35 can be tested for mutations common to variants of concern. If positive for the mutation of interest these samples may then undergo genomic analyses to identify the VOC. VOC lineages may still be confirmed using genomic analysis despite specific S gene mutation(s) being documented as 'unable to complete' due to poor sequence quality at the genome position.

- If a VOC is identified through genomic analysis cases initially classified as a mutation may be updated and moved to the appropriate lineage [B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta)].

Data Caveats and Methods: ON-Marg

- ON-Marg is a data tool that combines a wide range of demographic indicators into multiple distinct dimensions of marginalization. It is an area-based index which assigns a measure of marginalization based on neighbourhood versus individual characteristics. As such, the broader demographic trends of an area may not reflect all residents of a neighbourhood owing to the inherent heterogeneity of demographic characteristics which can vary substantially especially across large rural geographies. For more information, please visit [PHO's ON-Marg website](#).
- Neighbourhood diversity is defined using the ethnic concentration dimension of ON-Marg, which measures populations who may experience marginalization related to racism and discrimination. It is based on the proportion of non-white and non-Indigenous residents (visible minority) and/or the proportion of immigrants that arrived in Canada within the past five years. 'Visible minority' is a term used by Statistics Canada that, although is considered to be outdated, is used here to be consistent with the Canadian census.
- Neighbourhood material deprivation is defined using the material deprivation dimension of ON-Marg, which is closely connected to poverty. It refers to the inability of individuals and communities to access and attain basic material needs. The indicators included in this dimension measure income, quality of housing, educational attainment and family structure characteristics.
- "Neighbourhoods" are considered to be Statistic Canada dissemination areas (DA). Cases were probabilistically matched to a DA based on their postal code using Statistics Canada's PCCF+ version 7B file, and subsequently assigned to a quintile of marginalization that contained 20% of Ontario neighbourhoods. The quintiles for the ethnic concentration and the material deprivation dimensions are ordered from quintiles 1 to 5, with quintile 1 having the lowest level of marginalization (i.e., least diverse or least deprived) and quintile 5 having the highest level of marginalization (i.e., most diverse or most deprived).
- The following were not included in analyses that summarize the impact of COVID-19 among Ontarians who may experience marginalization:
 - People who have tested positive for COVID-19 that reside in institutional and congregate settings are not included in the census data from which the marginalization indicators (ethnic concentration and material deprivation) are derived. Although these cases represent a large number of cases overall and deaths, their exclusion ensures appropriate comparisons since institutional and congregate setting residents are excluded from ON-Marg.
 - People who have tested positive for COVID-19 that reside in census dissemination areas where data has been suppressed, and cases that have missing or invalid postal codes could not be assigned to a quintile of marginalization.
 - Due to data suppression for some census indicators on Indian Reserves in Ontario, residents of Indian Reserves could not be included in ON-Marg and therefore people who have tested positive for COVID-19 and are living on Indian Reserves could not be assigned to a quintile of marginalization. While Indigenous individuals living off

reserves are included in this analysis, Indigeneity data is not currently collected or captured in dimensions of ON-Marg.

- Population counts used in rate denominators were provided by ICES. Individuals alive and eligible for the Ontario Health Insurance Plan (OHIP) as of January 1st, 2021 using the OHIP RPDB were included.
 - Individuals residing in long-term care (LTC) homes were excluded. Recent health care transaction records (e.g., OHIP physician billings, Ontario Drug Benefit [ODB] Plan claims) and Resident Assessment Instrument (RAI) assessments from the Continuing Care Reporting System (CCRS) were used to identify individuals residing in a LTC home near the period prior to the index date.
 - Postal codes were assigned to individuals according to the most recent residential address available in the OHIP RPDB.
- This work is supported by the Applied Health Research Questions (AHRQ) Portfolio at ICES, which is funded by the Ontario Ministry of Health, and Ontario Health Data Platform (OHDP), a Province of Ontario initiative to support Ontario's ongoing response to COVID-19 and its related impacts. Parts of this material are based on data and information compiled and provided by the Ontario Ministry of Health. The analyses, conclusions, opinions and statements expressed herein are solely those of the authors and do not reflect those of ICES, the OHDP or the funding or data sources; no endorsement is intended or should be inferred. For more information on AHRQ and how to submit a request, please visit www.ices.on.ca/DAS/AHRQ.

Appendix A

Table 1A. Confirmed cases of COVID-19 by public health unit reported week: Ontario

Reported Week	Start date	End date	Number of cases	Cumulative count
2	January 5, 2020	January 11, 2020	0	0
3	January 12, 2020	January 18, 2020	0	0
4	January 19, 2020	January 25, 2020	3	3
5	January 26, 2020	February 1, 2020	0	3
6	February 2, 2020	February 8, 2020	0	3
7	February 9, 2020	February 15, 2020	0	3
8	February 16, 2020	February 22, 2020	1	4
9	February 23, 2020	February 29, 2020	13	17
10	March 1, 2020	March 7, 2020	15	32
11	March 8, 2020	March 14, 2020	148	180
12	March 15, 2020	March 21, 2020	447	627
13	March 22, 2020	March 28, 2020	1,325	1,952
14	March 29, 2020	April 4, 2020	2,797	4,749
15	April 5, 2020	April 11, 2020	3,167	7,916
16	April 12, 2020	April 18, 2020	4,262	12,178
17	April 19, 2020	April 25, 2020	3,651	15,829
18	April 26, 2020	May 2, 2020	2,902	18,731
19	May 3, 2020	May 9, 2020	2,352	21,083
20	May 10, 2020	May 16, 2020	2,223	23,306
21	May 17, 2020	May 23, 2020	2,617	25,923
22	May 24, 2020	May 30, 2020	2,611	28,534
23	May 31, 2020	June 6, 2020	2,302	30,836

Reported Week	Start date	End date	Number of cases	Cumulative count
24	June 7, 2020	June 13, 2020	1,472	32,308
25	June 14, 2020	June 20, 2020	1,226	33,534
26	June 21, 2020	June 27, 2020	1,250	34,784
27	June 28, 2020	July 4, 2020	1,085	35,869
28	July 5, 2020	July 11, 2020	866	36,735
29	July 12, 2020	July 18, 2020	931	37,666
30	July 19, 2020	July 25, 2020	993	38,659
31	July 26, 2020	August 1, 2020	808	39,467
32	August 2, 2020	August 8, 2020	592	40,059
33	August 9, 2020	August 15, 2020	610	40,669
34	August 16, 2020	August 22, 2020	728	41,397
35	August 23, 2020	August 29, 2020	850	42,247
36	August 30, 2020	September 5, 2020	976	43,223
37	September 6, 2020	September 12, 2020	1,505	44,728
38	September 13, 2020	September 19, 2020	2,372	47,100
39	September 20, 2020	September 26, 2020	3,124	50,224
40	September 27, 2020	October 3, 2020	4,222	54,446
41	October 4, 2020	October 10, 2020	5,035	59,481
42	October 11, 2020	October 17, 2020	5,276	64,757
43	October 18, 2020	October 24, 2020	6,039	70,796
44	October 25, 2020	October 31, 2020	6,388	77,184
45	November 1, 2020	November 7, 2020	7,603	84,787
46	November 8, 2020	November 14, 2020	10,440	95,227
47	November 15, 2020	November 21, 2020	10,038	105,265
48	November 22, 2020	November 28, 2020	11,135	116,400

Reported Week	Start date	End date	Number of cases	Cumulative count
49	November 29, 2020	December 5, 2020	12,681	129,081
50	December 6, 2020	December 12, 2020	13,060	142,141
51	December 13, 2020	December 19, 2020	15,656	157,797
52	December 20, 2020	December 26, 2020	15,630	173,427
53	December 27, 2020	January 2, 2021	20,446	193,873
1	January 3, 2021	January 9, 2021	24,876	218,749
2	January 10, 2021	January 16, 2021	21,383	240,132
3	January 17, 2021	January 23, 2021	16,399	256,531
4	January 24, 2021	January 30, 2021	12,769	269,300
5	January 31, 2021	February 6, 2021	9,782	279,082
6	February 7, 2021	February 13, 2021	7,898	286,980
7	February 14, 2021	February 20, 2021	7,457	294,437
8	February 21, 2021	February 27, 2021	7,685	302,122
9	February 28, 2021	March 6, 2021	7,934	310,056
10	March 7, 2021	March 13, 2021	9,480	319,536
11	March 14, 2021	March 20, 2021	11,022	330,558
12	March 21, 2021	March 27, 2021	14,386	344,944
13	March 28, 2021	April 3, 2021	18,945	363,889
14	April 4, 2021	April 10, 2021	25,576	389,465
15	April 11, 2021	April 17, 2021	30,895	420,360
16	April 18, 2021	April 24, 2021	28,344	448,704
17	April 25, 2021	May 1, 2021	25,210	473,914
18	May 2, 2021	May 8, 2021	20,755	494,669
19	May 9, 2021	May 15, 2021	16,525	511,194
20	May 16, 2021	May 22, 2021	12,656	523,850

Reported Week	Start date	End date	Number of cases	Cumulative count
21	May 23, 2021	May 29, 2021	7,758	531,608
22	May 30, 2021	June 5, 2021	5,216	536,824
23	June 6, 2021	June 12, 2021	3,481	540,305
24	June 13, 2021	June 19, 2021	2,418	542,723
25	June 20, 2021	June 26, 2021	1,881	544,604
26	June 27, 2021	July 3, 2021	1,473	546,077
27	July 4, 2021	July 10, 2021	1,226	547,303
28	July 11, 2021	July 17, 2021	1,045	548,348
29	July 18, 2021	July 24, 2021	1,109	549,457
30	July 25, 2021	July 31, 2021	1,350	550,807
31	August 1, 2021	August 7, 2021	1,908	552,715
32	August 8, 2021	August 14, 2021	3,172	555,887
33	August 15, 2021	August 21, 2021	4,144	560,031
34	August 22, 2021	August 28, 2021	4,776	564,807
35	August 29, 2021	September 4, 2021	5,186	569,993
36	September 5, 2021	September 11, 2021	5,057	575,050
37	September 12, 2021	September 18, 2021	4,922	579,972
38	September 19, 2021	September 25, 2021	4,397	584,369
39	September 26, 2021	October 2, 2021	3,952	588,321
40	October 3, 2021	October 9, 2021	3,832	592,153

Table 2A. Confirmed cases of COVID-19 by public health unit and region: Ontario

Public Health Unit Name	Cases reported week 39	Rate per 100,000 population Reported week 39	Cases reported week 40	Rate per 100,000 population Reported week 40
Northwestern Health Unit	21	25.9	4	4.9
Thunder Bay District Health Unit	5	3.2	0	0.0
TOTAL NORTH WEST	26	10.9	4	1.7
Algoma Public Health	6	5.1	5	4.2
North Bay Parry Sound District Health Unit	17	13.1	27	20.9
Porcupine Health Unit	3	3.5	0	0.0
Public Health Sudbury & Districts	29	14.1	60	29.2
Timiskaming Health Unit	1	3.0	12	35.4
TOTAL NORTH EAST	56	9.8	104	18.2
Ottawa Public Health	347	33.3	271	26.0
Eastern Ontario Health Unit	150	69.5	107	49.6
Hastings Prince Edward Public Health	27	15.6	28	16.2
Kingston, Frontenac and Lennox & Addington Public Health	34	16.3	19	9.1
Leeds, Grenville & Lanark District Health Unit	22	12.2	15	8.3
Renfrew County and District Health Unit	10	9.2	11	10.1
TOTAL EASTERN	590	30.6	451	23.4
Durham Region Health Department	182	25.6	136	19.1

Public Health Unit Name	Cases reported week 39	Rate per 100,000 population Reported week 39	Cases reported week 40	Rate per 100,000 population Reported week 40
Haliburton, Kawartha, Pine Ridge District Health Unit	12	6.3	20	10.5
Peel Public Health	418	26.7	451	28.8
Peterborough Public Health	23	15.5	28	18.9
Simcoe Muskoka District Health Unit	100	16.5	126	20.8
York Region Public Health	275	22.9	331	27.6
TOTAL CENTRAL EAST	1,010	22.9	1,092	24.7
Toronto Public Health	739	24.7	765	25.6
TOTAL TORONTO	739	24.7	765	25.6
Chatham-Kent Public Health	108	101.3	76	71.3
Grey Bruce Health Unit	7	4.0	30	17.0
Huron Perth Public Health	42	28.7	49	33.5
Lambton Public Health	82	61.7	83	62.4
Middlesex-London Health Unit	139	27.2	140	27.4
Southwestern Public Health	74	33.8	80	36.5
Windsor-Essex County Health Unit	254	58.9	232	53.8
TOTAL SOUTH WEST	706	41.0	690	40.1
Brant County Health Unit	38	24.7	44	28.7
City of Hamilton Public Health Services	247	42.5	215	37.0
Haldimand-Norfolk Health Unit	28	23.3	17	14.2
Halton Region Public Health	117	19.2	113	18.5
Niagara Region Public Health	211	43.8	161	33.4

Public Health Unit Name	Cases reported week 39	Rate per 100,000 population Reported week 39	Cases reported week 40	Rate per 100,000 population Reported week 40
Region of Waterloo Public Health and Emergency Services	124	20.5	120	19.8
Wellington-Dufferin-Guelph Public Health	60	19.2	56	17.9
TOTAL CENTRAL WEST	825	28.8	726	25.3
TOTAL ONTARIO	3,952	26.8	3,832	26.0

Note: Interpret information for the most recent week with caution due to reporting lags.

Table 3A. Confirmed COVID-19 variants of concern by public health unit and region: Ontario

Public Health Unit Name	Cumulative case count up to October 9 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to October 9 for Lineage B.1.351 (Beta)**	Cumulative case count up to October 9 for Lineage P.1 (Gamma)***	Cumulative case count up to October 9 for Lineage B.1.617.2 (Delta)†	Cumulative count up to October 9 for Mutations‡
Northwestern Health Unit	65	0	1	22	17
Thunder Bay District Health Unit	104	1	2	26	74
TOTAL NORTH WEST	169	1	3	48	91
Algoma Public Health	68	0	14	24	26
North Bay Parry Sound District Health Unit	235	28	3	73	13
Porcupine Health Unit	1,108	2	0	69	8
Public Health Sudbury & Districts	689	13	10	60	268
Timiskaming Health Unit	84	1	0	3	0
TOTAL NORTH EAST	2,184	44	27	229	315
Ottawa Public Health	6,851	515	55	589	473
Eastern Ontario Health Unit	665	46	21	114	268
Hastings Prince Edward Public Health	111	0	18	111	393
Kingston, Frontenac and Lennox &	458	2	35	67	132

Public Health Unit Name	Cumulative case count up to October 9 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to October 9 for Lineage B.1.351 (Beta)**	Cumulative case count up to October 9 for Lineage P.1 (Gamma)***	Cumulative case count up to October 9 for Lineage B.1.617.2 (Delta)†	Cumulative count up to October 9 for Mutations‡
Addington Public Health					
Leeds, Grenville & Lanark District Health Unit	294	19	0	62	44
Renfrew County and District Health Unit	232	8	7	14	12
TOTAL EASTERN	8,611	590	136	957	1,322
Durham Region Health Department	9,523	66	270	743	1,213
Haliburton, Kawartha, Pine Ridge District Health Unit	443	0	23	156	309
Peel Public Health	31,194	163	1,774	2,672	2,856
Peterborough Public Health	630	4	8	118	161
Simcoe Muskoka District Health Unit	4,008	36	173	602	681
York Region Public Health	15,874	79	482	1,603	2,741
TOTAL CENTRAL EAST	61,672	348	2,730	5,894	7,961
Toronto Public Health	46,070	375	1,524	3,977	7,479
TOTAL TORONTO	46,070	375	1,524	3,977	7,479
Chatham-Kent Public Health	131	5	16	205	107

Public Health Unit Name	Cumulative case count up to October 9 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to October 9 for Lineage B.1.351 (Beta)**	Cumulative case count up to October 9 for Lineage P.1 (Gamma)***	Cumulative case count up to October 9 for Lineage B.1.617.2 (Delta)†	Cumulative count up to October 9 for Mutations‡
Grey Bruce Health Unit	310	0	6	603	55
Huron Perth Public Health	279	0	12	146	28
Lambton Public Health	438	0	18	124	129
Middlesex-London Health Unit	3,385	2	124	752	186
Southwestern Public Health	689	3	21	183	160
Windsor-Essex County Health Unit	1,857	8	19	1,124	139
TOTAL SOUTH WEST	7,089	18	216	3,137	804
Brant County Health Unit	670	2	97	288	508
City of Hamilton Public Health Services	5,064	66	105	1,640	2,093
Haldimand-Norfolk Health Unit	369	3	23	105	408
Halton Region Public Health	5,090	30	169	686	619
Niagara Region Public Health	4,286	4	20	205	1,104
Region of Waterloo Public Health and Emergency Services	3,133	21	98	1,850	255

Public Health Unit Name	Cumulative case count up to October 9 for Lineage B.1.1.7 (Alpha)*	Cumulative case count up to October 9 for Lineage B.1.351 (Beta)**	Cumulative case count up to October 9 for Lineage P.1 (Gamma)***	Cumulative case count up to October 9 for Lineage B.1.617.2 (Delta)†	Cumulative count up to October 9 for Mutations‡
Wellington-Dufferin-Guelph Public Health	2,085	1	81	427	177
TOTAL CENTRAL WEST	20,697	127	593	5,201	5,164
TOTAL ONTARIO	146,492	1,503	5,229	19,443	23,136

Note: Interpret the VOC and mutation trends with caution due to the varying time required to complete VOC testing and/or genomic analysis following the initial positive test for SARS-CoV-2. Data for calculating the cumulative case count uses data from the Investigation Subtype field only. Data for cases with a B.1.1.7 (Alpha), B.1.351 (Beta), P.1 (Gamma) and B.1.617.2 (Delta) lineage detected or a mutation are determined using the Investigation Subtype field only.

*Includes all confirmed COVID-19 cases where lineage B.1.1.7 (Alpha) was identified by genomic analysis and those presumed to be B.1.1.7 based on a positive N501Y and negative E484K mutation in the Investigation Subtype field.

**Includes B.1.351 (Beta) cases identified by genomic analysis and those presumed to be B.1.351 based on 'Mutation K417N+ and N501Y+ and E484K+' in the Investigation Subtype field

***Includes P.1 (Gamma) cases identified by genomic analysis and those presumed to be P.1 based on 'Mutation K417T+ and N501Y+ and E484K+' in the Investigation Subtype field

†Includes B.1.617.2 (Delta) and AY.3 cases identified by genomic analysis. Mutations common to B.1.617.2 are not included in the current VOC mutation test.

‡ Mutations includes all confirmed COVID-19 cases with the following mutations detected, reported from the Investigation Subtype field: N501Y and E484K, N501Y (E484K unknown), E484K (N501Y negative), E484K (N501Y unknown)

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Weekly epidemiologic summary: COVID-19 in Ontario – focus on October 3, 2021 to October 9, 2021. Toronto, ON: Queen's Printer for Ontario; 2021.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication. The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use. This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

For Further Information

For more information, email cd@oahpp.ca.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.

©Queen's Printer for Ontario, 2021

